

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	238	PM _{2.5}	1
2	Agra	Satisfactory	73	PM ₁₀	5
3	Ahmedabad	Moderate	120	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Moderate	114	PM ₁₀	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	64	PM ₁₀	1
7	Amaravati	Moderate	101	O ₃	1
8	Amritsar	Moderate	103	PM _{2.5}	1
9	Anantapur	Satisfactory	60	PM ₁₀	1
10	Ankleshwar	Moderate	121	со	1
11	Ariyalur	Satisfactory	64	NO ₂	1
12	Arrah	Moderate	199	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	190	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	151	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	74	PM ₁₀	1
16	Baddi	Moderate	134	PM ₁₀	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Bahadurgarh	Moderate	176	PM ₁₀	1
19	Ballabgarh	Satisfactory	77	PM ₁₀	1
20	Banswara	Moderate	117	СО	1
21	Bareilly	Moderate	140	PM ₁₀	2
22	Baripada	Moderate	138	PM ₁₀	1
23	Barmer	Moderate	115	PM ₁₀	1
24	Bathinda	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	300	PM ₁₀	1
26	Belgaum	Good	50	PM ₁₀	1
27	Bengaluru	Satisfactory	98	O ₃ , PM ₁₀	9
28	Bettiah	Poor	252	PM ₁₀	1
29	Bhagalpur	Poor	215	PM ₁₀	2
30	Bharatpur	Moderate	122	PM ₁₀	1
31	Bhilai	Satisfactory	70	PM ₁₀ , CO	3
32	Bhiwadi	Poor	202	PM ₁₀	1
33	Bhiwani	Moderate	121	PM ₁₀	1
34	Bhopal	Satisfactory	97	O ₃ , PM ₁₀	3
35	Bihar Sharif	Poor	206	PM ₁₀	1
36	Bikaner	Moderate	154	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Moderate	135	PM ₁₀	1
38	Bileipada	Poor	245	PM _{2.5}	1
39	Bulandshahr	Moderate	152	PM ₁₀	1
40	Byrnihat	Very Poor	370	PM _{2.5}	1
41	Chamarajanagar	Good	44	PM ₁₀	1
42	Chandigarh	Moderate	137	PM ₁₀	2
43	Chandrapur	Moderate	193	PM _{2.5}	1
44	Charkhi Dadri	Moderate	148	PM _{2.5}	1
45	Chennai	Satisfactory	84	PM _{2.5} , PM ₁₀	6
46	Chhal	Moderate	125	PM ₁₀	1
47	Chhapra	Poor	223	PM ₁₀	1
48	Chikkaballapur	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	79	PM ₁₀	1
50	Churu	Moderate	130	PM ₁₀	1
51	Coimbatore	Good	44	PM _{2.5}	1
52	Cuddalore	Moderate	101	NO ₂	1
53	Dausa	Moderate	181	PM ₁₀	1
54	Davanagere	Satisfactory	80	PM ₁₀	1
55	Dehradun	Moderate	119	PM ₁₀	1
56	Delhi	Poor	206	PM ₁₀ , PM _{2.5}	38
57	Dewas	Moderate	139	PM ₁₀	1
58	Dharuhera	Poor	218	PM ₁₀	1
59	Dharwad	Moderate	120	PM _{2.5}	1
60	Durgapur	Moderate	158	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

Notes:

Notes:

Notes:

Hisar, Hosur, Kadapa, Kanchipuram, Kannur, Kashipur, Kohima, Kolar,
Kozhikode, Kunjemura, Kurukshetra, Maihar, Manguraha, Motihari, Naharlagun,
Nalbari, Nandesari, Palkalaiperur, Prayagraj, Raichur, Ratlam, Salem,
Sasaram, Satna, Sirohi, Sonipat, Surat, Tensa, Tumakuru, Tumidih, Udupi,
Vapi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	137	PM ₁₀ , PM _{2.5}	4
62	Firozabad	Satisfactory	88	O ₃ , PM ₁₀	2
63	Gandhinagar	Moderate	148	PM _{2.5} , PM ₁₀	3
64	Gangtok	Moderate	164	03	1
65	Gaya	Moderate	164	PM ₁₀ , PM _{2.5}	3
66	Ghaziabad	Poor	226	PM ₁₀	4
67	Gorakhpur	Moderate	107	PM ₁₀	1
68	Greater Noida	Poor	242	03	2
69	Gummidipoondi	Moderate	106	PM ₁₀	1
70	Gurugram	Poor	265	PM _{2.5}	4
71	Guwahati	Poor	263	PM _{2.5}	4
72	Gwalior	Moderate	124	O ₃ , PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Poor	233	PM ₁₀	1
74	Haldia	Satisfactory	96	PM ₁₀	1
75	Hanumangarh	Moderate	112	PM _{2.5}	1
76	Hapur	Satisfactory	100	PM ₁₀	1
77	Hassan	Satisfactory	90	PM ₁₀	1
78	Haveri	Satisfactory	82	PM _{2.5}	1
79	Howrah	Moderate	107	PM ₁₀	3
80	Hubballi	Moderate	122	PM ₁₀	2
81	Hyderabad	Satisfactory	96	PM ₁₀ , NO ₂	12
82	Imphal	Moderate	128	PM _{2.5} , SO ₂	2
83	Indore	Satisfactory	95	PM ₁₀ , NO ₂	2
84	Jabalpur	Moderate	145	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jaipur	Moderate	144	PM ₁₀ , PM _{2.5}	4
86	Jalandhar	Moderate	124	PM ₁₀	1
87	Jhalawar	Satisfactory	82	PM ₁₀	1
88	Jhansi	Satisfactory	79	PM ₁₀	1
89	Jhunjhunu	Poor	202	O ₃	1
90	Jind	Satisfactory	90	PM ₁₀	1
91	Jodhpur	Moderate	109	PM _{2.5}	4
92	Jorapokhar	Moderate	155	PM ₁₀	1
93	Kaithal	Moderate	174	PM _{2.5}	1
94	Kalaburgi	Satisfactory	81	PM ₁₀	1
95	Kalyan	Moderate	112	PM ₁₀	1
96	Kanpur	Moderate	142	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karauli	Good	38	PM _{2.5}	1
98	Karnal	Moderate	114	PM ₁₀	1
99	Katihar	Poor	289	PM ₁₀	1
100	Katni	Moderate	165	PM ₁₀	1
101	Keonjhar	Moderate	146	PM _{2.5}	1
102	Khanna	Moderate	120	PM ₁₀	1
103	Khurja	Satisfactory	83	PM _{2.5}	1
104	Kishanganj	Poor	242	PM ₁₀	1
105	Kochi	Satisfactory	59	СО	1
106	Kolkata	Moderate	109	O ₃ , PM ₁₀	7
107	Kollam	Satisfactory	100	PM ₁₀	1
108	Koppal	Satisfactory	59	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Moderate	162	PM _{2.5} , PM ₁₀	2
110	Kota	Satisfactory	76	PM ₁₀	3
111	Lucknow	Moderate	181	PM _{2.5}	6
112	Ludhiana	Moderate	108	PM ₁₀	1
113	Madikeri	Satisfactory	55	O ₃	1
114	Mandi Gobindgarh	Moderate	166	PM _{2.5}	1
115	Mandideep	Moderate	118	PM ₁₀	1
116	Mandikhera	Satisfactory	92	PM ₁₀	1
117	Manesar	Moderate	199	PM _{2.5}	1
118	Mangalore	Satisfactory	73	PM ₁₀	1
119	Meerut	Poor	249	PM ₁₀	3
120	Milupara	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Moradabad	Moderate	158	PM ₁₀ , PM _{2.5}	6
122	Mumbai	Satisfactory	95	PM _{2.5} , PM ₁₀	18
123	Munger	Poor	274	PM ₁₀	1
124	Muzaffarnagar	Poor	247	PM ₁₀	1
125	Muzaffarpur	Poor	271	PM _{2.5} , O ₃	2
126	Mysuru	Satisfactory	79	O ₃	1
127	Nagaon	Poor	279	PM _{2.5}	1
128	Nagpur	Moderate	120	PM _{2.5}	1
129	Narnaul	Moderate	115	PM ₁₀	1
130	Nashik	Satisfactory	51	O ₃	1
131	Navi Mumbai	Moderate	129	PM _{2.5} , PM ₁₀	2
132	Nayagarh	Poor	262	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Noida	Poor	218	PM ₁₀	4
134	Ooty	Satisfactory	73	PM _{2.5}	1
135	Pali	Satisfactory	89	PM ₁₀	1
136	Palwal	Satisfactory	98	PM ₁₀	1
137	Panchkula	Moderate	185	PM _{2.5}	1
138	Panipat	Moderate	185	PM ₁₀	1
139	Patiala	Moderate	149	PM ₁₀	1
140	Patna	Poor	253	PM ₁₀ , PM _{2.5}	6
141	Pithampur	Moderate	104	PM ₁₀	1
142	Pratapgarh	Satisfactory	93	PM ₁₀	1
143	Puducherry	Satisfactory	60	PM ₁₀	1
144	Pune	Poor	207	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Purnia	Moderate	129	PM _{2.5}	1
146	Raipur	Satisfactory	98	PM _{2.5} , NO ₂	4
147	Rairangpur	Poor	241	PM _{2.5}	1
148	Rajamahendravaram	Moderate	102	PM ₁₀	1
149	Rajgir	Moderate	137	PM ₁₀	1
150	Rajsamand	Satisfactory	62	PM ₁₀	1
151	Ramanagara	Satisfactory	88	PM ₁₀	1
152	Ramanathapuram	Good	43	PM ₁₀	1
153	Rishikesh	Satisfactory	79	PM ₁₀	1
154	Rohtak	Moderate	107	PM _{2.5}	1
155	Rourkela	Poor	225	PM ₁₀	3
156	Rupnagar	Moderate	168	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sagar	Moderate	121	O ₃	1
158	Saharsa	Poor	230	PM ₁₀	1
159	Samastipur	Poor	242	PM ₁₀	1
160	Sawai Madhopur	Moderate	114	PM ₁₀	1
161	Shillong	Moderate	128	PM ₁₀	1
162	Shivamogga	Satisfactory	72	O ₃	1
163	Sikar	Moderate	180	PM ₁₀	1
164	Silchar	Satisfactory	67	PM ₁₀	1
165	Siliguri	Moderate	128	PM _{2.5}	1
166	Singrauli	Very Poor	304	PM ₁₀	1
167	Sirsa	Moderate	124	PM ₁₀	1
168	Sivasagar	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Siwan	Poor	219	PM ₁₀	1
170	Solapur	Satisfactory	94	PM ₁₀	1
171	Sri Ganganagar	Poor	229	PM ₁₀	1
172	Srinagar	Satisfactory	64	PM ₁₀	1
173	Suakati	Moderate	200	PM _{2.5}	1
174	Talcher	Moderate	135	PM ₁₀	1
175	Thane	Moderate	153	03	1
176	Thiruvananthapuram	Satisfactory	56	PM ₁₀	2
177	Thoothukudi	Satisfactory	83	PM ₁₀	1
178	Thrissur	Moderate	103	PM ₁₀	1
179	Tirupati	Satisfactory	88	PM ₁₀	2
180	Tirupur	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tonk	Moderate	153	PM ₁₀	1
182	Udaipur	Satisfactory	89	PM ₁₀	1
183	Ujjain	Moderate	141	PM ₁₀	1
184	Varanasi	Satisfactory	99	PM ₁₀ , PM _{2.5}	3
185	Vatva	Moderate	135	PM ₁₀	1
186	Vijayapura	Good	42	PM ₁₀	1
187	Visakhapatnam	Moderate	151	PM ₁₀	1
188	Vrindavan	Moderate	173	03	1
189	Yadgir	Satisfactory	75	PM ₁₀	1
190	Yamunanagar	Moderate	196	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat,

Bidar, Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Damoh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.