

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	26	PM ₁₀	1
2	Agra	Good	24	PM _{2.5} , O ₃	5
3	Ahmedabad	Satisfactory	94	O ₃ , PM ₁₀ , CO	6
4	Aizawl	Satisfactory	55	03	1
5	Ajmer	Satisfactory	84	PM ₁₀	1
6	Alwar	Satisfactory	74	PM ₁₀	1
7	Amaravati	Good	30	O ₃	1
8	Ambala	Satisfactory	52	PM ₁₀	1
9	Amritsar	Moderate	182	O ₃	1
10	Ankleshwar	Satisfactory	68	PM ₁₀	1
11	Araria	Satisfactory	63	O ₃	1
12	Arrah	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO ₂	1
14	Aurangabad (Bihar)	Satisfactory	75	PM _{2.5}	1
15	Baddi	Moderate	147	PM ₁₀	1
16	Baghpat	Satisfactory	55	03	1
17	Bahadurgarh	Satisfactory	51	PM ₁₀	1
18	Ballabgarh	Good	47	NO ₂	1
19	Bareilly	Good	50	PM _{2.5}	1
20	Bathinda	Satisfactory	78	PM ₁₀	1
21	Bengaluru	Satisfactory	79	PM ₁₀ , CO	7
22	Bhagalpur	Satisfactory	76	PM ₁₀	2
23	Bhiwadi	Satisfactory	51	PM ₁₀	1
24	Bhiwani	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Good	38	PM ₁₀	1
26	Bihar Sharif	Satisfactory	76	СО	1
27	Bilaspur	Good	49	PM _{2.5}	1
28	Bulandshahr	Satisfactory	55	PM ₁₀	1
29	Buxar	Moderate	116	PM ₁₀	1
30	Chamarajanagar	Good	40	PM ₁₀	1
31	Chandigarh	Satisfactory	78	O ₃ , PM ₁₀	3
32	Chandrapur	Satisfactory	74	со	1
33	Charkhi Dadri	Moderate	101	PM ₁₀	1
34	Chennai	Satisfactory	65	CO, PM ₁₀	7
35	Chhapra	Moderate	167	PM ₁₀	1
36	Chikkaballapur	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	33	PM ₁₀	1
38	Damoh	Good	21	PM _{2.5}	1
39	Darbhanga	Satisfactory	70	PM ₁₀	1
40	Davanagere	Good	21	PM _{2.5}	1
41	Dehradun	Good	21	03	1
42	Delhi	Satisfactory	76	NO ₂ , CO, PM ₁₀	35
43	Dewas	Good	36	03	1
44	Dharuhera	Good	48	PM ₁₀	1
45	Durgapur	Satisfactory	82	PM ₁₀	1
46	Eloor	Satisfactory	52	PM ₁₀	1
47	Ernakulam	Good	31	NO ₂	1
48	Faridabad	Satisfactory	84	PM ₁₀ , CO	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	111	СО	1
50	Gandhinagar	Satisfactory	52	PM ₁₀	1
51	Gaya	Satisfactory	63	PM ₁₀ , CO, O ₃	3
52	Ghaziabad	Satisfactory	62	PM ₁₀	4
53	Gorakhpur	Good	47	SO ₂	1
54	Greater Noida	Satisfactory	62	O ₃ , PM ₁₀	2
55	Gurugram	Satisfactory	72	PM ₁₀	3
56	Guwahati	Good	48	PM ₁₀ , O ₃	2
57	Gwalior	Satisfactory	66	03	1
58	Hajipur	Satisfactory	75	PM ₁₀	1
59	Haldia	Good	35	O ₃	1
60	Hapur	Satisfactory	55	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	29	NO ₂	1
62	Haveri	Good	42	со	1
63	Hisar	Satisfactory	73	PM ₁₀	1
64	Howrah	Good	41	CO, PM ₁₀ , PM _{2.5}	3
65	Hubballi	Good	50	со	1
66	Hyderabad	Satisfactory	57	CO, PM ₁₀ , NO ₂	11
67	Imphal	Satisfactory	59	O ₃ , SO ₂	2
68	Indore	Satisfactory	62	PM ₁₀	1
69	Jaipur	Good	48	PM ₁₀ , O ₃	3
70	Jalandhar	Good	42	PM ₁₀	1
71	Jhansi	Good	42	PM ₁₀	1
72	Jind	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Satisfactory	72	PM ₁₀	1
74	Kaithal	Satisfactory	59	O ₃	1
75	Kalaburgi	Satisfactory	60	PM ₁₀	1
76	Kalyan	Satisfactory	61	PM ₁₀	1
77	Kannur	Satisfactory	55	PM ₁₀	1
78	Kanpur	Satisfactory	54	PM ₁₀ , PM _{2.5}	4
79	Karnal	Good	37	PM ₁₀	1
80	Katihar	Satisfactory	56	PM ₁₀	1
81	Katni	Satisfactory	61	PM ₁₀	1
82	Khanna	Good	49	PM ₁₀	1
83	Khurja	Good	43	PM ₁₀	1
84	Kishanganj	Satisfactory	59	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar, Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Good	33	PM ₁₀	1
86	Kohima	Satisfactory	51	SO ₂	1
87	Kolkata	Good	43	PM ₁₀ , O ₃ , PM _{2.5}	7
88	Kollam	Satisfactory	55	PM ₁₀	1
89	Koppal	Good	25	NO ₂	1
90	Kota	Satisfactory	62	PM ₁₀	1
91	Kozhikode	Satisfactory	62	PM ₁₀	1
92	Kurukshetra	Good	50	PM ₁₀	1
93	Lucknow	Satisfactory	69	NO ₂ , PM ₁₀	5
94	Ludhiana	Satisfactory	89	PM ₁₀	1
95	Madikeri	Good	21	03	1
96	Mandi Gobindgarh	Good	33	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Good	45	O ₃	1
98	Manesar	Satisfactory	53	PM ₁₀	1
99	Manglore	Satisfactory	56	со	1
100	Meerut	Satisfactory	63	CO, PM ₁₀	3
101	Moradabad	Satisfactory	63	O ₃ , CO, PM ₁₀	5
102	Motihari	Satisfactory	77	03	1
103	Mumbai	Satisfactory	72	PM _{2.5} , CO, PM ₁₀	16
104	Muzaffarnagar	Satisfactory	66	PM _{2.5}	1
105	Muzaffarpur	Satisfactory	61	PM ₁₀ , CO, PM _{2.5}	3
106	Mysuru	Good	45	PM ₁₀	1
107	Nagpur	Good	36	PM ₁₀	1
108	Naharlagun	Good	23	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Good	36	PM _{2.5}	1
110	Nashik	Good	27	PM ₁₀	1
111	Navi Mumbai	Satisfactory	63	CO, PM ₁₀	2
112	Noida	Satisfactory	91	O ₃ , CO, PM ₁₀	3
113	Pali	Good	50	PM ₁₀	1
114	Palwal	Satisfactory	71	PM ₁₀	1
115	Panchkula	Good	45	PM _{2.5}	1
116	Panipat	Satisfactory	62	PM ₁₀	1
117	Patiala	Good	44	PM ₁₀	1
118	Patna	Moderate	116	PM ₁₀ , PM _{2.5}	5
119	Pithampur	Satisfactory	74	PM ₁₀	1
120	Prayagraj	Satisfactory	86	PM ₁₀ , SO ₂	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	76	PM _{2.5}	1
122	Pune	Satisfactory	68	со	4
123	Purnia	Moderate	130	PM ₁₀	1
124	Raichur	Satisfactory	69	PM ₁₀	1
125	Rajamahendravaram	Good	43	со	1
126	Rajgir	Good	45	со	1
127	Ramanagara	Good	48	PM ₁₀	1
128	Ratlam	Good	43	PM _{2.5}	1
129	Rohtak	Good	50	PM _{2.5}	1
130	Rupnagar	Satisfactory	60	PM ₁₀	1
131	Sagar	Good	50	со	1
132	Saharsa	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Satisfactory	63	O ₃	1
134	Satna	Satisfactory	55	PM ₁₀	1
135	Shillong	Good	24	PM ₁₀ , SO ₂	2
136	Shivamogga	Good	47	PM ₁₀	1
137	Siliguri	Satisfactory	52	PM ₁₀	1
138	Singrauli	Satisfactory	97	NO ₂	1
139	Solapur	Satisfactory	92	PM ₁₀	1
140	Talcher	Satisfactory	57	со	1
141	Thiruvananthapuram	Good	32	со	1
142	Thoothukudi	Good	39	PM ₁₀	1
143	Thrissur	Good	42	PM ₁₀	1
144	Tirupati	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Good	46	PM ₁₀	1
146	Ujjain	Satisfactory	67	PM ₁₀	1
147	Varanasi	Good	49	NO ₂ , SO ₂	2
148	Vatva	Satisfactory	55	PM _{2.5}	1
149	Vijayapura	Good	49	PM ₁₀	1
150	Visakhapatnam	Satisfactory	94	PM ₁₀	1
151	Vrindavan	Good	41	SO ₂	1
152	Yadgir	Satisfactory	62	PM ₁₀	1
153	Yamunanagar	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
 Bagalkot, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore,
 Firozabad, Gadag, Gangtok, Gummidipoondi, Jabalpur, Jorapokhar, Kolar,
 Maihar, Mandikhera, Manguraha, Munger, Nandesari, Samastipur, Sirsa, Siwan,
 Sonipat, Srinagar, Thane, Udupi, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.