



## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	132	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	219	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	126	PM <sub>10</sub>	1
4	Alwar	Moderate	101	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	68	PM <sub>10</sub>	1
6	Ambala	Moderate	189	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	122	PM <sub>10</sub>	1
8	Asanol	Moderate	136	PM <sub>2.5</sub>	1
9	Bagalkot	Satisfactory	75	PM <sub>10</sub>	1
10	Bahadurgarh	Poor	225	PM <sub>2.5</sub>	1
11	Ballabgarh	Satisfactory	97	PM <sub>10</sub>	1
12	Bathinda	Poor	233	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	91	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	9
14	Bhiwadi	Poor	230	PM <sub>2.5</sub>	1
15	Bhiwani	Poor	204	PM <sub>2.5</sub>	1
16	Bhopal	Moderate	161	PM <sub>10</sub>	1
17	Brajrajnagar	Moderate	120	PM <sub>2.5</sub>	1
18	Bulandshahr	Poor	236	PM <sub>2.5</sub>	1
19	Chandigarh	Moderate	116	PM <sub>10</sub>	1
20	Chandrapur	Satisfactory	97	PM <sub>10</sub>	1
21	Chennai	Satisfactory	82	PM <sub>2.5</sub> , PM <sub>10</sub>	4
22	Chikkaballapur	Satisfactory	75	PM <sub>10</sub>	1
23	Coimbatore	Satisfactory	73	O <sub>3</sub>	1
24	Damoh	Moderate	101	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	233	PM <sub>2.5</sub>	33
26	Dewas	Moderate	150	PM <sub>10</sub>	1
27	Dharuhera	Poor	247	PM <sub>2.5</sub>	1
28	Eloor	Satisfactory	88	PM <sub>10</sub>	1
29	Ernakulam	Satisfactory	82	PM <sub>2.5</sub>	1
30	Faridabad	Moderate	173	PM <sub>2.5</sub>	1
31	Fatehabad	Moderate	177	PM <sub>2.5</sub>	1
32	Gandhinagar	Moderate	137	PM <sub>2.5</sub>	1
33	Gaya	Satisfactory	89	PM <sub>2.5</sub>	1
34	Ghaziabad	Poor	291	PM <sub>2.5</sub>	4
35	Greater Noida	Poor	239	PM <sub>2.5</sub>	2
36	Gurugram	Moderate	176	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Satisfactory	55	PM <sub>2.5</sub>	1
38	Gwalior	Moderate	174	O <sub>3</sub> , PM <sub>2.5</sub>	2
39	Hapur	Satisfactory	73	PM <sub>10</sub>	1
40	Hisar	Poor	248	PM <sub>2.5</sub>	1
41	Howrah	Satisfactory	85	PM <sub>10</sub> , O <sub>3</sub>	3
42	Hubballi	Satisfactory	86	PM <sub>10</sub>	1
43	Hyderabad	Moderate	103	PM <sub>10</sub> , PM <sub>2.5</sub>	5
44	Indore	Moderate	180	PM <sub>10</sub>	1
45	Jabalpur	Moderate	155	PM <sub>10</sub>	1
46	Jaipur	Moderate	107	PM <sub>2.5</sub> , PM <sub>10</sub>	3
47	Jalandhar	Moderate	189	PM <sub>2.5</sub>	1
48	Jind	Poor	225	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Poor	211	PM <sub>2.5</sub>	1
50	Jorapokhar	Moderate	120	PM <sub>2.5</sub>	1
51	Kaithal	Moderate	128	PM <sub>2.5</sub>	1
52	Kalyan	Poor	209	O <sub>3</sub>	1
53	Kannur	Satisfactory	100	PM <sub>2.5</sub>	1
54	Kanpur	Satisfactory	90	PM <sub>2.5</sub>	1
55	Karnal	Poor	222	PM <sub>2.5</sub>	1
56	Katni	Satisfactory	98	PM <sub>10</sub>	1
57	Khanna	Satisfactory	100	PM <sub>10</sub>	1
58	Kochi	Moderate	104	PM <sub>2.5</sub>	1
59	Kolkata	Satisfactory	71	PM <sub>10</sub> , O <sub>3</sub>	7
60	Kota	Moderate	101	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Satisfactory	66	PM <sub>10</sub>	1
62	Kurukshetra	Poor	234	PM <sub>2.5</sub>	1
63	Lucknow	Satisfactory	88	PM <sub>2.5</sub> , O <sub>3</sub> , CO	4
64	Ludhiana	Moderate	179	PM <sub>2.5</sub>	1
65	Maihar	Good	49	PM <sub>10</sub>	1
66	Mandi Gobindgarh	Moderate	113	PM <sub>10</sub>	1
67	Mandideep	Moderate	171	PM <sub>10</sub>	1
68	Mandikhera	Moderate	126	PM <sub>10</sub>	1
69	Manesar	Moderate	175	PM <sub>2.5</sub>	1
70	Meerut	Poor	244	PM <sub>2.5</sub>	3
71	Mumbai	Moderate	131	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	10
72	Muzaffarnagar	Poor	248	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarpur	Moderate	106	PM <sub>2.5</sub>	1
74	Nandesari	Moderate	175	CO	1
75	Nashik	Satisfactory	78	PM <sub>10</sub>	1
76	Navi Mumbai	Moderate	159	PM <sub>10</sub> , CO	3
77	Noida	Poor	249	PM <sub>2.5</sub>	3
78	Pali	Moderate	167	PM <sub>10</sub>	1
79	Palwal	Moderate	187	PM <sub>2.5</sub>	1
80	Panchkula	Satisfactory	58	PM <sub>2.5</sub>	1
81	Panipat	Poor	291	PM <sub>10</sub>	1
82	Patiala	Moderate	122	PM <sub>2.5</sub>	1
83	Patna	Moderate	103	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	4
84	Pithampur	Moderate	124	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	166	PM <sub>2.5</sub>	1
86	Rajamahendravaram	Satisfactory	67	O <sub>3</sub>	1
87	Ramanagara	Satisfactory	51	PM <sub>10</sub>	1
88	Ratlam	Moderate	150	PM <sub>10</sub>	1
89	Rohtak	Poor	267	PM <sub>2.5</sub>	1
90	Rupnagar	Moderate	138	PM <sub>2.5</sub>	1
91	Sagar	Satisfactory	83	PM <sub>10</sub>	1
92	Shillong	Good	34	O <sub>3</sub>	1
93	Siliguri	Satisfactory	73	PM <sub>10</sub>	1
94	Singrauli	Moderate	120	PM <sub>2.5</sub>	1
95	Sirsa	Moderate	116	PM <sub>10</sub>	1
96	Solapur	Moderate	103	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Feb 27, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sonipat	Moderate	175	PM <sub>10</sub>	1
98	Talcher	Moderate	138	PM <sub>2.5</sub>	1
99	Thiruvananthapuram	Satisfactory	83	O <sub>3</sub> , CO	2
100	Tirupati	Satisfactory	87	PM <sub>2.5</sub>	1
101	Udaipur	Satisfactory	94	PM <sub>10</sub>	1
102	Ujjain	Moderate	124	PM <sub>10</sub>	1
103	Vapi	Moderate	186	PM <sub>2.5</sub>	1
104	Varanasi	Moderate	172	PM <sub>2.5</sub>	1
105	Vatva	Poor	283	PM <sub>2.5</sub>	1
106	Vijayapura	Moderate	168	PM <sub>2.5</sub>	1
107	Visakhapatnam	Satisfactory	60	PM <sub>10</sub>	1
108	Yadgir	Satisfactory	77	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Chikkamagaluru, Haldia, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.