

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	63	03	1
2	Agra	Moderate	138	PM _{2.5}	1
3	Ahmedabad	Moderate	145	PM ₁₀	1
4	Aizawl	Good	31	PM ₁₀	1
5	Ajmer	Satisfactory	89	PM ₁₀	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Satisfactory	53	PM ₁₀	1
8	Ambala	Satisfactory	82	PM ₁₀	1
9	Ankleshwar	Moderate	116	PM ₁₀	1
10	Asansol	Satisfactory	90	PM _{2.5}	1
11	Aurangabad	Satisfactory	88	PM ₁₀	1
12	Bagalkot	Satisfactory	88	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	305	PM ₁₀	1
14	Bahadurgarh	Moderate	183	PM _{2.5}	1
15	Ballabgarh	Satisfactory	78	PM ₁₀	1
16	Bathinda	Satisfactory	72	PM ₁₀	1
17	Bengaluru	Satisfactory	78	PM _{2.5} , PM ₁₀	7
18	Bhiwadi	Poor	251	PM _{2.5}	1
19	Bhiwani	Moderate	123	O ₃	1
20	Bhopal	Moderate	162	O ₃	1
21	Brajrajnagar	Satisfactory	75	PM ₁₀	1
22	Bulandshahr	Moderate	188	O ₃	1
23	Chamarajanagar	Satisfactory	51	PM ₁₀	1
24	Chandigarh	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	150	PM ₁₀	1
26	Charkhi Dadri	Moderate	151	PM ₁₀	1
27	Chennai	Good	43	O ₃ , CO, PM ₁₀	7
28	Chikkaballapur	Satisfactory	82	PM ₁₀	1
29	Chikkamagaluru	Good	46	PM ₁₀	1
30	Davanagere	Satisfactory	67	PM ₁₀	1
31	Delhi	Moderate	154	O ₃ , PM ₁₀	26
32	Dewas	Moderate	136	PM ₁₀	1
33	Dharuhera	Poor	213	PM ₁₀	1
34	Durgapur	Moderate	149	PM ₁₀	1
35	Eloor	Good	47	со	1
36	Ernakulam	Good	43	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	166	PM _{2.5} , PM ₁₀ , O ₃	4
38	Fatehabad	Moderate	137	PM ₁₀	1
39	Gadag	Satisfactory	60	SO ₂	1
40	Gandhinagar	Satisfactory	91	PM ₁₀	1
41	Gaya	Moderate	153	PM _{2.5}	1
42	Ghaziabad	Moderate	186	PM ₁₀ , O ₃	4
43	Greater Noida	Moderate	152	PM ₁₀	2
44	Gummidipoondi	Satisfactory	72	PM _{2.5}	1
45	Gurugram	Moderate	128	PM ₁₀ , PM _{2.5}	3
46	Guwahati	Satisfactory	96	PM _{2.5}	2
47	Gwalior	Moderate	114	PM ₁₀	1
48	Hajipur	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	33	PM ₁₀	1
50	Hapur	Moderate	125	PM ₁₀	1
51	Hassan	Moderate	108	PM ₁₀	1
52	Hisar	Moderate	149	PM ₁₀	1
53	Howrah	Satisfactory	66	PM ₁₀	2
54	Hubballi	Satisfactory	91	PM ₁₀	1
55	Hyderabad	Moderate	106	PM ₁₀ , PM _{2.5}	6
56	Indore	Moderate	128	PM ₁₀	1
57	Jabalpur	Moderate	161	PM ₁₀	1
58	Jaipur	Moderate	111	PM _{2.5} , PM ₁₀	3
59	Jalandhar	Good	46	NO ₂	1
60	Jind	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	136	PM ₁₀	1
62	Kaithal	Moderate	106	PM ₁₀	1
63	Kalyan	Moderate	112	PM ₁₀	1
64	Kannur	Moderate	109	PM ₁₀	1
65	Kanpur	Satisfactory	66	PM _{2.5}	2
66	Karnal	Moderate	126	PM ₁₀	1
67	Katni	Poor	212	PM ₁₀	1
68	Khanna	Good	50	PM ₁₀	1
69	Kochi	Satisfactory	78	PM ₁₀	1
70	Kohima	Satisfactory	73	PM ₁₀	1
71	Kolar	Satisfactory	79	O ₃	1
72	Kolkata	Satisfactory	64	CO, O ₃ , PM ₁₀	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar,
 Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera,
 Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	63	PM ₁₀	1
74	Koppal	Satisfactory	56	со	1
75	Kota	Moderate	158	PM _{2.5}	1
76	Kozhikode	Satisfactory	63	PM ₁₀	1
77	Lucknow	Moderate	134	PM _{2.5} , PM ₁₀ , O ₃	4
78	Ludhiana	Satisfactory	71	PM ₁₀	1
79	Mandi Gobindgarh	Good	41	PM _{2.5}	1
80	Mandideep	Satisfactory	67	PM ₁₀	1
81	Manesar	Moderate	191	PM _{2.5}	1
82	Manglore	Satisfactory	67	PM ₁₀	1
83	Medikeri	Satisfactory	55	PM ₁₀	1
84	Meerut	Moderate	162	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Moderate	121	PM ₁₀	1
86	Mumbai	Satisfactory	72	PM ₁₀ , PM _{2.5}	19
87	Muzaffarnagar	Moderate	121	PM ₁₀	1
88	Muzaffarpur	Satisfactory	81	CO, PM _{2.5}	2
89	Mysuru	Satisfactory	81	03	1
90	Nagpur	Satisfactory	85	PM ₁₀	1
91	Naharlagun	Satisfactory	63	PM ₁₀	1
92	Narnaul	Poor	219	PM ₁₀	1
93	Nashik	Satisfactory	80	PM _{2.5}	1
94	Navi Mumbai	Moderate	110	PM ₁₀	3
95	Noida	Moderate	115	PM ₁₀ , PM _{2.5}	3
96	Pali	Moderate	167	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	101	PM _{2.5}	1
98	Panchkula	Good	47	PM _{2.5}	1
99	Panipat	Moderate	153	PM ₁₀	1
100	Patiala	Satisfactory	83	PM ₁₀	1
101	Patna	Moderate	113	PM ₁₀ , PM _{2.5}	5
102	Pithampur	Satisfactory	88	PM ₁₀	1
103	Puducherry	Good	40	O ₃	1
104	Pune	Satisfactory	90	PM _{2.5} , PM ₁₀	4
105	Rajamahendravaram	Good	26	PM ₁₀	1
106	Ratlam	Moderate	120	PM ₁₀	1
107	Rohtak	Satisfactory	95	NO ₂	1
108	Rupnagar	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	87	PM _{2.5}	1
110	Shivamogga	Satisfactory	63	03	1
111	Siliguri	Satisfactory	72	03	1
112	Singrauli	Very Poor	306	PM ₁₀	1
113	Sirsa	Satisfactory	87	PM ₁₀	1
114	Solapur	Satisfactory	91	PM ₁₀	1
115	Sonipat	Moderate	195	PM ₁₀	1
116	Srinagar	Good	34	NO ₂	1
117	Talcher	Satisfactory	66	со	1
118	Thane	Satisfactory	88	PM ₁₀	1
119	Thiruvananthapuram	Good	42	O ₃ , PM ₁₀	2
120	Thoothukudi	Good	50	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar,
 Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera,
 Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	61	03	1
122	Tirupati	Satisfactory	71	PM ₁₀	1
123	Udaipur	Satisfactory	98	PM ₁₀	1
124	Udupi	Satisfactory	67	со	1
125	Ujjain	Moderate	130	PM ₁₀	1
126	Vapi	Moderate	106	PM ₁₀	1
127	Varanasi	Poor	251	O ₃	1
128	Vatva	Moderate	150	PM ₁₀	1
129	Visakhapatnam	Good	42	NO ₂	1
130	Yadgir	Moderate	103	O ₃	1
131	Yamunanagar	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Coimbatore, Damoh, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Mandikhera, Nandesari, Raichur, Ramanagara, Satna, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.