

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	117	PM <sub>2.5</sub>	1
2	Agra	Severe	412	PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	23	PM <sub>10</sub>	1
5	Ajmer	Moderate	132	PM <sub>2.5</sub>	1
6	Alwar	Moderate	116	PM <sub>10</sub>	1
7	Amaravati	Moderate	149	PM <sub>2.5</sub>	1
8	Ambala	Very Poor	341	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	172	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	232	PM <sub>2.5</sub>	1
11	Asansol	Moderate	185	O <sub>3</sub>	1
12	Aurangabad	Moderate	119	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	59	PM <sub>10</sub>	1
14	Baghpat	Severe	440	PM <sub>2.5</sub>	1
15	Bahadurgarh	Very Poor	383	PM <sub>2.5</sub>	1
16	Ballabgarh	Severe	426	PM <sub>10</sub>	1
17	Bathinda	Moderate	147	PM <sub>2.5</sub>	1
18	Bengaluru	Satisfactory	77	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
19	Bhiwadi	Very Poor	396	PM <sub>2.5</sub>	1
20	Bhiwani	Very Poor	389	PM <sub>2.5</sub>	1
21	Bhopal	Poor	207	PM <sub>2.5</sub>	1
22	Bidar	Satisfactory	73	PM <sub>10</sub>	1
23	Bilaspur	Satisfactory	64	PM <sub>10</sub>	1
24	Brajrajnagar	Moderate	114	03	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Severe	424	PM <sub>2.5</sub>	1
26	Chamarajanagar	Good	40	PM <sub>10</sub>	1
27	Chandigarh	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub>	2
28	Chandrapur	Moderate	158	O <sub>3</sub> , PM <sub>2.5</sub>	2
29	Charkhi Dadri	Very Poor	376	PM <sub>2.5</sub>	1
30	Chennai	Good	49	CO, O <sub>3</sub> , SO <sub>2</sub>	6
31	Chikkaballapur	Satisfactory	65	PM <sub>2.5</sub>	1
32	Chikkamagaluru	Good	39	PM <sub>10</sub>	1
33	Coimbatore	Moderate	162	со	1
34	Davanagere	Good	46	PM <sub>10</sub>	1
35	Delhi	Severe	428	PM <sub>2.5</sub>	37
36	Dewas	Satisfactory	74	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Poor	277	PM <sub>10</sub>	1
38	Eloor	Good	49	со	1
39	Ernakulam	Good	44	со	1
40	Faridabad	Very Poor	372	PM <sub>2.5</sub> , PM <sub>10</sub>	3
41	Fatehabad	Very Poor	373	PM <sub>2.5</sub>	1
42	Firozabad	Severe	443	PM <sub>2.5</sub>	1
43	Gandhinagar	Moderate	153	PM <sub>2.5</sub> , PM <sub>10</sub>	3
44	Gaya	Satisfactory	77	PM <sub>2.5</sub>	1
45	Ghaziabad	Severe	455	PM <sub>2.5</sub>	4
46	Gorakhpur	Very Poor	347	PM <sub>2.5</sub>	1
47	Greater Noida	Very Poor	365	PM <sub>2.5</sub>	2
48	Gurugram	Severe	419	PM <sub>2.5</sub>	4

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Moderate	114	PM <sub>10</sub> , PM <sub>2.5</sub>	2
50	Gwalior	Poor	286	PM <sub>2.5</sub>	1
51	Hajipur	Poor	287	PM <sub>2.5</sub>	1
52	Haldia	Moderate	153	PM <sub>2.5</sub>	1
53	Hapur	Severe	444	PM <sub>2.5</sub>	1
54	Hassan	Good	33	PM <sub>2.5</sub>	1
55	Hisar	Severe	428	PM <sub>2.5</sub>	1
56	Howrah	Poor	231	PM <sub>2.5</sub>	3
57	Hubballi	Satisfactory	70	PM <sub>10</sub>	1
58	Hyderabad	Moderate	142	PM <sub>2.5</sub>	5
59	Indore	Moderate	165	PM <sub>2.5</sub>	1
60	Jabalpur	Moderate	176	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jaipur	Poor	258	PM <sub>2.5</sub>	2
62	Jalandhar	Moderate	199	PM <sub>2.5</sub>	1
63	Jind	Severe	463	PM <sub>2.5</sub>	1
64	Jodhpur	Poor	262	PM <sub>2.5</sub>	1
65	Kaithal	Very Poor	367	PM <sub>2.5</sub>	1
66	Kalyan	Satisfactory	91	PM <sub>2.5</sub>	1
67	Kannur	Good	49	PM <sub>10</sub>	1
68	Kanpur	Very Poor	374	PM <sub>2.5</sub>	4
69	Karnal	Very Poor	323	PM <sub>2.5</sub>	1
70	Katni	Poor	250	PM <sub>2.5</sub>	1
71	Khanna	Very Poor	314	PM <sub>2.5</sub>	1
72	Kochi	Good	45	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Satisfactory	55	PM <sub>10</sub>	1
74	Kolar	Satisfactory	56	PM <sub>2.5</sub>	1
75	Kolkata	Moderate	168	PM <sub>2.5</sub> , PM <sub>10</sub>	7
76	Kollam	Satisfactory	93	PM <sub>10</sub>	1
77	Koppal	Satisfactory	68	03	1
78	Kota	Poor	283	PM <sub>2.5</sub>	1
79	Kozhikode	Satisfactory	56	PM <sub>10</sub>	1
80	Kurukshetra	Very Poor	355	PM <sub>2.5</sub>	1
81	Lucknow	Poor	299	PM <sub>2.5</sub> , PM <sub>10</sub>	6
82	Ludhiana	Poor	229	PM <sub>2.5</sub>	1
83	Mandi Gobindgarh	Very Poor	368	PM <sub>10</sub>	1
84	Mandideep	Moderate	157	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Poor	276	PM <sub>2.5</sub>	1
86	Manesar	Very Poor	389	PM <sub>2.5</sub>	1
87	Manglore	Good	47	СО	1
88	Medikeri	Good	30	O <sub>3</sub>	1
89	Meerut	Severe	416	PM <sub>2.5</sub>	3
90	Moradabad	Very Poor	323	PM <sub>2.5</sub>	1
91	Mumbai	Moderate	110	PM <sub>2.5</sub>	19
92	Muzaffarnagar	Very Poor	308	PM <sub>2.5</sub>	1
93	Muzaffarpur	Very Poor	303	PM <sub>2.5</sub>	2
94	Mysuru	Satisfactory	59	PM <sub>10</sub>	1
95	Nandesari	Satisfactory	73	PM <sub>2.5</sub>	1
96	Narnaul	Poor	203	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nashik	Moderate	124	PM <sub>2.5</sub>	1
98	Navi Mumbai	Moderate	101	PM <sub>2.5</sub>	3
99	Noida	Severe	446	PM <sub>10</sub> , PM <sub>2.5</sub>	4
100	Pali	Moderate	148	PM <sub>2.5</sub>	1
101	Palwal	Poor	278	PM <sub>10</sub>	1
102	Panchkula	Moderate	144	PM <sub>2.5</sub>	1
103	Panipat	Severe	405	PM <sub>10</sub>	1
104	Patiala	Poor	293	PM <sub>2.5</sub>	1
105	Patna	Poor	229	PM <sub>2.5</sub> , PM <sub>10</sub>	5
106	Pithampur	Moderate	120	PM <sub>10</sub>	1
107	Prayagraj	Very Poor	301	PM <sub>2.5</sub>	3
108	Puducherry	Good	38	со	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Satisfactory	83	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	3
110	Raichur	Satisfactory	96	PM <sub>10</sub>	1
111	Rajamahendravaram	Moderate	181	PM <sub>2.5</sub>	1
112	Ramanagara	Satisfactory	59	03	1
113	Ratlam	Moderate	147	PM <sub>2.5</sub>	1
114	Rohtak	Very Poor	377	PM <sub>2.5</sub>	1
115	Rupnagar	Poor	201	PM <sub>10</sub>	1
116	Sagar	Satisfactory	88	PM <sub>2.5</sub>	1
117	Satna	Satisfactory	82	PM <sub>10</sub>	1
118	Shillong	Good	11	SO <sub>2</sub>	1
119	Shivamogga	Good	41	PM <sub>10</sub>	1
120	Siliguri	Satisfactory	84	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Poor	260	PM <sub>10</sub>	1
122	Sirsa	Poor	286	PM <sub>2.5</sub>	1
123	Solapur	Satisfactory	56	PM <sub>10</sub>	1
124	Sonipat	Very Poor	349	PM <sub>2.5</sub>	1
125	Srinagar	Good	45	PM <sub>10</sub>	1
126	Talcher	Moderate	168	PM <sub>2.5</sub>	1
127	Thane	Moderate	102	PM <sub>10</sub>	1
128	Thiruvananthapuram	Good	44	PM <sub>10</sub> , NO <sub>2</sub>	2
129	Thrissur	Good	41	PM <sub>10</sub>	1
130	Tirupati	Good	48	со	1
131	Udaipur	Moderate	200	PM <sub>2.5</sub>	1
132	Udupi	Good	46	O <sub>3</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Moderate	200	PM <sub>2.5</sub>	1
134	Vapi	Moderate	121	PM <sub>10</sub>	1
135	Varanasi	Poor	267	PM <sub>2.5</sub>	4
136	Vatva	Satisfactory	86	O <sub>3</sub>	1
137	Vijayapura	Satisfactory	55	PM <sub>10</sub>	1
138	Visakhapatnam	Moderate	159	PM <sub>2.5</sub>	1
139	Vrindavan	Severe	435	PM <sub>2.5</sub>	1
140	Yadgir	Moderate	108	PM <sub>10</sub>	1
141	Yamunanagar	Poor	219	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
  Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi,
  Maihar, Motihari, Nagpur, Naharlagun, Thoothukudi as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.