Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	233	$PM_{2.5}$	1
2	Agra	Satisfactory	88	PM_{10}	6
3	Ahmedabad	Moderate	125	PM_{10}, $PM_{2.5}$	6
4	Aizawl	Moderate	119	PM_{10}	1
5	Ajmer	Satisfactory	82	PM_{10}	1
6	Alwar	Satisfactory	73	PM_{10}	1
7	Amaravati	Satisfactory	95	PM_{10}	1
8	Amritsar	Moderate	172	$PM_{2.5}$	1
9	Anantapur	Satisfactory	58	PM_{10}	1
10	Ankleshwar	Satisfactory	81	PM_{10}	1
11	Araria	Poor	233	PM_{10}	1
12	Ariyalur	Satisfactory	68	NO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	176	PM_{10}	1
14	Asansol	Moderate	184	$PM_{2.5}$	1
15	Aurangabad (Bihar)	Poor	202	$PM_{2.5}$	1
16	Baddi	Moderate	124	O_3	1
17	Bagalkot	Good	46	PM_{10}	1
18	Bahadurgarh	Moderate	197	PM_{10}	1
19	Ballabgarh	Moderate	160	$PM_{2.5}$	1
20	Banswara	Moderate	151	PM_{10}	1
21	Bareilly	Moderate	127	PM_{10}	2
22	Baripada	Moderate	128	$PM_{2.5}$	1
23	Barmer	Satisfactory	87	PM_{10}	1
24	Bathinda	Moderate	184	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	48	CO	1
26	Bengaluru	Satisfactory	94	PM_{10}	8
27	Bettiah	Poor	274	$PM_{2.5}$	1
28	Bhagalpur	Moderate	171	PM_{10}	2
29	Bharatpur	Moderate	185	PM_{10}	1
30	Bhilai	Satisfactory	60	PM_{10}	2
31	Bhiwadi	Poor	247	PM_{10}	1
32	Bhiwani	Moderate	192	$PM_{2.5}$	1
33	Bhopal	Moderate	106	PM_{10}	3
34	Bihar Sharif	Poor	262	PM_{10}	1
35	Bikaner	Moderate	148	PM_{10}	1
36	Bileipada	Poor	290	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	147	PM_{10}	1
38	Chamarajanagar	Good	48	PM_{10}	1
39	Chandigarh	Moderate	124	PM_{10}	3
40	Chandrapur	Moderate	106	PM_{10}	1
41	Charkhi Dadri	Poor	268	$PM_{2.5}$	1
42	Chennai	Satisfactory	74	CO, PM_{10}	6
43	Chhal	Moderate	123	PM_{10}	1
44	Chhapra	Poor	263	PM_{10}	1
45	Chikkaballapur	Satisfactory	78	PM_{10}	1
46	Chikkamagaluru	Satisfactory	70	PM_{10}	1
47	Churu	Moderate	135	PM_{10}	1
48	Coimbatore	Good	41	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Good	28	$PM_{2.5}$	1
50	Dausa	Moderate	169	PM_{10}	1
51	Dehradun	Moderate	111	CO	1
52	Delhi	Poor	235	PM_{10}	35
53	Dewas	Moderate	176	PM_{10}	1
54	Dharuhera	Poor	293	PM_{10}	1
55	Dharwad	Satisfactory	82	$PM_{2.5}$	1
56	Dholpur	Moderate	121	$PM_{2.5}$	1
57	Dindigul	Satisfactory	64	PM_{10}	1
58	Durgapur	Moderate	145	PM_{10}	1
59	Eloor	Satisfactory	71	PM_{10}	1
60	Faridabad	Moderate	178	PM_{10}, $PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Firozabad	Moderate	132	O_3	2
62	Gadag	Good	31	CO	1
63	Gandhinagar	Moderate	130	$PM_{2.5}$, PM_{10}	3
64	Gangtok	Satisfactory	68	PM_{10}	1
65	Gaya	Moderate	139	$PM_{2.5}$	3
66	Ghaziabad	Poor	236	PM_{10}	4
67	Gorakhpur	Moderate	101	PM_{10}	1
68	Greater Noida	Poor	248	PM_{10}	2
69	Gummidipoondi	Satisfactory	100	PM_{10}	1
70	Gurugram	Poor	208	$PM_{2.5}$	4
71	Guwahati	Poor	282	$PM_{2.5}$	4
72	Gwalior	Moderate	192	O_3, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Poor	253	PM_{10}	1
74	Haldia	Satisfactory	91	PM_{10}	1
75	Hanumangarh	Poor	257	PM_{10}	1
76	Hapur	Moderate	161	O_3	1
77	Hassan	Satisfactory	84	PM_{10}	1
78	Haveri	Satisfactory	79	PM_{10}	1
79	Hosur	Moderate	139	$PM_{2.5}$	1
80	Howrah	Moderate	138	PM_{10}	3
81	Hubballi	Satisfactory	77	PM_{10}	1
82	Hyderabad	Satisfactory	87	$PM_{2.5}$, PM_{10}	13
83	Imphal	Moderate	118	PM_{10}, SO_2	2
84	Indore	Moderate	118	PM_{10}, NO_2	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Moderate	135	PM_{10}	1
86	Jaipur	Moderate	136	PM_{10}, $PM_{2.5}$	5
87	Jalandhar	Satisfactory	100	PM_{10}	1
88	Jhalawar	Moderate	105	PM_{10}	1
89	Jhansi	Satisfactory	99	PM_{10}	1
90	Jhunjhunu	Moderate	170	O_3	1
91	Jind	Moderate	104	$PM_{2.5}$	1
92	Jodhpur	Moderate	145	PM_{10}	3
93	Jorapokhar	Poor	243	PM_{10}	1
94	Kaithal	Moderate	143	$PM_{2.5}$	1
95	Kalaburgi	Satisfactory	65	PM_{10}	2
96	Kalyan	Moderate	139	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanpur	Moderate	195	$PM_{2.5}$	3
98	Karauli	Good	50	$PM_{2.5}$	1
99	Karnal	Moderate	114	PM_{10}	1
100	Katihar	Poor	249	PM_{10}	1
101	Katni	Moderate	188	PM_{10}	1
102	Khanna	Moderate	118	PM_{10}	1
103	Khurja	Moderate	125	$PM_{2.5}$	1
104	Kishanganj	Moderate	186	PM_{10}	1
105	Kochi	Satisfactory	90	$PM_{2.5}$	1
106	Kolkata	Moderate	127	PM_{10}	7
107	Kollam	Moderate	104	PM_{10}	1
108	Koppal	Good	48	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Moderate	106	$PM_{2.5}$, PM_{10}	2
110	Kota	Satisfactory	88	PM_{10}	3
111	Kurukshetra	Moderate	144	PM_{10}	1
112	Lucknow	Poor	211	$PM_{2.5}$	6
113	Ludhiana	Moderate	146	PM_{10}	1
114	Madikeri	Good	46	O_3	1
115	Maihar	Good	49	PM_{10}	1
116	Mandi Gobindgarh	Moderate	123	PM_{10}	1
117	Mandideep	Moderate	109	PM_{10}	1
118	Mandikhera	Moderate	136	PM_{10}	1
119	Manesar	Poor	244	$PM_{2.5}$	1
120	Mangalore	Satisfactory	90	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manguraha	Poor	284	$PM_{2.5}$	1
122	Meerut	Poor	242	PM_{10}	3
123	Milupara	Satisfactory	69	PM_{10}	1
124	Moradabad	Moderate	165	PM_{10}, $PM_{2.5}$	6
125	Motihari	Moderate	165	PM_{10}	1
126	Mumbai	Moderate	110	$PM_{2.5}$, PM_{10}	18
127	Munger	Poor	258	PM_{10}	1
128	Muzaffarnagar	Poor	206	$PM_{2.5}$	1
129	Muzaffarpur	Very Poor	320	$PM_{2.5}$	2
130	Mysuru	Satisfactory	79	O_3	1
131	Nagaon	Poor	292	$PM_{2.5}$	1
132	Nagpur	Satisfactory	78	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nandesari	Good	47	CO	1
134	Narnaul	Moderate	184	$PM_{2.5}$	1
135	Nashik	Satisfactory	81	O_3	1
136	Navi Mumbai	Moderate	164	$PM_{2.5}$, PM_{10}	3
137	Nayagarh	Very Poor	311	$PM_{2.5}$	1
138	Noida	Poor	231	PM_{10}	4
139	Ooty	Satisfactory	60	$PM_{2.5}$	1
140	Pali	Satisfactory	83	PM_{10}	1
141	Palwal	Moderate	106	PM_{10}	1
142	Panchkula	Moderate	101	$PM_{2.5}$	1
143	Panipat	Moderate	172	PM_{10}	1
144	Patiala	Moderate	139	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patna	Poor	258	PM_{10}, $PM_{2.5}$	6
146	Pithampur	Moderate	178	PM_{10}	1
147	Pratapgarh	Satisfactory	98	PM_{10}	1
148	Prayagraj	Moderate	120	O_3, PM_{10}	3
149	Puducherry	Satisfactory	60	PM_{10}	1
150	Pune	Moderate	155	$PM_{2.5}$	3
151	Purnia	Moderate	138	PM_{10}	1
152	Raipur	Satisfactory	74	PM_{10}, NO_2	3
153	Rairangpur	Poor	268	$PM_{2.5}$	1
154	Rajamahendravaram	Satisfactory	92	PM_{10}	1
155	Rajgir	Moderate	162	PM_{10}	1
156	Ramanagara	Satisfactory	79	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanathapuram	Good	45	PM_{10}	1
158	Rishikesh	Satisfactory	71	PM_{10}	1
159	Rohtak	Moderate	156	$PM_{2.5}$	1
160	Rourkela	Very Poor	310	$PM_{2.5}$	3
161	Rupnagar	Moderate	165	PM_{10}	1
162	Sagar	Satisfactory	96	O_3	1
163	Saharsa	Poor	240	PM_{10}	1
164	Samastipur	Very Poor	301	PM_{10}	1
165	Satna	Moderate	182	PM_{10}	1
166	Sawai Madhopur	Moderate	118	PM_{10}	1
167	Shillong	Moderate	165	$PM_{2.5}$	1
168	Shivamogga	Satisfactory	85	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sikar	Moderate	171	PM_{10}	1
170	Silchar	Satisfactory	69	PM_{10}	1
171	Siliguri	Moderate	125	PM_{10}	1
172	Singrauli	Moderate	196	$PM_{2.5}$	1
173	Sirsa	Satisfactory	95	PM_{10}	1
174	Sivasagar	Satisfactory	74	PM_{10}	1
175	Siwan	Poor	222	PM_{10}	1
176	Solapur	Satisfactory	100	PM_{10}	1
177	Sonipat	Moderate	197	PM_{10}	1
178	Sri Ganganagar	Very Poor	305	PM_{10}	1
179	Srinagar	Moderate	129	$PM_{2.5}$	1
180	Suakati	Poor	218	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Surat	Satisfactory	78	CO	1
182	Talcher	Moderate	181	$PM_{2.5}$	1
183	Thane	Moderate	185	O_3	1
184	Thiruvananthapuram	Satisfactory	62	PM_{10}	2
185	Thoothukudi	Moderate	102	PM_{10}	1
186	Thrissur	Moderate	122	PM_{10}	1
187	Tirupati	Satisfactory	88	$PM_{2.5}$	1
188	Tirupur	Good	40	PM_{10}	1
189	Tonk	Moderate	176	PM_{10}	1
190	Udaipur	Satisfactory	73	PM_{10}	1
191	Udupi	Satisfactory	73	O_3	1
192	Ujjain	Moderate	167	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vapi	Moderate	139	$PM_{2.5}$	1
194	Varanasi	Moderate	104	PM_{10}, $PM_{2.5}$	4
195	Vatva	Moderate	125	PM_{10}	1
196	Vijayapura	Good	42	PM_{10}	1
197	Vijayawada	Good	45	CO	1
198	Visakhapatnam	Moderate	147	PM_{10}	1
199	Vrindavan	Moderate	189	O_3	1
200	Yadgir	Satisfactory	57	PM_{10}	1
201	Yamunanagar	Poor	235	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad (Maharashtra), Baghpat, Begusarai, Bidar, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Cuddalore, Darbhanga, Davanagere, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Keonjhar, Kohima, Kolar, Kozhikode, Kunjemura, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rajsamand, Ratlam, Salem, Sasaram, Sirohi, Tensa, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.