Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	87	SO_2	1
2	Agra	Satisfactory	63	O_3	6
3	Ahmedabad	Moderate	118	PM_{10}	7
4	Aizawl	Good	35	PM_{10}	1
5	Ajmer	Moderate	109	PM_{10}	1
6	Alwar	Satisfactory	59	NO_2	1
7	Amaravati	Satisfactory	72	O_3	1
8	Ambala	Good	47	PM_{10}	1
9	Amritsar	Satisfactory	73	PM_{10}	1
10	Anantapur	Good	50	O_3	1
11	Ankleshwar	Satisfactory	56	CO	1
12	Araria	Satisfactory	60	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	41	NO_2	1
14	Arrah	Satisfactory	60	PM_{10}	1
15	Aurangabad (Maharashtra)	Satisfactory	78	PM_{10}	1
16	Baddi	Moderate	167	O_3	1
17	Bagalkot	Good	46	PM_{10}	1
18	Baghpat	Moderate	112	$PM_{2.5}$	1
19	Bahadurgarh	Satisfactory	94	PM_{10}	1
20	Banswara	Satisfactory	97	PM_{10}	1
21	Bareilly	Good	42	PM_{10}	2
22	Baripada	Satisfactory	66	PM_{10}	1
23	Barmer	Moderate	188	PM_{10}	1
24	Begusarai	Moderate	102	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	47	CO	1
26	Bengaluru	Satisfactory	54	CO, $PM_{2.5}$	12
27	Bettiah	Moderate	107	PM_{10}	1
28	Bhagalpur	Satisfactory	68	PM_{10}	1
29	Bharatpur	Satisfactory	64	O_3	1
30	Bhilai	Satisfactory	55	PM_{10}, O_3	3
31	Bhiwadi	Satisfactory	93	PM_{10}	1
32	Bhiwani	Satisfactory	69	$PM_{2.5}$	1
33	Bhopal	Satisfactory	86	PM_{10}	3
34	Bihar Sharif	Satisfactory	70	CO	1
35	Bikaner	Moderate	188	PM_{10}	1
36	Bilaspur	Satisfactory	65	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Satisfactory	99	PM_{10}	1
38	Bulandshahr	Satisfactory	74	PM_{10}	1
39	Bundi	Moderate	175	CO	1
40	Chandigarh	Moderate	141	O_3, PM_{10}	3
41	Chandrapur	Moderate	136	$PM_{2.5}$	1
42	Charkhi Dadri	Satisfactory	85	$PM_{2.5}$	1
43	Chennai	Satisfactory	75	NO_2, $PM_{2.5}$	8
44	Chhal	Satisfactory	51	PM_{10}	1
45	Chikkaballapur	Satisfactory	51	PM_{10}	1
46	Chikkamagaluru	Good	44	PM_{10}	1
47	Chittoor	Satisfactory	69	$PM_{2.5}$	1
48	Chittorgarh	Satisfactory	93	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Good	24	PM_{10}	1
50	Dausa	Moderate	108	PM_{10}	1
51	Davanagere	Good	24	$PM_{2.5}$	1
52	Dehradun	Moderate	112	O_3	1
53	Delhi	Moderate	110	O_3, PM_{10}	36
54	Dewas	Moderate	113	PM_{10}	1
55	Dhanbad	Moderate	160	CO	1
56	Dharuhera	Satisfactory	57	PM_{10}	1
57	Dharwad	Good	45	PM_{10}	1
58	Dholpur	Satisfactory	72	O_3	1
59	Durgapur	Satisfactory	85	PM_{10}	1
60	Eloor	Satisfactory	90	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	121	$PM_{2.5}$	4
62	Firozabad	Satisfactory	60	PM_{10}	1
63	Gadag	Good	47	SO_2	1
64	Gandhinagar	Satisfactory	77	$PM_{2.5}$, PM_{10}	3
65	Gangtok	Good	36	SO_2	1
66	Gaya	Satisfactory	68	O_3	3
67	Ghaziabad	Satisfactory	96	$PM_{2.5}$, PM_{10}	4
68	Gorakhpur	Satisfactory	88	$PM_{2.5}$	1
69	Greater Noida	Moderate	152	O_3	2
70	Gurugram	Moderate	176	O_3	3
71	Guwahati	Satisfactory	69	O_3, PM_{10}	4
72	Gwalior	Satisfactory	78	O_3	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Satisfactory	93	PM_{10}	1
74	Haldia	Good	43	O_3	1
75	Hanumangarh	Satisfactory	70	PM_{10}	1
76	Hapur	Satisfactory	66	O_3	1
77	Hassan	Satisfactory	62	PM_{10}	1
78	Haveri	Good	36	CO	1
79	Hisar	Satisfactory	51	$PM_{2.5}$	1
80	Hosur	Satisfactory	57	PM_{10}	1
81	Howrah	Satisfactory	59	CO	3
82	Hubballi	Satisfactory	62	PM_{10}, CO	2
83	Hyderabad	Satisfactory	77	PM_{10}	10
84	Indore	Satisfactory	72	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
\# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Moderate	119	PM_{10}	1
86	Jaipur	Satisfactory	96	PM_{10}	5
87	Jaisalmer	Moderate	162	PM_{10}	1
88	Jalandhar	Satisfactory	67	PM_{10}	1
89	Jhalawar	Satisfactory	84	PM_{10}	1
90	Jhansi	Satisfactory	64	O_3	1
91	Jhunjhunu	Moderate	155	O_3	1
92	Jodhpur	Moderate	137	PM_{10}	3
93	Kadapa	Good	48	O_3	1
94	Kaithal	Satisfactory	69	PM_{10}	1
95	Kalyan	Moderate	102	PM_{10}	1
96	Kanchipuram	Good	43	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanpur	Satisfactory	79	PM_{10}, CO	4
98	Karauli	Satisfactory	88	O_3	1
99	Karnal	Satisfactory	62	PM_{10}	1
100	Katihar	Satisfactory	87	PM_{10}	1
101	Katni	Satisfactory	71	PM_{10}	1
102	Keonjhar	Satisfactory	74	PM_{10}	1
103	Khanna	Good	44	$PM_{2.5}$	1
104	Khurja	Moderate	126	$PM_{2.5}$	1
105	Kishanganj	Satisfactory	55	PM_{10}	1
106	Kochi	Moderate	111	PM_{10}	1
107	Kohima	Good	39	$PM_{2.5}$	1
108	Kolhapur	Good	38	O_3, $PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Good	50	O_3, PM_{10}	7
110	Kollam	Satisfactory	82	PM_{10}	1
111	Koppal	Good	28	O_3	1
112	Korba	Satisfactory	68	NO_2, PM_{10}	2
113	Kota	Moderate	148	O_3	3
114	Kurukshetra	Satisfactory	78	O_3	1
115	Lucknow	Moderate	102	CO, PM_{10}	6
116	Ludhiana	Satisfactory	89	PM_{10}	1
117	Madikeri	Good	22	PM_{10}	1
118	Mandi Gobindgarh	Moderate	126	PM_{10}	1
119	Mandideep	Moderate	103	PM_{10}	1
120	Mandikhera	Satisfactory	51	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manesar	Satisfactory	87	PM_{10}	1
122	Mangalore	Satisfactory	59	PM_{10}	1
123	Manguraha	Satisfactory	78	O_3	1
124	Meerut	Moderate	107	PM_{10}	3
125	Milupara	Good	46	PM_{10}	1
126	Moradabad	Satisfactory	97	$PM_{2.5}$	6
127	Motihari	Satisfactory	70	PM_{10}	1
128	Mumbai	Satisfactory	73	PM_{10}	17
129	Munger	Moderate	112	PM_{10}	1
130	Muzaffarnagar	Moderate	141	$PM_{2.5}$	1
131	Muzaffarpur	Moderate	165	O_3, CO	3
132	Mysuru	Satisfactory	54	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Satisfactory	54	PM_{10}	1
134	Nagpur	Satisfactory	88	PM_{10}	1
135	Naharlagun	Good	27	PM_{10}	1
136	Nalbari	Satisfactory	73	$PM_{2.5}$	1
137	Nashik	Satisfactory	54	PM_{10}	3
138	Navi Mumbai	Satisfactory	69	PM_{10}, CO	2
139	Nayagarh	Moderate	113	PM_{10}	1
140	Noida	Moderate	113	PM_{10}	4
141	Ooty	Moderate	106	PM_{10}	1
142	Pali	Moderate	122	PM_{10}	1
143	Palkalaiperur	Satisfactory	64	SO_2	1
144	Palwal	Good	50	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panchkula	Satisfactory	62	$PM_{2.5}$	1
146	Panipat	Moderate	103	PM_{10}	1
147	Patiala	Satisfactory	65	O_3	1
148	Patna	Satisfactory	79	$PM_{2.5}$	6
149	Pimpri Chinchwad	Satisfactory	74	PM_{10}	1
150	Pithampur	Satisfactory	85	PM_{10}	1
151	Pratapgarh	Moderate	107	PM_{10}	1
152	Prayagraj	Good	50	PM_{10}	3
153	Puducherry	Satisfactory	68	O_3	1
154	Pune	Satisfactory	91	NO_2, CO	4
155	Purnia	Satisfactory	83	PM_{10}	1
156	Raichur	Satisfactory	64	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raipur	Satisfactory	88	PM_{10}	4
158	Rairangpur	Good	43	PM_{10}	1
159	Rajamahendravaram	Satisfactory	66	PM_{10}	1
160	Rajsamand	Moderate	141	PM_{10}	1
161	Ramanagara	Satisfactory	57	O_3	1
162	Ratlam	Satisfactory	93	PM_{10}	1
163	Rishikesh	Good	41	O_3	1
164	Rohtak	Moderate	116	$PM_{2.5}$	1
165	Rourkela	Satisfactory	96	PM_{10}	2
166	Rupnagar	Satisfactory	88	PM_{10}	1
167	Sagar	Satisfactory	71	PM_{10}	1
168	Saharsa	Satisfactory	95	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Satisfactory	51	PM_{10}	1
170	Shillong	Good	49	$PM_{2.5}$	1
171	Shivamogga	Satisfactory	69	O_3	1
172	Sikar	Satisfactory	86	PM_{10}	1
173	Silchar	Good	36	CO	1
174	Siliguri	Good	39	PM_{10}	1
175	Singrauli	Moderate	127	PM_{10}	1
176	Sirsa	Moderate	113	PM_{10}	1
177	Sivasagar	Good	18	NO_2	1
178	Siwan	Satisfactory	53	PM_{10}	1
179	Solapur	Moderate	116	PM_{10}	2
180	Sri Ganganagar	Moderate	122	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Srinagar	Good	41	PM_{10}	1
182	Suakati	Satisfactory	84	PM_{10}	1
183	Surat	Satisfactory	68	CO	1
184	Tensa	Satisfactory	90	PM_{10}	1
185	Thane	Moderate	101	PM_{10}	1
186	Thiruvananthapuram	Good	33	$PM_{2.5}$, CO	2
187	Thoothukudi	Good	38	PM_{10}	1
188	Thrissur	Satisfactory	69	PM_{10}	1
189	Tirupati	Satisfactory	72	PM_{10}	2
190	Tumakuru	Moderate	105	PM_{10}	1
191	Tumidih	Satisfactory	93	PM_{10}	1
192	Udaipur	Moderate	178	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Ujjain	Moderate	122	$PM_{2.5}$	1
194	Vapi	Good	47	$PM_{2.5}$	1
195	Varanasi	Satisfactory	66	O_3, PM_{10}	4
196	Vatva	Moderate	119	$PM_{2.5}$	1
197	Vijayapura	Good	49	PM_{10}	1
198	Vijayawada	Good	38	CO	1
199	Visakhapatnam	Moderate	125	PM_{10}	1
200	Vrindavan	Moderate	117	PM_{10}	1
201	Yadgir	Good	44	PM_{10}	1
202	Yamunanagar	Moderate	113	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Bhilwara, Bidar, Brajrajnagar, Buxar, Byrnihat, Chamarajanagar, Chengalpattu, Chhapra, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Gummidipoondi, Imphal, Jind, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Maihar, Nagaur, Nandesari, Narnaul, Rajgir, Ramanathapuram, Salem, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Sonipat, Talcher, Tirupur, Tonk, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.