

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	190	PM <sub>2.5</sub>	1
2	Agra	Severe	408	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	195	PM <sub>10</sub>	1
4	Aizawl	Good	19	PM <sub>10</sub>	1
5	Ajmer	Moderate	102	PM <sub>10</sub>	1
6	Alwar	Moderate	183	03	1
7	Amaravati	Poor	204	PM <sub>2.5</sub>	1
8	Ambala	Poor	300	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	179	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	171	PM <sub>10</sub>	1
11	Asansol	Poor	273	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	95	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	59	PM <sub>10</sub>	1
14	Baghpat	Severe	430	PM <sub>2.5</sub>	1
15	Bahadurgarh	Very Poor	393	PM <sub>2.5</sub>	1
16	Ballabgarh	Very Poor	351	PM <sub>10</sub>	1
17	Bathinda	Moderate	178	PM <sub>2.5</sub>	1
18	Bengaluru	Satisfactory	94	PM <sub>2.5</sub> , O <sub>3</sub>	9
19	Bhiwadi	Severe	414	PM <sub>2.5</sub>	1
20	Bhiwani	Poor	213	PM <sub>10</sub>	1
21	Bhopal	Moderate	105	PM <sub>10</sub>	1
22	Brajrajnagar	Moderate	196	PM <sub>2.5</sub>	1
23	Bulandshahr	Severe	454	PM <sub>2.5</sub>	1
24	Chamarajanagar	Good	40	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	171	PM <sub>2.5</sub>	1
26	Chandrapur	Moderate	141	PM <sub>10</sub>	2
27	Charkhi Dadri	Very Poor	311	PM <sub>2.5</sub>	1
28	Chennai	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	7
29	Chikkaballapur	Satisfactory	81	PM <sub>2.5</sub>	1
30	Chikkamagaluru	Satisfactory	79	03	1
31	Damoh	Moderate	176	PM <sub>2.5</sub>	1
32	Delhi	Severe	433	PM <sub>2.5</sub>	37
33	Dewas	Moderate	167	O <sub>3</sub>	1
34	Dharuhera	Severe	410	PM <sub>2.5</sub>	1
35	Durgapur	Poor	226	PM <sub>10</sub>	1
36	Eloor	Good	45	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	89	PM <sub>10</sub>	1
38	Faridabad	Severe	428	PM <sub>2.5</sub> , PM <sub>10</sub>	4
39	Fatehabad	Very Poor	319	PM <sub>2.5</sub>	1
40	Gandhinagar	Satisfactory	99	PM <sub>10</sub>	1
41	Gaya	Moderate	196	PM <sub>2.5</sub>	2
42	Ghaziabad	Severe	472	PM <sub>2.5</sub>	2
43	Greater Noida	Severe	476	PM <sub>2.5</sub>	2
44	Gurugram	Very Poor	340	PM <sub>2.5</sub>	3
45	Guwahati	Poor	268	PM <sub>2.5</sub>	1
46	Gwalior	Very Poor	388	PM <sub>2.5</sub>	1
47	Hajipur	Poor	289	PM <sub>10</sub>	1
48	Haldia	Poor	215	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	200	PM <sub>10</sub>	1
50	Hisar	Severe	407	PM <sub>2.5</sub>	1
51	Howrah	Very Poor	314	PM <sub>2.5</sub>	2
52	Hubballi	Moderate	113	PM <sub>2.5</sub>	1
53	Hyderabad	Moderate	162	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	5
54	Indore	Moderate	135	PM <sub>2.5</sub>	1
55	Jabalpur	Moderate	184	PM <sub>2.5</sub>	1
56	Jaipur	Moderate	162	PM <sub>2.5</sub>	3
57	Jalandhar	Poor	238	PM <sub>2.5</sub>	1
58	Jind	Very Poor	349	PM <sub>2.5</sub>	1
59	Jodhpur	Moderate	178	PM <sub>2.5</sub>	1
60	Jorapokhar	Moderate	180	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Poor	259	PM <sub>2.5</sub>	1
62	Kalaburgi	Moderate	143	PM <sub>10</sub>	1
63	Kalyan	Moderate	181	PM <sub>10</sub>	1
64	Kannur	Poor	228	PM <sub>2.5</sub>	1
65	Kanpur	Very Poor	393	PM <sub>2.5</sub>	2
66	Karnal	Very Poor	324	PM <sub>2.5</sub>	1
67	Katni	Poor	284	PM <sub>2.5</sub>	1
68	Khanna	Moderate	183	PM <sub>2.5</sub>	1
69	Kochi	Satisfactory	91	PM <sub>2.5</sub>	1
70	Kohima	Satisfactory	68	PM <sub>10</sub>	1
71	Kolkata	Very Poor	336	PM <sub>2.5</sub>	7
72	Kollam	Moderate	120	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	88	PM <sub>10</sub>	1
74	Kota	Moderate	157	PM <sub>2.5</sub>	1
75	Kozhikode	Moderate	106	PM <sub>10</sub>	1
76	Kurukshetra	Very Poor	351	PM <sub>2.5</sub>	1
77	Lucknow	Very Poor	384	PM <sub>2.5</sub> , PM <sub>10</sub>	4
78	Ludhiana	Poor	259	PM <sub>2.5</sub>	1
79	Maihar	Moderate	102	PM <sub>2.5</sub>	1
80	Mandi Gobindgarh	Moderate	188	PM <sub>2.5</sub>	1
81	Mandideep	Moderate	169	PM <sub>10</sub>	1
82	Mandikhera	Very Poor	348	PM <sub>2.5</sub>	1
83	Manesar	Very Poor	341	PM <sub>2.5</sub>	1
84	Medikeri	Moderate	108	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Severe	446	PM <sub>2.5</sub>	3
86	Moradabad	Very Poor	381	PM <sub>2.5</sub>	1
87	Mumbai	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	14
88	Muzaffarpur	Very Poor	344	PM <sub>2.5</sub> , PM <sub>10</sub>	2
89	Mysuru	Satisfactory	62	03	1
90	Nagpur	Satisfactory	72	PM <sub>10</sub>	1
91	Narnaul	Very Poor	318	PM <sub>10</sub>	1
92	Nashik	Moderate	153	PM <sub>2.5</sub>	1
93	Navi Mumbai	Poor	279	PM <sub>2.5</sub>	3
94	Noida	Severe	462	PM <sub>2.5</sub>	3
95	Pali	Moderate	149	PM <sub>10</sub>	1
96	Palwal	Moderate	188	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Poor	233	PM <sub>2.5</sub>	1
98	Panipat	Very Poor	327	PM <sub>2.5</sub>	1
99	Patiala	Poor	201	PM <sub>2.5</sub>	1
100	Patna	Poor	292	PM <sub>2.5</sub> , PM <sub>10</sub>	4
101	Pithampur	Satisfactory	98	PM <sub>10</sub>	1
102	Raichur	Satisfactory	95	PM <sub>2.5</sub>	1
103	Rajamahendravaram	Moderate	158	03	1
104	Rohtak	Very Poor	379	PM <sub>2.5</sub>	1
105	Sagar	Satisfactory	74	PM <sub>2.5</sub>	1
106	Satna	Moderate	115	PM <sub>10</sub>	1
107	Shivamogga	Moderate	106	PM <sub>2.5</sub>	1
108	Siliguri	Poor	208	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Severe	402	PM <sub>2.5</sub>	1
110	Sirsa	Poor	226	PM <sub>2.5</sub>	1
111	Solapur	Moderate	134	PM <sub>10</sub>	1
112	Sonipat	Poor	296	PM <sub>2.5</sub>	1
113	Talcher	Moderate	153	PM <sub>2.5</sub>	1
114	Thiruvananthapuram	Satisfactory	56	PM <sub>10</sub>	2
115	Thoothukudi	Satisfactory	79	O <sub>3</sub>	1
116	Thrissur	Satisfactory	85	O <sub>3</sub>	1
117	Tirupati	Moderate	103	PM <sub>2.5</sub>	1
118	Udaipur	Moderate	142	PM <sub>2.5</sub>	1
119	Ujjain	Moderate	200	O <sub>3</sub>	1
120	Vapi	Poor	248	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Very Poor	365	PM <sub>2.5</sub>	1
122	Vatva	Poor	216	PM <sub>10</sub>	1
123	Vijayapura	Satisfactory	63	со	1
124	Visakhapatnam	Poor	246	PM <sub>10</sub>	1
125	Yadgir	Satisfactory	96	O <sub>3</sub>	1
126	Yamunanagar	Very Poor	351	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nandesari, Pune, Ramanagara, Ratlam, Rupnagar, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.