



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	254	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	70	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	130	NO <sub>2</sub>	1
4	Ajmer	Satisfactory	90	PM <sub>10</sub>	1
5	Alwar	Satisfactory	82	PM <sub>10</sub>	1
6	Amaravati	Good	35	PM <sub>2.5</sub>	1
7	Ambala	Satisfactory	62	PM <sub>10</sub>	1
8	Amritsar	Moderate	130	PM <sub>2.5</sub>	1
9	Anantapur	Good	28	O <sub>3</sub>	1
10	Ankleshwar	Poor	245	PM <sub>2.5</sub>	1
11	Araria	Very Poor	324	PM <sub>2.5</sub>	1
12	Arrah	Very Poor	348	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	358	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Very Poor	313	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	91	PM <sub>10</sub>	1
16	Baddi	Moderate	187	PM <sub>2.5</sub>	1
17	Bagalkot	Good	42	PM <sub>10</sub>	1
18	Baghpat	Moderate	188	PM <sub>2.5</sub>	1
19	Bahadurgarh	Moderate	112	PM <sub>2.5</sub>	1
20	Ballabgarh	Poor	208	PM <sub>2.5</sub>	1
21	Bareilly	Moderate	114	PM <sub>10</sub>	2
22	Baripada	Poor	259	PM <sub>2.5</sub>	1
23	Bathinda	Satisfactory	68	CO	1
24	Begusarai	Severe	446	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	64	PM <sub>10</sub>	1
26	Bengaluru	Good	42	CO, PM <sub>10</sub>	5
27	Bettiah	Severe	439	PM <sub>2.5</sub>	1
28	Bhagalpur	Very Poor	365	PM <sub>2.5</sub>	2
29	Bhiwadi	Moderate	157	PM <sub>10</sub>	1
30	Bhiwani	Moderate	103	PM <sub>2.5</sub>	1
31	Bhopal	Moderate	146	PM <sub>2.5</sub>	2
32	Bilaspur	Satisfactory	98	PM <sub>10</sub>	1
33	Bileipada	Moderate	156	PM <sub>10</sub>	1
34	Brajrajnagar	Satisfactory	83	PM <sub>10</sub>	1
35	Bulandshahr	Moderate	136	PM <sub>10</sub>	1
36	Chamarajanagar	Good	43	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	3
38	Chandrapur	Satisfactory	81	PM <sub>2.5</sub>	1
39	Charkhi Dadri	Moderate	114	PM <sub>10</sub>	1
40	Chennai	Good	49	CO, PM <sub>2.5</sub>	7
41	Chhapra	Severe	404	PM <sub>10</sub>	1
42	Chikkaballapur	Satisfactory	55	PM <sub>10</sub>	1
43	Chikkamagaluru	Good	34	PM <sub>10</sub>	1
44	Damoh	Good	44	PM <sub>2.5</sub>	1
45	Delhi	Poor	218	PM <sub>2.5</sub>	36
46	Dewas	Moderate	116	PM <sub>10</sub>	1
47	Durgapur	Moderate	185	PM <sub>10</sub>	1
48	Eloor	Satisfactory	72	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	185	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Fatehabad	Moderate	107	PM <sub>10</sub>	1
51	Firozabad	Good	48	PM <sub>10</sub>	2
52	Gadag	Good	26	SO <sub>2</sub>	1
53	Gandhinagar	Satisfactory	88	PM <sub>10</sub>	1
54	Gangtok	Satisfactory	51	PM <sub>2.5</sub>	1
55	Gaya	Poor	284	PM <sub>2.5</sub>	3
56	Ghaziabad	Moderate	158	PM <sub>10</sub>	4
57	Gorakhpur	Moderate	165	PM <sub>2.5</sub>	1
58	Greater Noida	Moderate	180	PM <sub>10</sub>	2
59	Gurugram	Moderate	127	PM <sub>2.5</sub>	3
60	Guwahati	Moderate	174	PM <sub>2.5</sub>	2

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Poor	214	PM <sub>2.5</sub>	3
62	Hajipur	Poor	294	PM <sub>2.5</sub>	1
63	Haldia	Moderate	158	PM <sub>10</sub>	1
64	Hapur	Satisfactory	76	PM <sub>2.5</sub>	1
65	Hassan	Good	14	NO <sub>2</sub>	1
66	Haveri	Good	42	PM <sub>10</sub>	1
67	Hisar	Moderate	134	PM <sub>2.5</sub>	1
68	Hosur	Moderate	104	CO	1
69	Howrah	Poor	298	PM <sub>2.5</sub>	3
70	Hubballi	Satisfactory	68	CO	1
71	Hyderabad	Satisfactory	55	PM <sub>2.5</sub> , CO	12
72	Imphal	Satisfactory	73	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Satisfactory	99	PM <sub>10</sub>	1
74	Jabalpur	Poor	214	PM <sub>2.5</sub>	1
75	Jaipur	Satisfactory	75	NO <sub>2</sub> , PM <sub>10</sub>	2
76	Jalandhar	Satisfactory	96	PM <sub>10</sub>	1
77	Jhansi	Moderate	162	PM <sub>10</sub>	1
78	Jodhpur	Moderate	115	PM <sub>2.5</sub>	1
79	Kalyan	Moderate	171	PM <sub>10</sub>	1
80	Kannur	Satisfactory	77	PM <sub>2.5</sub>	1
81	Kanpur	Moderate	133	PM <sub>2.5</sub>	3
82	Karnal	Satisfactory	96	PM <sub>10</sub>	1
83	Katihar	Very Poor	396	PM <sub>2.5</sub>	1
84	Keonjhar	Moderate	173	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Satisfactory	87	PM <sub>10</sub>	1
86	Khurja	Moderate	110	PM <sub>2.5</sub>	1
87	Kishanganj	Poor	278	PM <sub>2.5</sub>	1
88	Kohima	Satisfactory	64	PM <sub>10</sub>	1
89	Kolar	Moderate	166	SO <sub>2</sub>	1
90	Kolkata	Very Poor	307	PM <sub>2.5</sub>	6
91	Kollam	Satisfactory	87	PM <sub>10</sub>	1
92	Koppal	Moderate	110	O <sub>3</sub>	1
93	Kozhikode	Good	38	CO	1
94	Kurukshetra	Satisfactory	92	PM <sub>2.5</sub>	1
95	Lucknow	Moderate	188	PM <sub>2.5</sub>	6
96	Ludhiana	Satisfactory	91	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	19	SO <sub>2</sub>	1
98	Maihar	Satisfactory	61	PM <sub>10</sub>	1
99	Mandi Gobindgarh	Moderate	137	PM <sub>2.5</sub>	1
100	Mandideep	Satisfactory	95	SO <sub>2</sub>	1
101	Mandikhera	Satisfactory	75	PM <sub>10</sub>	1
102	Manesar	Moderate	111	PM <sub>10</sub>	1
103	Mangalore	Satisfactory	75	PM <sub>10</sub>	1
104	Manguraha	Moderate	108	PM <sub>2.5</sub>	1
105	Meerut	Moderate	117	PM <sub>2.5</sub>	3
106	Moradabad	Satisfactory	80	PM <sub>10</sub>	6
107	Motihari	Very Poor	391	PM <sub>10</sub>	1
108	Mumbai	Moderate	168	PM <sub>2.5</sub> , PM <sub>10</sub>	16

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Munger	Very Poor	334	PM <sub>2.5</sub>	1
110	Muzaffarnagar	Moderate	178	PM <sub>2.5</sub>	1
111	Muzaffarpur	Very Poor	383	PM <sub>2.5</sub>	3
112	Mysuru	Good	28	PM <sub>10</sub>	1
113	Nagpur	Poor	234	PM <sub>2.5</sub>	1
114	Nalbari	Poor	254	PM <sub>2.5</sub>	1
115	Nandesari	Moderate	127	PM <sub>2.5</sub>	1
116	Narnaul	Moderate	111	PM <sub>10</sub>	1
117	Navi Mumbai	Poor	205	PM <sub>2.5</sub>	2
118	Nayagarh	Moderate	119	PM <sub>2.5</sub>	1
119	Noida	Moderate	153	PM <sub>2.5</sub>	4
120	Pali	Moderate	128	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Palwal	Satisfactory	65	PM <sub>10</sub>	1
122	Panchkula	Moderate	103	PM <sub>2.5</sub>	1
123	Panipat	Moderate	104	CO	1
124	Patiala	Satisfactory	68	PM <sub>10</sub>	1
125	Patna	Very Poor	385	PM <sub>10</sub> , PM <sub>2.5</sub>	6
126	Pithampur	Moderate	124	PM <sub>2.5</sub>	1
127	Prayagraj	Satisfactory	96	PM <sub>10</sub>	3
128	Puducherry	Good	44	PM <sub>10</sub>	1
129	Purnia	Very Poor	389	PM <sub>2.5</sub>	1
130	Rairangpur	Moderate	190	PM <sub>2.5</sub>	1
131	Rajamahendravaram	Good	40	PM <sub>2.5</sub>	1
132	Rajgir	Very Poor	348	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanathapuram	Good	31	PM <sub>2.5</sub>	1
134	Ratlam	Moderate	134	PM <sub>2.5</sub>	1
135	Rohtak	Satisfactory	90	PM <sub>2.5</sub>	1
136	Rupnagar	Satisfactory	85	PM <sub>10</sub>	1
137	Sagar	Satisfactory	98	PM <sub>2.5</sub> , CO	2
138	Samastipur	Severe	437	PM <sub>10</sub>	1
139	Sasaram	Poor	284	PM <sub>2.5</sub>	1
140	Satna	Satisfactory	68	PM <sub>10</sub>	1
141	Shillong	Satisfactory	67	PM <sub>2.5</sub>	1
142	Shivamogga	Satisfactory	51	PM <sub>10</sub>	1
143	Siliguri	Moderate	145	PM <sub>2.5</sub>	1
144	Singrauli	Very Poor	337	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Moderate	185	O <sub>3</sub>	1
146	Sivasagar	Satisfactory	54	PM <sub>10</sub>	1
147	Solapur	Satisfactory	93	PM <sub>10</sub>	1
148	Sonipat	Moderate	120	PM <sub>10</sub>	1
149	Suakati	Moderate	168	PM <sub>2.5</sub>	1
150	Surat	Poor	278	PM <sub>2.5</sub>	1
151	Talcher	Moderate	174	PM <sub>2.5</sub>	1
152	Thane	Moderate	140	PM <sub>10</sub>	1
153	Thiruvananthapuram	Good	41	PM <sub>2.5</sub> , PM <sub>10</sub>	2
154	Thoothukudi	Satisfactory	71	O <sub>3</sub>	1
155	Tirupati	Satisfactory	68	NO <sub>2</sub> , CO	2
156	Udaipur	Poor	264	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Dec 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ujjain	Moderate	145	PM <sub>2.5</sub>	1
158	Vapi	Poor	271	PM <sub>2.5</sub>	1
159	Varanasi	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub>	4
160	Vatva	Moderate	122	PM <sub>2.5</sub>	1
161	Vijayapura	Satisfactory	69	PM <sub>10</sub>	1
162	Vrindavan	Moderate	113	PM <sub>10</sub>	1
163	Yadgir	Good	31	CO	1
164	Yamunanagar	Moderate	132	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Bhillai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidiipoondi, Jind, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Katni, Kochi, Korba, Kota, Naharlagun, Nashik, Ooty, Pune, Raichur, Raipur, Ramanagara, Rourkela, Saharsa, Salem, Siwan, Srinagar, Tensa, Thrissur, Tirupur, Tumakuru, Udupi, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases