



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	219	PM _{2.5}	1
2	Ahmedabad	Moderate	191	PM _{2.5}	1
3	Ajmer	Satisfactory	89	O ₃	1
4	Alwar	Satisfactory	91	PM _{2.5}	1
5	Amaravati	Good	44	O ₃	1
6	Ambala	Moderate	176	PM _{2.5}	1
7	Amritsar	Moderate	185	PM _{2.5}	1
8	Ankleshwar	Moderate	105	PM ₁₀	1
9	Asanol	Poor	259	PM _{2.5}	1
10	Aurangabad	Satisfactory	72	PM _{2.5}	1
11	Bahadurgarh	Moderate	104	PM ₁₀	1
12	Ballabgarh	Poor	295	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	105	PM ₁₀ , PM _{2.5}	10
14	Bhiwadi	Poor	287	PM _{2.5}	1
15	Bhiwani	Moderate	183	PM _{2.5}	1
16	Bhopal	Moderate	119	PM ₁₀	1
17	Brajrajnagar	Satisfactory	93	PM ₁₀	1
18	Bulandshahr	Poor	289	PM _{2.5}	1
19	Chandigarh	Moderate	102	PM _{2.5}	1
20	Chandrapur	Satisfactory	62	PM _{2.5}	1
21	Chennai	Satisfactory	54	PM _{2.5} , CO, PM ₁₀	4
22	Chikkamagaluru	Satisfactory	51	PM ₁₀	1
23	Coimbatore	Satisfactory	62	O ₃	1
24	Damoh	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	289	PM _{2.5}	34
26	Dewas	Satisfactory	98	PM ₁₀	1
27	Dharuhera	Moderate	171	PM ₁₀	1
28	Eloor	Satisfactory	75	PM ₁₀	1
29	Ernakulam	Satisfactory	76	PM ₁₀	1
30	Faridabad	Poor	251	PM _{2.5}	1
31	Fatehabad	Moderate	112	PM ₁₀	1
32	GandhiNagar	Moderate	112	PM ₁₀	1
33	Gaya	Poor	224	PM _{2.5}	1
34	Ghaziabad	Very Poor	308	PM _{2.5}	4
35	Greater_Noida	Poor	288	PM _{2.5}	2
36	Gurugram	Poor	222	PM _{2.5} , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	276	PM _{2.5}	1
38	Gwalior	Poor	286	PM _{2.5}	2
39	Hapur	Moderate	143	PM ₁₀	1
40	Hisar	Moderate	191	PM _{2.5}	1
41	Howrah	Poor	222	PM _{2.5} , PM ₁₀	2
42	Hyderabad	Satisfactory	79	PM ₁₀	5
43	Jabalpur	Moderate	134	PM _{2.5}	1
44	Jaipur	Moderate	112	CO, PM ₁₀ , O ₃	3
45	Jalandhar	Moderate	111	PM _{2.5}	1
46	Jind	Poor	230	PM _{2.5}	1
47	Jodhpur	Moderate	147	PM _{2.5}	1
48	Kaithal	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Moderate	116	PM ₁₀	1
50	Kalyan	Moderate	193	PM _{2.5}	1
51	Kanpur	Poor	222	PM _{2.5}	1
52	Karnal	Moderate	197	PM _{2.5}	1
53	Katni	Moderate	153	PM _{2.5}	1
54	Khanna	Satisfactory	73	PM ₁₀	1
55	Kochi	Moderate	122	PM ₁₀	1
56	Kolkata	Moderate	180	PM _{2.5} , PM ₁₀	3
57	Kota	Satisfactory	94	PM ₁₀	1
58	Kozhikode	Satisfactory	74	CO	1
59	Kurukshetra	Moderate	184	PM _{2.5}	1
60	Lucknow	Poor	236	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Satisfactory	92	PM ₁₀	1
62	Maihar	Satisfactory	68	PM ₁₀	1
63	Mandi Gobindgarh	Poor	226	PM _{2.5}	1
64	Mandideep	Satisfactory	94	PM ₁₀	1
65	Mandikhera	Moderate	111	PM _{2.5}	1
66	Manesar	Moderate	141	PM _{2.5}	1
67	Meerut	Poor	231	PM _{2.5}	3
68	Mumbai	Moderate	135	PM ₁₀ , O ₃ , PM _{2.5}	9
69	Muzaffarnagar	Moderate	196	PM _{2.5}	1
70	Muzaffarpur	Very Poor	326	PM _{2.5}	1
71	Mysuru	Good	49	O ₃	1
72	Nagpur	Satisfactory	62	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Moderate	144	PM _{2.5}	1
74	Nashik	Moderate	139	PM _{2.5}	1
75	Navi Mumbai	Moderate	152	PM _{2.5} , PM ₁₀ , CO	3
76	Noida	Poor	290	PM _{2.5}	4
77	Pali	Satisfactory	97	PM ₁₀	1
78	Palwal	Poor	242	PM _{2.5}	1
79	Panchkula	Moderate	127	PM _{2.5}	1
80	Panipat	Poor	211	PM ₁₀	1
81	Patiala	Satisfactory	89	PM ₁₀	1
82	Patna	Poor	211	PM _{2.5}	3
83	Pithampur	Moderate	115	PM ₁₀	1
84	Pune	Satisfactory	100	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Satisfactory	74	PM ₁₀	1
86	Ratlam	Moderate	110	PM ₁₀	1
87	Rohtak	Moderate	190	PM _{2.5}	1
88	Rupnagar	Moderate	103	PM ₁₀	1
89	Sagar	Satisfactory	70	PM ₁₀	1
90	Satna	Moderate	101	PM ₁₀	1
91	Shillong	Moderate	103	PM _{2.5}	1
92	Siliguri	Poor	291	PM _{2.5}	1
93	Singrauli	Poor	238	PM _{2.5}	1
94	Sirsa	Moderate	118	PM ₁₀	1
95	Solapur	Moderate	113	PM ₁₀	1
96	Sonipat	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Talcher	Satisfactory	86	PM _{2.5}	1
98	Thane	Satisfactory	97	PM ₁₀	1
99	Thiruvananthapuram	Satisfactory	65	PM _{2.5}	1
100	Tirupati	Good	49	PM ₁₀	1
101	Udaipur	Satisfactory	90	PM ₁₀	1
102	Ujjain	Satisfactory	96	O ₃	1
103	Vapi	Poor	275	PM _{2.5}	1
104	Varanasi	Poor	251	PM _{2.5}	1
105	Vatva	Moderate	153	PM ₁₀	1
106	Vijayapura	Moderate	118	PM _{2.5}	1
107	Visakhapatnam	Good	48	PM ₁₀	1
108	Yamunanagar	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Chikkaballapur, Haldia, Hubballi, Indore, Jorapokhar, Moradabad, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.