

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	24	SO <sub>2</sub>	1
2	Agra	Good	31	PM <sub>2.5</sub> , PM <sub>10</sub>	5
3	Ahmedabad	Satisfactory	63	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	9
4	Ajmer	Satisfactory	70	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	74	PM <sub>10</sub>	1
6	Amaravati	Good	26	PM <sub>10</sub>	1
7	Ambala	Satisfactory	90	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	61	PM <sub>10</sub>	1
9	Bagalkot	Good	25	со	1
10	Baghpat	Good	39	со	1
11	Bahadurgarh	Good	35	PM <sub>2.5</sub>	1
12	Ballabgarh	Satisfactory	91	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	34	PM <sub>10</sub>	1
14	Bengaluru	Satisfactory	55	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	10
15	Bettiah	Satisfactory	58	PM <sub>10</sub>	1
16	Bhiwadi	Moderate	103	PM <sub>10</sub>	1
17	Bhiwani	Satisfactory	70	03	1
18	Bhopal	Good	39	PM <sub>10</sub>	1
19	Bihar Sharif	Satisfactory	78	NO <sub>2</sub>	1
20	Brajrajnagar	Good	44	со	1
21	Bulandshahr	Good	34	PM <sub>10</sub>	1
22	Chamarajanagar	Good	39	PM <sub>10</sub>	1
23	Chandigarh	Good	49	PM <sub>10</sub>	1
24	Chandrapur	Good	32	PM <sub>10</sub>	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	65	CO, PM <sub>10</sub>	5
26	Chikkaballapur	Good	30	NO <sub>2</sub>	1
27	Chikkamagaluru	Good	24	03	1
28	Damoh	Good	18	NO <sub>2</sub>	1
29	Darbhanga	Good	38	PM <sub>2.5</sub>	1
30	Davanagere	Good	21	03	1
31	Delhi	Satisfactory	61	O <sub>3</sub> , NO <sub>2</sub> , CO	34
32	Dewas	Good	40	PM <sub>10</sub>	1
33	Dharuhera	Satisfactory	88	со	1
34	Durgapur	Satisfactory	68	PM <sub>10</sub>	1
35	Ernakulam	Good	49	со	1
36	Faridabad	Satisfactory	56	PM <sub>2.5</sub> , PM <sub>10</sub>	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	265	03	1
38	Firozabad	Satisfactory	61	PM <sub>2.5</sub>	1
39	Gadag	Good	37	SO <sub>2</sub>	1
40	Gandhinagar	Good	44	CO, PM <sub>2.5</sub>	3
41	Gaya	Good	43	CO, PM <sub>10</sub>	2
42	Ghaziabad	Satisfactory	57	CO, PM <sub>10</sub>	4
43	Gorakhpur	Good	22	СО	1
44	Greater Noida	Satisfactory	74	CO, PM <sub>10</sub>	2
45	Gurugram	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	3
46	Guwahati	Good	50	SO <sub>2</sub> , PM <sub>10</sub>	2
47	Gwalior	Good	50	PM <sub>10</sub>	2
48	Haldia	Good	38	NO <sub>2</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Good	38	СО	1
50	Hassan	Good	48	PM <sub>10</sub>	1
51	Hisar	Satisfactory	53	PM <sub>2.5</sub>	1
52	Howrah	Satisfactory	53	PM <sub>10</sub> , CO	3
53	Hubballi	Good	38	PM <sub>10</sub>	1
54	Hyderabad	Good	35	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5
55	Indore	Satisfactory	52	PM <sub>10</sub>	1
56	Jabalpur	Good	48	со	1
57	Jaipur	Satisfactory	68	PM <sub>10</sub> , CO	3
58	Jalandhar	Satisfactory	64	PM <sub>10</sub>	1
59	Jind	Satisfactory	51	PM <sub>10</sub>	1
60	Jodhpur	Satisfactory	86	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Satisfactory	73	O <sub>3</sub>	1
62	Kalyan	Good	41	PM <sub>10</sub>	1
63	Kannur	Good	38	NO <sub>2</sub>	1
64	Kanpur	Good	31	NO <sub>2</sub> , NH <sub>3</sub>	2
65	Karnal	Good	41	PM <sub>10</sub>	1
66	Katni	Good	40	PM <sub>10</sub>	1
67	Khanna	Satisfactory	60	PM <sub>10</sub>	1
68	Kochi	Good	48	PM <sub>10</sub>	1
69	Kohima	Good	33	SO <sub>2</sub>	1
70	Kolar	Satisfactory	97	со	1
71	Kolkata	Satisfactory	51	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	7
72	Kollam	Satisfactory	100	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	29	O <sub>3</sub>	1
74	Kota	Satisfactory	59	PM <sub>10</sub>	1
75	Kozhikode	Satisfactory	60	со	1
76	Lucknow	Good	39	CO, O <sub>3</sub>	5
77	Ludhiana	Satisfactory	58	PM <sub>10</sub>	1
78	Mandi Gobindgarh	Good	37	PM <sub>2.5</sub>	1
79	Mandideep	Good	38	PM <sub>10</sub>	1
80	Mandikhera	Satisfactory	52	03	1
81	Medikeri	Good	22	SO <sub>2</sub>	1
82	Meerut	Good	40	PM <sub>10</sub>	2
83	Moradabad	Good	38	PM <sub>2.5</sub>	1
84	Motihari	Satisfactory	51	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Satisfactory	68	O <sub>3</sub> , CO, PM <sub>10</sub>	17
86	Muzaffarnagar	Satisfactory	70	СО	1
87	Muzaffarpur	Satisfactory	62	O <sub>3</sub> , CO	2
88	Mysuru	Satisfactory	51	03	1
89	Nagpur	Satisfactory	66	со	1
90	Naharlagun	Good	36	PM <sub>10</sub>	1
91	Narnaul	Moderate	119	PM <sub>10</sub>	1
92	Nashik	Good	35	PM <sub>2.5</sub>	1
93	Navi Mumbai	Good	35	PM <sub>10</sub>	3
94	Noida	Satisfactory	54	CO, PM <sub>10</sub>	3
95	Pali	Satisfactory	53	PM <sub>10</sub>	1
96	Palwal	Satisfactory	57	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Good	44	03	1
98	Panipat	Good	40	со	1
99	Patiala	Good	49	PM <sub>10</sub>	1
100	Patna	Satisfactory	62	O <sub>3</sub> , CO, PM <sub>10</sub>	5
101	Pithampur	Satisfactory	58	PM <sub>10</sub>	1
102	Prayagraj	Good	33	PM <sub>10</sub>	3
103	Puducherry	Good	36	O <sub>3</sub>	1
104	Pune	Satisfactory	66	CO, PM <sub>2.5</sub>	6
105	Rajamahendravaram	Satisfactory	52	PM <sub>10</sub>	1
106	Ramanagara	Good	33	03	1
107	Ratlam	Satisfactory	53	PM <sub>2.5</sub>	1
108	Rohtak	Satisfactory	76	03	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor,
  Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar,
  Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as
  data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Good	31	PM <sub>10</sub>	1
110	Sagar	Good	24	NO <sub>2</sub>	1
111	Satna	Satisfactory	61	PM <sub>10</sub>	1
112	Shillong	Good	14	SO <sub>2</sub>	1
113	Shivamogga	Good	41	PM <sub>10</sub>	1
114	Siliguri	Good	49	PM <sub>2.5</sub>	1
115	Singrauli	Good	31	NO <sub>2</sub>	1
116	Sirsa	Satisfactory	95	03	1
117	Solapur	Good	42	PM <sub>10</sub>	1
118	Sonipat	Moderate	177	PM <sub>10</sub>	1
119	Srinagar	Good	38	PM <sub>10</sub>	1
120	Talcher	Satisfactory	69	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Satisfactory	60	PM <sub>10</sub>	1
122	Thiruvananthapuram	Good	36	O <sub>3</sub> , CO	2
123	Thoothukudi	Good	39	PM <sub>10</sub>	1
124	Thrissur	Good	46	SO <sub>2</sub>	1
125	Tirupati	Good	33	со	1
126	Udaipur	Satisfactory	52	PM <sub>10</sub>	1
127	Udupi	Moderate	110	03	1
128	Ujjain	Satisfactory	71	PM <sub>10</sub>	1
129	Varanasi	Good	27	PM <sub>10</sub> , O <sub>3</sub>	4
130	Vatva	Satisfactory	84	PM <sub>10</sub>	1
131	Visakhapatnam	Satisfactory	97	PM <sub>10</sub>	1
132	Yadgir	Good	27	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Eloor, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Kurukshetra, Maihar, Manesar, Manglore, Nandesari, Raichur, Vapi, Vijayapura, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.