



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	229	PM _{2.5}	1
2	Agra	Moderate	137	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	130	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	48	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amaravati	Satisfactory	88	PM ₁₀	1
8	Ambala	Moderate	193	PM _{2.5}	1
9	Amritsar	Moderate	101	PM ₁₀	1
10	Ankleshwar	Poor	243	PM _{2.5}	1
11	Araria	Poor	264	PM _{2.5}	1
12	Arrah	Moderate	197	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	131	PM _{2.5}	1
14	Aurangabad	Moderate	110	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Poor	264	PM _{2.5}	1
17	Ballabgarh	Poor	258	PM _{2.5}	1
18	Bathinda	Satisfactory	74	PM _{2.5}	1
19	Bengaluru	Satisfactory	100	PM ₁₀ , CO	8
20	Bettiah	Poor	224	PM _{2.5}	1
21	Bhagalpur	Poor	266	PM _{2.5}	2
22	Bhiwadi	Moderate	173	PM _{2.5}	1
23	Bhiwani	Poor	235	PM _{2.5}	1
24	Bhopal	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	111	PM ₁₀	1
26	Bihar Sharif	Moderate	185	PM _{2.5}	1
27	Bilaspur	Satisfactory	64	CO	1
28	Brajrajnagar	Satisfactory	84	O ₃	1
29	Bulandshahr	Poor	211	PM _{2.5}	1
30	Buxar	Poor	269	PM _{2.5}	1
31	Chamarajanagar	Good	37	PM ₁₀	1
32	Chandigarh	Moderate	170	PM _{2.5} , PM ₁₀	3
33	Chandrapur	Moderate	134	PM _{2.5} , PM ₁₀	2
34	Charkhi Dadri	Poor	238	PM _{2.5}	1
35	Chennai	Satisfactory	83	PM ₁₀ , CO	8
36	Chhapra	Poor	299	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	90	PM _{2.5}	1
38	Chikkamagaluru	Satisfactory	55	PM _{2.5}	1
39	Coimbatore	Satisfactory	85	PM _{2.5}	1
40	Damoh	Satisfactory	75	PM _{2.5}	1
41	Darbhanga	Poor	243	PM _{2.5}	1
42	Davanagere	Moderate	104	PM ₁₀	1
43	Delhi	Poor	270	PM ₁₀ , PM _{2.5}	37
44	Dewas	Moderate	110	PM _{2.5}	1
45	Dharuhera	Poor	212	PM _{2.5}	1
46	Durgapur	Poor	227	PM _{2.5}	1
47	Eloor	Satisfactory	63	PM _{2.5}	1
48	Ernakulam	Satisfactory	66	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	272	PM _{2.5}	4
50	Firozabad	Moderate	145	PM _{2.5}	1
51	Gadag	Satisfactory	73	PM _{2.5}	1
52	Gandhinagar	Moderate	161	PM _{2.5} , PM ₁₀	3
53	Gaya	Moderate	170	PM _{2.5} , PM ₁₀	3
54	Ghaziabad	Poor	286	PM _{2.5} , PM ₁₀	4
55	Gorakhpur	Satisfactory	86	PM _{2.5}	1
56	Greater Noida	Moderate	198	PM ₁₀ , PM _{2.5}	2
57	Gummidipoondi	Good	39	PM ₁₀	1
58	Gurugram	Poor	250	PM _{2.5}	4
59	Guwahati	Moderate	196	PM _{2.5}	2
60	Gwalior	Moderate	132	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	81	PM _{2.5}	1
62	Haldia	Moderate	116	PM ₁₀	1
63	Hapur	Poor	244	PM _{2.5}	1
64	Hassan	Satisfactory	95	PM ₁₀	1
65	Hisar	Poor	239	PM _{2.5}	1
66	Howrah	Poor	204	PM _{2.5}	3
67	Hyderabad	Moderate	128	PM ₁₀ , PM _{2.5}	4
68	Indore	Moderate	200	PM ₁₀	1
69	Jabalpur	Moderate	147	PM ₁₀	1
70	Jaipur	Moderate	168	PM _{2.5}	2
71	Jalandhar	Moderate	109	PM ₁₀	1
72	Jhansi	Moderate	151	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Moderate	191	PM _{2.5}	1
74	Jodhpur	Moderate	169	PM _{2.5}	1
75	Kaithal	Moderate	108	PM ₁₀	1
76	Kalaburgi	Moderate	107	PM ₁₀	1
77	Kalyan	Moderate	185	PM _{2.5}	1
78	Kannur	Satisfactory	68	PM ₁₀	1
79	Kanpur	Moderate	157	PM _{2.5}	3
80	Karnal	Moderate	178	PM _{2.5}	1
81	Katihar	Poor	283	PM _{2.5}	1
82	Katni	Poor	242	PM ₁₀	1
83	Khanna	Moderate	105	PM ₁₀	1
84	Kishanganj	Very Poor	331	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Satisfactory	84	PM _{2.5}	1
86	Kohima	Satisfactory	97	PM ₁₀	1
87	Kolar	Satisfactory	90	PM ₁₀	1
88	Kolkata	Moderate	144	PM _{2.5} , O ₃ , PM ₁₀	7
89	Kollam	Moderate	107	PM ₁₀	1
90	Koppal	Satisfactory	94	O ₃	1
91	Kota	Moderate	173	PM _{2.5}	1
92	Kozhikode	Satisfactory	55	PM _{2.5}	1
93	Kurukshetra	Poor	232	PM _{2.5}	1
94	Lucknow	Moderate	178	PM _{2.5} , PM ₁₀	6
95	Ludhiana	Moderate	122	PM ₁₀	1
96	Madikeri	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	25	PM ₁₀	1
98	Mandi Gobindgarh	Moderate	150	PM ₁₀	1
99	Mandideep	Moderate	168	PM _{2.5}	1
100	Mandikhera	Moderate	107	PM ₁₀	1
101	Manesar	Poor	277	PM _{2.5}	1
102	Manglore	Satisfactory	57	PM _{2.5}	1
103	Meerut	Very Poor	327	PM _{2.5}	3
104	Moradabad	Moderate	194	PM _{2.5}	4
105	Motihari	Poor	247	PM _{2.5}	1
106	Mumbai	Moderate	116	PM _{2.5} , PM ₁₀	19
107	Munger	Very Poor	338	PM _{2.5}	1
108	Muzaffarnagar	Very Poor	385	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Very Poor	310	PM _{2.5}	2
110	Mysuru	Satisfactory	83	O ₃	1
111	Nandesari	Satisfactory	89	CO	1
112	Narnaul	Moderate	191	PM _{2.5}	1
113	Navi Mumbai	Moderate	139	PM ₁₀	3
114	Noida	Poor	211	PM _{2.5} , PM ₁₀	3
115	Pali	Moderate	112	PM _{2.5}	1
116	Palwal	Moderate	134	PM ₁₀	1
117	Panchkula	Moderate	106	PM _{2.5}	1
118	Patiala	Moderate	129	PM ₁₀	1
119	Patna	Poor	246	PM _{2.5} , PM ₁₀	6
120	Pithampur	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	157	PM _{2.5}	3
122	Puducherry	Satisfactory	72	PM ₁₀	1
123	Pune	Moderate	166	PM _{2.5}	5
124	Purnia	Poor	264	PM _{2.5}	1
125	Raichur	Moderate	125	PM ₁₀	1
126	Rajamahendravaram	Moderate	107	PM ₁₀	1
127	Rajgir	Poor	249	PM _{2.5}	1
128	Ramanagara	Satisfactory	93	PM ₁₀	1
129	Ratlam	Moderate	108	PM ₁₀	1
130	Rupnagar	Moderate	149	PM ₁₀	1
131	Sagar	Satisfactory	90	PM _{2.5}	1
132	Saharsa	Very Poor	316	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	55	PM ₁₀	1
134	Shivamogga	Satisfactory	59	PM ₁₀	1
135	Siliguri	Satisfactory	75	PM ₁₀	1
136	Singrauli	Poor	222	PM ₁₀	1
137	Sirsa	Moderate	103	PM ₁₀	1
138	Solapur	Moderate	111	PM _{2.5}	1
139	Sonipat	Very Poor	366	PM ₁₀	1
140	Srinagar	Moderate	170	PM ₁₀	1
141	Talcher	Moderate	127	PM _{2.5}	1
142	Thiruvananthapuram	Satisfactory	82	PM ₁₀	2
143	Thoothukudi	Good	50	PM ₁₀	1
144	Tirupati	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	110	PM ₁₀	1
146	Ujjain	Poor	234	PM ₁₀	1
147	Vapi	Moderate	130	PM ₁₀	1
148	Varanasi	Moderate	188	PM _{2.5} , O ₃	4
149	Vatva	Moderate	182	PM _{2.5}	1
150	Vijayapura	Good	46	PM ₁₀	1
151	Visakhapatnam	Moderate	150	PM ₁₀	1
152	Vrindavan	Satisfactory	99	PM ₁₀	1
153	Yadgir	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Fatehabad, Hubballi, Jorapokhar, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Rohtak, Sasaram, Shillong, Siwan, Thane, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.