Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	94	$PM_{2.5}$	1
2	Ahmedabad	Moderate	184	O_3	1
3	Aizawl	Good	15	CO	1
4	Ajmer	Satisfactory	78	PM_{10}	1
5	Alwar	Satisfactory	62	O_3	1
6	Amaravati	Good	45	O_3	1
7	Ambala	Satisfactory	62	$PM_{2.5}$	1
8	Amritsar	Moderate	122	PM_{10}	1
9	Ankleshwar	Satisfactory	76	PM_{10}	1
10	Asanol	Satisfactory	56	PM_{10}	1
11	Aurangabad	Good	50	O_3	1
12	Bagalkot	Satisfactory	52	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	132	$PM_{2.5}$	1
14	Ballabgarh	Moderate	193	$PM_{2.5}$	1
15	Bengaluru	Satisfactory	61	PM_{10}, O_3, CO	8
16	Bhiwadi	Moderate	153	$PM_{2.5}$	1
17	Bhiwani	Moderate	180	PM_{10}	1
18	Bhopal	Moderate	102	PM_{10}	1
19	Brajrajnagar	Moderate	165	PM_{10}	1
20	Chandigarh	Satisfactory	59	PM_{10}	1
21	Chandrapur	Satisfactory	66	O_3, PM_{10}	2
22	Charkhi Dadri	Very Poor	367	$PM_{2.5}$	1
23	Chennai	Satisfactory	60	O_3, CO	4
24	Chikkaballapur	Satisfactory	65	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	73	CO	1
26	Damoh	Good	50	PM_{10}	1
27	Delhi	Moderate	146	O_3, $PM_{2.5}$	31
28	Dewas	Moderate	102	PM_{10}	1
29	Dharuhera	Satisfactory	81	CO	1
30	Eloor	Good	46	PM_{10}	1
31	Ernakulam	Satisfactory	84	CO	1
32	Faridabad	Moderate	126	PM_{10}, $PM_{2.5}$	2
33	Fatehabad	Moderate	197	PM_{10}	1
34	Gandhinagar	Satisfactory	85	PM_{10}	1
35	Gaya	Moderate	152	O_3	1
36	Ghaziabad	Moderate	148	O_3, PM_{10}, $PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	134	PM_{10}	1
38	Gurugram	Moderate	165	O_3, $PM_{2.5}$, PM_{10}	4
39	Guwahati	Good	47	$PM_{2.5}$	1
40	Gwalior	Satisfactory	98	O_3, $PM_{2.5}$	2
41	Hapur	Moderate	136	PM_{10}	1
42	Hisar	Poor	213	PM_{10}	1
43	Howrah	Good	44	O_3, PM_{10}	3
44	Hyderabad	Satisfactory	58	PM_{10}, O_3, CO	6
45	Indore	Satisfactory	100	PM_{10}	1
46	Jabalpur	Satisfactory	89	O_3	1
47	Jaipur	Satisfactory	94	PM_{10}	3
48	Jalandhar	Satisfactory	87	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Moderate	156	PM_{10}	1
50	Jodhpur	Satisfactory	92	PM_{10}	1
51	Jorapokhar	Moderate	104	PM_{10}	1
52	Kaithal	Moderate	125	PM_{10}	1
53	Kalyan	Satisfactory	80	PM_{10}	1
54	Kannur	Good	42	$PM_{2.5}$	1
55	Kanpur	Satisfactory	60	O_3	1
56	Karnal	Satisfactory	98	PM_{10}	1
57	Katni	Satisfactory	97	O_3	1
58	Khanna	Satisfactory	82	PM_{10}	1
59	Kochi	Satisfactory	54	CO	1
60	Kolkata	Good	49	O_3	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kollam	Satisfactory	63	$PM_{2.5}$	1
62	Kota	Satisfactory	51	O_3	1
63	Kozhikode	Good	40	PM_{10}	1
64	Kurukshetra	Moderate	116	PM_{10}	1
65	Lucknow	Satisfactory	88	$PM_{2.5}$	4
66	Ludhiana	Satisfactory	73	PM_{10}	1
67	Maihar	Satisfactory	58	PM_{10}	1
68	Mandideep	Satisfactory	58	PM_{10}	1
69	Mandikhera	Moderate	102	PM_{10}	1
70	Manesar	Moderate	116	PM_{10}	1
71	Meerut	Moderate	145	PM_{10}	2
72	Mumbai	Satisfactory	51	SO_2, PM_{10}, O_3	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Satisfactory	95	PM_{10}	1
74	Muzaffarpur	Satisfactory	64	$PM_{2.5}$	1
75	Mysuru	Satisfactory	62	O_3	1
76	Nagpur	Satisfactory	76	O_3	1
77	Narnaul	Moderate	126	PM_{10}	1
78	Nashik	Satisfactory	70	O_3	1
79	Navi Mumbai	Satisfactory	60	CO, PM_{10}	2
80	Noida	Moderate	138	O_3, $PM_{2.5}$, PM_{10}	4
81	Pali	Satisfactory	65	PM_{10}	1
82	Palwal	Moderate	127	PM_{10}	1
83	Panchkula	Good	43	$PM_{2.5}$	1
84	Patiala	Satisfactory	85	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patna	Satisfactory	74	PM_{10}, $PM_{2.5}$	2
86	Pithampur	Moderate	119	PM_{10}	1
87	Pune	Satisfactory	52	CO	1
88	Rajamahendravaram	Satisfactory	67	O_3	1
89	Rohtak	Poor	214	$PM_{2.5}$	1
90	Rupnagar	Moderate	140	$PM_{2.5}$	1
91	Sagar	Satisfactory	62	PM_{10}	1
92	Satna	Satisfactory	62	PM_{10}	1
93	Siliguri	Good	29	$PM_{2.5}$	1
94	Singrauli	Moderate	185	O_3	1
95	Sirsa	Moderate	178	PM_{10}	1
96	Solapur	Satisfactory	59	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sonipat	Moderate	150	PM_{10}	1
98	Talcher	Moderate	104	CO	1
99	Thane	Good	47	PM_{10}	1
100	Thiruvananthapuram	Good	42	O_3, PM_{10}	2
101	Tirupati	Satisfactory	58	O_3	1
102	Udaipur	Satisfactory	85	O_3	1
103	Ujjain	Moderate	117	O_3	1
104	Vapi	Satisfactory	88	O_3	1
105	Varanasi	Moderate	118	O_3	1
106	Vatva	Satisfactory	89	PM_{10}	1
107	Visakhapatnam	Good	50	PM_{10}	1
108	Yamunanagar	Satisfactory	99	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bulandshahr, Chikkamagaluru, Hajipur, Hubballi, Kalaburgi, Mandi Gobindgarh, Moradabad, Nandesari, Panipat, Ramanagara, Ratlam, Shillong, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.