

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 1 | Agra | Very Poor | 369 | PM _{2.5} | 1 |
| 2 | Ahmedabad | Poor | 297 | PM _{2.5} | 1 |
| 3 | Alwar | Moderate | 129 | PM _{2.5} | 1 |
| 4 | Amaravati | Moderate | 166 | PM _{2.5} | 1 |
| 5 | Ambala | Moderate | 186 | PM ₁₀ | 1 |
| 6 | Amritsar | Moderate | 143 | PM ₁₀ | 1 |
| 7 | Ankleshwar | Poor | 207 | PM _{2.5} | 1 |
| 8 | Asanol | Poor | 237 | PM _{2.5} | 1 |
| 9 | Aurangabad | Satisfactory | 95 | OZONE | 1 |
| 10 | Baghpat | Very Poor | 320 | PM _{2.5} | 1 |
| 11 | Bahadurgarh | Poor | 297 | PM _{2.5} | 1 |
| 12 | Ballabgarh | Poor | 293 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Dewas, Durgapur, Faridabad, Fatehabad, Hubballi, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|--|--|
| 13 | Bathinda | Moderate | 110 | PM ₁₀ | 1 |
| 14 | Bengaluru | Satisfactory | 81 | OZONE, PM ₁₀ , PM _{2.5} | 9 |
| 15 | Bhiwadi | Very Poor | 319 | PM _{2.5} | 1 |
| 16 | Bhiwani | Moderate | 189 | PM _{2.5} | 1 |
| 17 | Brajrajnagar | Poor | 244 | PM _{2.5} | 1 |
| 18 | Bulandshahr | Very Poor | 350 | PM _{2.5} | 1 |
| 19 | Chandrapur | Moderate | 122 | PM _{2.5} | 2 |
| 20 | Chennai | Satisfactory | 98 | PM _{2.5} , OZONE | 3 |
| 21 | Chikkaballapur | Satisfactory | 56 | PM ₁₀ | 1 |
| 22 | Damoh | Poor | 223 | PM _{2.5} | 1 |
| 23 | Delhi | Very Poor | 382 | PM _{2.5} | 33 |
| 24 | Dharuhera | Very Poor | 318 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Dewas, Durgapur, Faridabad, Fatehabad, Hubballi, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|-------------|-------------|--------------------------------------|--|
| 25 | GandhiNagar | Moderate | 181 | PM _{2.5} | 1 |
| 26 | Gaya | Poor | 285 | PM _{2.5} | 1 |
| 27 | Ghaziabad | Severe | 429 | PM _{2.5} | 1 |
| 28 | Greater_Noida | Very Poor | 351 | PM _{2.5} | 1 |
| 29 | Gurugram | Poor | 236 | PM _{2.5} | 1 |
| 30 | Haldia | Moderate | 146 | PM ₁₀ | 1 |
| 31 | Hapur | Very Poor | 355 | PM _{2.5} | 1 |
| 32 | Hisar | Poor | 229 | PM _{2.5} | 1 |
| 33 | Howrah | Poor | 292 | PM _{2.5} | 2 |
| 34 | Hyderabad | Moderate | 117 | PM _{2.5} , PM ₁₀ | 5 |
| 35 | Jaipur | Moderate | 145 | PM _{2.5} , PM ₁₀ | 3 |
| 36 | Jalandhar | Poor | 218 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Dewas, Durgapur, Faridabad, Fatehabad, Hubballi, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 37 | Jind | Poor | 261 | PM _{2.5} | 1 |
| 38 | Jodhpur | Poor | 294 | PM _{2.5} | 1 |
| 39 | Jorapokhar | Moderate | 154 | PM ₁₀ | 1 |
| 40 | Kalaburgi | Satisfactory | 99 | PM ₁₀ | 1 |
| 41 | Kanpur | Very Poor | 358 | PM _{2.5} | 1 |
| 42 | Karnal | Moderate | 176 | PM _{2.5} | 1 |
| 43 | Khanna | Moderate | 102 | PM ₁₀ | 1 |
| 44 | Kolkata | Very Poor | 322 | PM _{2.5} | 2 |
| 45 | Kota | Poor | 258 | PM _{2.5} | 1 |
| 46 | Kurushketra | Poor | 228 | PM _{2.5} | 1 |
| 47 | Lucknow | Poor | 279 | PM _{2.5} | 4 |
| 48 | Ludhiana | Moderate | 155 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Dewas, Durgapur, Faridabad, Fatehabad, Hubballi, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|---------------------|--|
| 49 | Mandi Gobindgarh | Moderate | 170 | PM _{2.5} | 1 |
| 50 | Mandideep | Poor | 228 | PM ₁₀ | 1 |
| 51 | Mandikhera | Poor | 232 | PM _{2.5} | 1 |
| 52 | Manesar | Poor | 269 | PM _{2.5} | 1 |
| 53 | Moradabad | Severe | 418 | PM _{2.5} | 1 |
| 54 | Mumbai | Moderate | 159 | PM ₁₀ | 1 |
| 55 | Muzaffarnagar | Very Poor | 326 | PM _{2.5} | 1 |
| 56 | Muzaffarpur | Poor | 294 | PM _{2.5} | 1 |
| 57 | Nagpur | Moderate | 128 | NO ₂ | 1 |
| 58 | Narnaul | Poor | 215 | PM _{2.5} | 1 |
| 59 | Nashik | Satisfactory | 95 | PM _{2.5} | 1 |
| 60 | Navi Mumbai | Moderate | 119 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Dewas, Durgapur, Faridabad, Fatehabad, Hubballi, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|--------------------------------------|--|
| 61 | Noida | Very Poor | 377 | PM ₁₀ , PM _{2.5} | 2 |
| 62 | Pali | Moderate | 149 | PM _{2.5} | 1 |
| 63 | Palwal | Poor | 276 | PM _{2.5} | 1 |
| 64 | Panchkula | Moderate | 145 | PM _{2.5} | 1 |
| 65 | Panipat | Poor | 244 | PM _{2.5} | 1 |
| 66 | Patiala | Satisfactory | 65 | PM ₁₀ | 1 |
| 67 | Patna | Poor | 295 | PM _{2.5} | 1 |
| 68 | Pithampur | Moderate | 118 | PM ₁₀ | 1 |
| 69 | Pune | Moderate | 151 | PM _{2.5} | 1 |
| 70 | Rajamahendravaram | Moderate | 149 | PM _{2.5} | 1 |
| 71 | Rohtak | Poor | 219 | PM _{2.5} | 1 |
| 72 | Rupnagar | Moderate | 117 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Dewas, Durgapur, Faridabad, Fatehabad, Hubballi, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 73 | Satna | Moderate | 105 | со | 1 |
| 74 | Siliguri | Poor | 291 | PM _{2.5} | 1 |
| 75 | Singrauli | Very Poor | 304 | PM _{2.5} | 1 |
| 76 | Sirsa | Poor | 257 | PM _{2.5} | 1 |
| 77 | Solapur | Moderate | 118 | PM ₁₀ | 1 |
| 78 | Sonipat | Poor | 263 | PM _{2.5} | 1 |
| 79 | Talcher | Very Poor | 367 | PM ₁₀ | 1 |
| 80 | Thane | Moderate | 176 | PM _{2.5} | 1 |
| 81 | Thiruvananthapuram | Satisfactory | 68 | OZONE | 1 |
| 82 | Tirupati | Satisfactory | 77 | OZONE | 1 |
| 83 | Udaipur | Poor | 243 | PM _{2.5} | 1 |
| 84 | Ujjain | Moderate | 188 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Dewas, Durgapur, Faridabad, Fatehabad, Hubballi, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 85 | Varanasi | Very Poor | 346 | PM _{2.5} | 1 |
| 86 | Vijayawada | Satisfactory | 72 | PM ₁₀ | 1 |
| 87 | Visakhapatnam | Poor | 220 | PM _{2.5} | 1 |
| 88 | Yamunanagar | Poor | 251 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Ajmer, Dewas, Durgapur, Faridabad, Fatehabad, Hubballi, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.