

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	72	со	1
2	Ahmedabad	Satisfactory	60	PM ₁₀	1
3	Ajmer	Good	50	PM ₁₀	1
4	Alwar	Good	45	PM ₁₀	1
5	Amaravati	Good	26	O ₃	1
6	Ambala	Good	23	03	1
7	Amritsar	Good	46	PM _{2.5}	1
8	Ankleshwar	Good	45	PM _{2.5}	1
9	Asansol	Good	19	O ₃	1
10	Aurangabad	Good	38	PM ₁₀	1
11	Bagalkot	Good	43	PM ₁₀	1
12	Baghpat	Satisfactory	55	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	65	со	1
14	Bengaluru	Satisfactory	51	PM ₁₀ , PM _{2.5}	9
15	Bhiwadi	Satisfactory	66	PM _{2.5}	1
16	Bhiwani	Satisfactory	69	O ₃	1
17	Bhopal	Good	34	PM ₁₀	1
18	Brajrajnagar	Good	34	PM ₁₀	1
19	Bulandshahr	Good	30	O ₃	1
20	Chandigarh	Good	25	PM ₁₀	1
21	Chandrapur	Good	23	PM ₁₀	1
22	Charkhi Dadri	Good	49	O ₃	1
23	Chennai	Satisfactory	56	PM _{2.5} , O ₃	4
24	Chikkaballapur	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	35	PM ₁₀	1
26	Coimbatore	Good	45	NO ₂	1
27	Damoh	Good	19	NO ₂	1
28	Delhi	Good	50	CO, NO ₂ , PM _{2.5}	30
29	Dewas	Good	32	PM ₁₀	1
30	Dharuhera	Good	41	со	1
31	Eloor	Satisfactory	58	PM ₁₀	1
32	Ernakulam	Moderate	113	со	1
33	Faridabad	Satisfactory	71	CO, NO ₂ , PM _{2.5}	3
34	Fatehabad	Good	47	PM _{2.5}	1
35	Gaya	Good	50	PM _{2.5} , O ₃	2
36	Ghaziabad	Satisfactory	55	CO, O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	120	со	2
38	Gurugram	Satisfactory	90	PM ₁₀ , O ₃ , PM _{2.5}	4
39	Guwahati	Good	28	PM ₁₀	1
40	Gwalior	Good	29	03	1
41	Hajipur	Good	29	PM ₁₀	1
42	Hapur	Good	26	со	1
43	Hisar	Good	34	PM ₁₀	1
44	Howrah	Good	28	O ₃ , CO	3
45	Hubballi	Satisfactory	51	PM ₁₀	1
46	Hyderabad	Good	30	NO ₂ , PM _{2.5} , PM ₁₀	6
47	Indore	Good	49	O ₃	1
48	Jabalpur	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Good	42	PM ₁₀ , CO	3
50	Jalandhar	Good	38	PM ₁₀	1
51	Jind	Good	38	SO ₂	1
52	Jodhpur	Satisfactory	95	PM ₁₀	1
53	Jorapokhar	Satisfactory	54	O ₃	1
54	Kaithal	Good	34	PM ₁₀	1
55	Kalaburgi	Good	9	PM ₁₀	1
56	Kalyan	Good	24	PM ₁₀	1
57	Kannur	Good	31	PM ₁₀	1
58	Kanpur	Satisfactory	56	O ₃	1
59	Karnal	Good	29	PM ₁₀	1
60	Katni	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Good	42	PM ₁₀	1
62	Kochi	Satisfactory	90	со	1
63	Kolkata	Good	34	O ₃ , CO	4
64	Kollam	Satisfactory	85	со	1
65	Kota	Good	46	PM ₁₀	1
66	Kozhikode	Good	27	PM ₁₀	1
67	Kurukshetra	Good	23	PM ₁₀	1
68	Lucknow	Satisfactory	71	PM ₁₀ , CO, O ₃	4
69	Ludhiana	Good	34	PM ₁₀	1
70	Maihar	Good	37	PM ₁₀	1
71	Mandi Gobindgarh	Good	20	со	1
72	Mandideep	Good	48	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Satisfactory	55	NO ₂	1
74	Manesar	Satisfactory	62	PM ₁₀	1
75	Meerut	Good	25	O ₃ , PM ₁₀	3
76	Mumbai	Good	41	PM ₁₀ , SO ₂	7
77	Muzaffarnagar	Satisfactory	58	со	1
78	Muzaffarpur	Satisfactory	66	03	1
79	Mysuru	Good	22	PM ₁₀	1
80	Nagpur	Satisfactory	70	03	1
81	Narnaul	Good	31	NO ₂	1
82	Nashik	Good	26	со	1
83	Navi Mumbai	Good	46	со	1
84	Noida	Satisfactory	95	CO, O ₃	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Satisfactory	87	PM ₁₀	1
86	Palwal	Good	41	NH ₃	1
87	Panchkula	Satisfactory	58	со	1
88	Panipat	Satisfactory	56	PM ₁₀	1
89	Patiala	Good	34	со	1
90	Patna	Good	44	PM ₁₀ , CO, O ₃	5
91	Pithampur	Good	41	PM ₁₀	1
92	Pune	Satisfactory	51	со	1
93	Rajamahendravaram	Good	25	03	1
94	Ramanagara	Good	33	PM ₁₀	1
95	Rohtak	Satisfactory	69	со	1
96	Rupnagar	Severe	406	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Good	35	со	1
98	Satna	Satisfactory	59	PM ₁₀	1
99	Shillong	Good	8	SO ₂	1
100	Singrauli	Satisfactory	54	PM ₁₀	1
101	Sirsa	Good	44	03	1
102	Sonipat	Good	41	PM ₁₀	1
103	Talcher	Moderate	110	со	1
104	Thiruvananthapuram	Satisfactory	54	PM ₁₀	2
105	Tirupati	Good	34	PM ₁₀	1
106	Udaipur	Satisfactory	58	PM ₁₀	1
107	Ujjain	Good	39	PM ₁₀	1
108	Vapi	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Varanasi	Good	36	PM ₁₀	1
110	Vijayapura	Good	46	03	1
111	Visakhapatnam	Satisfactory	69	PM ₁₀	1
112	Yamunanagar	Satisfactory	62	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bathinda, Gandhinagar, Moradabad, Nandesari, Ratlam, Siliguri, Solapur, Thane, Vatva, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.