

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Satisfactory	62	PM ₁₀	1
2	Ajmer	Good	37	со	1
3	Alwar	Satisfactory	66	PM ₁₀	1
4	Amaravati	Good	47	O ₃	1
5	Ambala	Good	40	03	1
6	Ankleshwar	Satisfactory	63	СО	1
7	Asanol	Satisfactory	55	PM ₁₀	1
8	Aurangabad	Satisfactory	80	СО	1
9	Baghpat	Satisfactory	85	O ₃	1
10	Bahadurgarh	Good	48	PM ₁₀	1
11	Ballabgarh	Moderate	154	03	1
12	Bathinda	Good	29	СО	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Athters calculated for today's bulletin for Agra, Aizawl,
 Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
 Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
 Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Good	36	CO, PM ₁₀ , O ₃	8
14	Bhiwadi	Satisfactory	81	PM ₁₀	1
15	Bhiwani	Satisfactory	63	PM ₁₀	1
16	Bulandshahr	Satisfactory	78	O ₃	1
17	Chandigarh	Good	44	PM ₁₀	1
18	Chandrapur	Good	32	PM ₁₀	2
19	Chennai	Satisfactory	65	CO, O ₃	3
20	Chikkaballapur	Good	44	PM ₁₀	1
21	Chikkamagaluru	Good	29	PM ₁₀	1
22	Coimbatore	Good	43	PM _{2.5}	1
23	Damoh	Good	29	PM ₁₀	1
24	Delhi	Satisfactory	71	CO, O ₃ , PM ₁₀	33

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athters calculated for today's bulletin for Agra, Aizawl,
 Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
 Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
 Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Good	43	PM ₁₀	1
26	Dharuhera	Good	44	O ₃	1
27	Eloor	Good	35	PM ₁₀	1
28	Ernakulam	Satisfactory	88	со	1
29	Faridabad	Satisfactory	89	PM ₁₀ , O ₃	3
30	Gandhinagar	Good	28	PM ₁₀	1
31	Gaya	Good	39	со	1
32	Ghaziabad	Moderate	131	03	3
33	Greater Noida	Satisfactory	62	PM ₁₀	2
34	Gurugram	Satisfactory	78	O ₃ , PM ₁₀	3
35	Gwalior	Satisfactory	57	03	1
36	Hajipur	Satisfactory	90	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athers t calculated for today's bulletin for Agra, Aizawl,
 Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
 Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
 Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Good	45	PM ₁₀	1
38	Hisar	Satisfactory	63	PM ₁₀	1
39	Howrah	Satisfactory	51	PM ₁₀ , O ₃	2
40	Hubballi	Good	19	PM ₁₀	1
41	Hyderabad	Good	41	PM ₁₀ , NO ₂ , PM _{2.5}	6
42	Indore	Satisfactory	56	O ₃	1
43	Jabalpur	Good	50	PM ₁₀	1
44	Jaipur	Satisfactory	54	PM ₁₀	3
45	Jalandhar	Good	49	PM ₁₀	1
46	Jind	Satisfactory	72	O ₃	1
47	Jorapokhar	Satisfactory	86	со	1
48	Kaithal	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* Athers t calculated for today's bulletin for Agra, Aizawl,
Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Good	33	PM ₁₀	1
50	Kannur	Good	17	PM ₁₀	1
51	Kanpur	Good	45	O ₃	1
52	Karnal	Good	42	PM _{2.5}	1
53	Katni	Satisfactory	87	PM ₁₀	1
54	Khanna	Satisfactory	51	PM ₁₀	1
55	Kochi	Satisfactory	71	СО	1
56	Kolkata	Good	49	O ₃ , PM _{2.5} , PM ₁₀	6
57	Kota	Good	28	PM ₁₀	1
58	Kurukshetra	Satisfactory	64	O ₃	1
59	Lucknow	Satisfactory	58	O ₃ , PM _{2.5} , CO	4
60	Ludhiana	Good	37	NO ₂	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Athers calculated for today's bulletin for Agra, Aizawl,
 Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
 Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
 Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Good	31	PM ₁₀	1
62	Mandideep	Satisfactory	57	PM ₁₀	1
63	Mandikhera	Good	38	PM ₁₀	1
64	Manesar	Satisfactory	91	PM ₁₀	1
65	Meerut	Good	50	PM ₁₀	2
66	Moradabad	Good	41	СО	1
67	Mumbai	Good	36	SO ₂ , CO, PM ₁₀	8
68	Muzaffarnagar	Satisfactory	69	PM ₁₀	1
69	Muzaffarpur	Satisfactory	64	O ₃	1
70	Mysuru	Good	27	O ₃	1
71	Nandesari	Poor	259	PM ₁₀	1
72	Narnaul	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* Athers t calculated for today's bulletin for Agra, Aizawl,
Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Good	28	PM ₁₀	1
74	Navi Mumbai	Good	45	SO ₂	1
75	Noida	Satisfactory	94	CO, O ₃	3
76	Panchkula	Good	40	PM _{2.5}	1
77	Panipat	Satisfactory	65	PM _{2.5}	1
78	Patiala	Good	28	со	1
79	Patna	Satisfactory	54	PM ₁₀ , O ₃	5
80	Pithampur	Good	42	PM ₁₀	1
81	Pune	Satisfactory	56	со	1
82	Rajamahendravaram	Good	46	O ₃	1
83	Ramanagara	Good	30	O ₃	1
84	Ratlam	Good	32	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athters calculated for today's bulletin for Agra, Aizawl,
 Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
 Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
 Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Good	27	PM _{2.5}	1
86	Rupnagar	Good	41	PM ₁₀	1
87	Sagar	Good	39	PM ₁₀	1
88	Satna	Satisfactory	59	PM ₁₀	1
89	Singrauli	Satisfactory	59	PM ₁₀	1
90	Sirsa	Satisfactory	74	03	1
91	Sonipat	Satisfactory	71	PM ₁₀	1
92	Talcher	Satisfactory	57	СО	1
93	Thane	Good	30	03	1
94	Thiruvananthapuram	Good	29	PM ₁₀	1
95	Tirupati	Good	34	СО	1
96	Udaipur	Good	37	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athers t calculated for today's bulletin for Agra, Aizawl,
 Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
 Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
 Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Good	41	O ₃	1
98	Vapi	Moderate	101	СО	1
99	Varanasi	Good	33	PM _{2.5}	1
100	Visakhapatnam	Moderate	107	PM ₁₀	1
101	Yamunanagar	Satisfactory	70	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Athters calculated for today's bulletin for Agra, Aizawl,
 Amritsar, Bagalkot, Bhopal, Brajrajnagar, Charkhi Dadri, Fatehabad,
 Guwahati, Jodhpur, Kalaburgi, Kollam, Kozhikode, Mandi Gobindgarh,
 Nagpur, Pali, Palwal, Shillong, Siliguri, Solapur, Vatva, Vijayapura,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.