

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	PM <sub>10</sub>	2
2	Agra	Good	38	PM <sub>10</sub> , O <sub>3</sub>	4
3	Ahmedabad	Satisfactory	60	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
4	Aizawl	Good	19	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	62	PM <sub>10</sub>	1
6	Alwar	Satisfactory	52	PM <sub>10</sub>	1
7	Amaravati	Good	43	03	1
8	Ambala	Satisfactory	80	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	70	PM <sub>2.5</sub>	1
10	Ankleshwar	Satisfactory	51	NO <sub>2</sub>	1
11	Araria	Satisfactory	67	03	1
12	Asansol	Satisfactory	69	NO <sub>2</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	94	PM <sub>10</sub>	1
14	Baddi	Moderate	136	PM <sub>10</sub>	1
15	Bagalkot	Satisfactory	58	PM <sub>10</sub>	1
16	Baghpat	Good	46	03	1
17	Bahadurgarh	Satisfactory	64	PM <sub>10</sub>	1
18	Ballabgarh	Satisfactory	73	PM <sub>10</sub>	1
19	Bareilly	Moderate	104	PM <sub>10</sub>	1
20	Bathinda	Satisfactory	65	PM <sub>10</sub>	1
21	Bengaluru	Satisfactory	51	PM <sub>10</sub> , CO	9
22	Bhagalpur	Satisfactory	63	PM <sub>10</sub>	1
23	Bhiwadi	Moderate	136	PM <sub>2.5</sub>	1
24	Bhiwani	Satisfactory	58	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Satisfactory	67	СО	1
26	Bihar Sharif	Moderate	110	PM <sub>10</sub>	1
27	Bilaspur	Satisfactory	62	PM <sub>10</sub>	1
28	Brajrajnagar	Good	50	NO <sub>2</sub>	1
29	Bulandshahr	Satisfactory	56	PM <sub>10</sub>	1
30	Chamarajanagar	Good	37	PM <sub>10</sub>	1
31	Chandigarh	Satisfactory	80	PM <sub>10</sub> , PM <sub>2.5</sub>	3
32	Chandrapur	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	2
33	Charkhi Dadri	Satisfactory	58	PM <sub>10</sub>	1
34	Chennai	Satisfactory	52	со	8
35	Chikkaballapur	Good	32	PM <sub>10</sub>	1
36	Chikkamagaluru	Good	36	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	29	PM <sub>10</sub>	1
38	Damoh	Good	20	со	1
39	Dehradun	Satisfactory	60	PM <sub>10</sub>	1
40	Delhi	Satisfactory	79	PM <sub>10</sub> , CO	36
41	Dewas	Satisfactory	55	PM <sub>10</sub>	1
42	Durgapur	Moderate	102	PM <sub>10</sub>	1
43	Eloor	Satisfactory	55	PM <sub>10</sub>	1
44	Ernakulam	Good	36	со	1
45	Faridabad	Satisfactory	86	PM <sub>10</sub>	1
46	Fatehabad	Satisfactory	86	PM <sub>10</sub>	1
47	Gandhinagar	Satisfactory	60	PM <sub>10</sub>	2
48	Gaya	Satisfactory	84	PM <sub>2.5</sub> , CO, O <sub>3</sub>	3

Notes:

# Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Satisfactory	64	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	4
50	Gorakhpur	Good	50	O <sub>3</sub>	1
51	Greater Noida	Satisfactory	69	PM <sub>10</sub>	2
52	Gurugram	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	2
53	Guwahati	Good	43	O <sub>3</sub> , CO	2
54	Gwalior	Satisfactory	57	03	1
55	Haldia	Good	40	PM <sub>10</sub>	1
56	Hisar	Satisfactory	58	PM <sub>2.5</sub>	1
57	Howrah	Satisfactory	65	PM <sub>10</sub> , CO	3
58	Hyderabad	Satisfactory	82	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	13
59	Imphal	Satisfactory	65	SO <sub>2</sub>	2
60	Indore	Satisfactory	87	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jabalpur	Satisfactory	52	PM <sub>10</sub>	1
62	Jaipur	Satisfactory	69	NO <sub>2</sub> , PM <sub>2.5</sub>	3
63	Jalandhar	Satisfactory	57	PM <sub>10</sub>	1
64	Jind	Satisfactory	58	со	1
65	Jodhpur	Satisfactory	82	PM <sub>10</sub>	1
66	Kaithal	Satisfactory	52	PM <sub>10</sub>	1
67	Kalaburgi	Good	43	PM <sub>10</sub>	1
68	Kalyan	Satisfactory	67	PM <sub>10</sub>	1
69	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
70	Kanpur	Satisfactory	80	PM <sub>10</sub>	3
71	Karnal	Good	47	PM <sub>10</sub>	1
72	Katihar	Moderate	139	PM <sub>2.5</sub>	1

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katni	Satisfactory	61	PM <sub>10</sub>	1
74	Khanna	Good	50	PM <sub>10</sub>	1
75	Khurja	Good	38	PM <sub>2.5</sub>	1
76	Kishanganj	Satisfactory	78	03	1
77	Kochi	Satisfactory	56	PM <sub>2.5</sub>	1
78	Kohima	Good	50	SO <sub>2</sub>	1
79	Kolkata	Good	44	PM <sub>10</sub>	7
80	Kollam	Satisfactory	57	PM <sub>10</sub>	1
81	Kota	Satisfactory	56	PM <sub>10</sub>	1
82	Kozhikode	Satisfactory	76	PM <sub>10</sub>	1
83	Kurukshetra	Satisfactory	74	PM <sub>10</sub>	1
84	Lucknow	Moderate	101	PM <sub>10</sub>	6

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Satisfactory	80	PM <sub>10</sub>	1
86	Madikeri	Good	27	O <sub>3</sub>	1
87	Maihar	Satisfactory	73	со	1
88	Mandi Gobindgarh	Satisfactory	91	PM <sub>10</sub>	1
89	Mandideep	Satisfactory	62	PM <sub>10</sub>	1
90	Mandikhera	Good	32	PM <sub>2.5</sub>	1
91	Manesar	Satisfactory	59	PM <sub>2.5</sub>	1
92	Meerut	Satisfactory	85	O <sub>3</sub> , PM <sub>10</sub>	3
93	Moradabad	Satisfactory	74	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	4
94	Motihari	Moderate	104	O <sub>3</sub>	1
95	Mumbai	Satisfactory	60	O <sub>3</sub> , PM <sub>10</sub> , SO <sub>2</sub>	17
96	Munger	Moderate	115	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarnagar	Moderate	112	PM <sub>2.5</sub>	1
98	Muzaffarpur	Satisfactory	100	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	3
99	Mysuru	Good	41	PM <sub>10</sub>	1
100	Nagpur	Satisfactory	62	PM <sub>10</sub>	1
101	Nandesari	Moderate	130	со	1
102	Nashik	Satisfactory	73	PM <sub>10</sub>	1
103	Navi Mumbai	Satisfactory	80	CO, PM <sub>10</sub>	2
104	Noida	Satisfactory	80	CO, PM <sub>10</sub>	4
105	Pali	Moderate	103	PM <sub>2.5</sub>	1
106	Panchkula	Satisfactory	79	PM <sub>2.5</sub>	1
107	Panipat	Satisfactory	82	PM <sub>10</sub>	1
108	Patiala	Good	47	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patna	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	6
110	Pithampur	Moderate	118	PM <sub>10</sub>	1
111	Prayagraj	Satisfactory	54	PM <sub>10</sub> , SO <sub>2</sub>	3
112	Puducherry	Good	40	03	1
113	Pune	Satisfactory	80	SO <sub>2</sub> , CO, O <sub>3</sub>	5
114	Purnia	Moderate	129	PM <sub>10</sub>	1
115	Rajamahendravaram	Good	38	PM <sub>10</sub>	1
116	Rajgir	Moderate	107	со	1
117	Ramanagara	Good	31	PM <sub>2.5</sub>	1
118	Ratlam	Satisfactory	58	PM <sub>10</sub>	1
119	Rohtak	Satisfactory	60	PM <sub>2.5</sub>	1
120	Rupnagar	Satisfactory	60	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sagar	Satisfactory	59	со	1
122	Satna	Satisfactory	68	PM <sub>10</sub>	1
123	Shillong	Good	28	NO <sub>2</sub>	1
124	Shivamogga	Satisfactory	60	NO <sub>2</sub>	1
125	Siliguri	Good	35	PM <sub>10</sub>	1
126	Singrauli	Satisfactory	89	NO <sub>2</sub>	1
127	Sirsa	Satisfactory	95	PM <sub>10</sub>	1
128	Sonipat	Satisfactory	85	PM <sub>10</sub>	1
129	Srinagar	Satisfactory	56	SO <sub>2</sub>	1
130	Talcher	Satisfactory	89	со	1
131	Thane	Satisfactory	86	NO <sub>2</sub>	1
132	Thiruvananthapuram	Good	29	СО	1

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thoothukudi	Good	33	03	1
134	Tirupati	Satisfactory	57	PM <sub>2.5</sub>	1
135	Udaipur	Satisfactory	76	PM <sub>10</sub>	1
136	Ujjain	Satisfactory	75	PM <sub>10</sub>	1
137	Varanasi	Satisfactory	57	O <sub>3</sub> , PM <sub>10</sub>	3
138	Vatva	Satisfactory	57	NO <sub>2</sub>	1
139	Vijayapura	Good	44	PM <sub>10</sub>	1
140	Visakhapatnam	Satisfactory	64	PM <sub>10</sub>	1
141	Vrindavan	Good	48	PM <sub>10</sub>	1
142	Yadgir	Good	29	СО	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.