

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM _{2.5}	1
2	Agra	Satisfactory	82	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Moderate	118	PM _{2.5} , PM ₁₀ , CO	7
4	Ajmer	Moderate	101	PM ₁₀	1
5	Alwar	Satisfactory	76	PM ₁₀	1
6	Amaravati	Moderate	128	PM ₁₀	1
7	Ambala	Moderate	124	PM ₁₀	1
8	Amritsar	Moderate	134	PM _{2.5}	1
9	Asansol	Satisfactory	54	PM ₁₀	1
10	Aurangabad	Moderate	137	PM _{2.5}	1
11	Bagalkot	Satisfactory	54	PM _{2.5}	1
12	Baghpat	Moderate	171	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	110	PM ₁₀	1
14	Ballabgarh	Satisfactory	87	PM ₁₀	1
15	Bengaluru	Satisfactory	64	PM ₁₀	8
16	Bhiwadi	Moderate	189	PM _{2.5}	1
17	Bhiwani	Moderate	117	PM ₁₀	1
18	Bhopal	Moderate	110	PM ₁₀	1
19	Bidar	Moderate	102	PM ₁₀	1
20	Brajrajnagar	Satisfactory	71	PM ₁₀	1
21	Bulandshahr	Poor	201	03	1
22	Chamarajanagar	Good	41	PM ₁₀	1
23	Chandigarh	Satisfactory	85	PM ₁₀	1
24	Chandrapur	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	123	PM ₁₀	1
26	Chennai	Satisfactory	70	PM ₁₀ , SO ₂ , CO	8
27	Chikkaballapur	Satisfactory	85	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	62	PM _{2.5}	1
29	Damoh	Good	39	PM _{2.5}	1
30	Davanagere	Satisfactory	90	PM ₁₀	1
31	Delhi	Moderate	127	O ₃ , PM _{2.5} , PM ₁₀	35
32	Dewas	Satisfactory	97	PM ₁₀	1
33	Dharuhera	Moderate	160	PM ₁₀	1
34	Durgapur	Satisfactory	92	PM ₁₀	1
35	Eloor	Satisfactory	75	со	1
36	Ernakulam	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	116	PM _{2.5} , PM ₁₀	3
38	Fatehabad	Moderate	196	03	1
39	Gadag	Satisfactory	62	SO ₂	1
40	Gandhinagar	Moderate	153	PM _{2.5} , PM ₁₀	3
41	Gaya	Good	44	CO, PM ₁₀	2
42	Ghaziabad	Moderate	137	O ₃ , CO, PM ₁₀	4
43	Greater Noida	Moderate	116	PM ₁₀ , O ₃	2
44	Gummidipoondi	Moderate	111	PM ₁₀	1
45	Gurugram	Moderate	109	PM _{2.5} , PM ₁₀ , O ₃	4
46	Guwahati	Good	43	SO ₂	2
47	Gwalior	Satisfactory	95	03	1
48	Haldia	Good	48	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Satisfactory	62	PM ₁₀	1
50	Hassan	Moderate	108	PM ₁₀	1
51	Hisar	Moderate	130	PM ₁₀	1
52	Howrah	Satisfactory	55	PM ₁₀	3
53	Hubballi	Moderate	104	PM ₁₀	1
54	Hyderabad	Moderate	108	PM ₁₀ , PM _{2.5}	5
55	Indore	Moderate	105	PM ₁₀	1
56	Jabalpur	Moderate	115	PM ₁₀	1
57	Jaipur	Moderate	164	PM ₁₀	3
58	Jalandhar	Moderate	111	PM ₁₀	1
59	Jind	Satisfactory	80	PM ₁₀	1
60	Jodhpur	Moderate	174	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	88	PM ₁₀	1
62	Kannur	Satisfactory	97	PM ₁₀	1
63	Kanpur	Satisfactory	62	PM _{2.5}	2
64	Karnal	Moderate	173	03	1
65	Katni	Moderate	126	PM ₁₀	1
66	Khanna	Satisfactory	80	PM ₁₀	1
67	Kochi	Satisfactory	59	PM ₁₀	1
68	Kohima	Good	35	PM ₁₀	1
69	Kolkata	Satisfactory	60	O ₃ , PM ₁₀	7
70	Kollam	Satisfactory	99	со	1
71	Koppal	Satisfactory	65	со	1
72	Kota	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	56	со	1
74	Kurukshetra	Moderate	114	PM ₁₀	1
75	Lucknow	Satisfactory	71	PM ₁₀ , PM _{2.5}	5
76	Ludhiana	Moderate	102	PM ₁₀	1
77	Mandi Gobindgarh	Poor	206	PM _{2.5}	1
78	Mandideep	Good	44	PM ₁₀	1
79	Mandikhera	Satisfactory	69	PM ₁₀	1
80	Manesar	Moderate	150	PM _{2.5}	1
81	Medikeri	Satisfactory	59	PM ₁₀	1
82	Meerut	Moderate	116	PM ₁₀	2
83	Moradabad	Moderate	131	PM _{2.5}	1
84	Mumbai	Satisfactory	92	PM _{2.5} , PM ₁₀	18

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	136	PM ₁₀	1
86	Muzaffarpur	Good	41	PM _{2.5}	1
87	Mysuru	Good	49	O ₃	1
88	Nagpur	Satisfactory	78	PM _{2.5}	1
89	Narnaul	Moderate	192	PM ₁₀	1
90	Nashik	Moderate	106	PM _{2.5}	1
91	Navi Mumbai	Moderate	143	PM ₁₀	3
92	Noida	Moderate	127	PM ₁₀ , O ₃	4
93	Pali	Moderate	171	PM _{2.5}	1
94	Palwal	Moderate	104	PM ₁₀	1
95	Panchkula	Satisfactory	64	PM _{2.5}	1
96	Panipat	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	108	PM ₁₀	1
98	Patna	Satisfactory	59	CO, O ₃ , NO ₂	5
99	Pithampur	Satisfactory	77	PM _{2.5}	1
100	Prayagraj	Satisfactory	71	PM ₁₀	2
101	Puducherry	Good	47	PM ₁₀	1
102	Pune	Satisfactory	98	PM _{2.5} , CO, PM ₁₀	8
103	Raichur	Moderate	111	PM ₁₀	1
104	Rajamahendravaram	Moderate	129	PM ₁₀	1
105	Ramanagara	Satisfactory	51	PM ₁₀	1
106	Ratlam	Satisfactory	99	PM ₁₀	1
107	Rohtak	Moderate	111	03	1
108	Rupnagar	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	41	со	1
110	Satna	Satisfactory	75	PM ₁₀	1
111	Singrauli	Satisfactory	97	PM ₁₀	1
112	Sirsa	Moderate	104	PM ₁₀	1
113	Solapur	Good	41	03	1
114	Sonipat	Moderate	172	PM ₁₀	1
115	Srinagar	Satisfactory	80	PM ₁₀	1
116	Talcher	Moderate	115	со	1
117	Thane	Moderate	135	PM ₁₀	1
118	Thiruvananthapuram	Satisfactory	74	CO, PM ₁₀	2
119	Thoothukudi	Satisfactory	93	PM ₁₀	1
120	Thrissur	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Satisfactory	91	PM ₁₀	1
122	Udaipur	Satisfactory	100	PM ₁₀	1
123	Ujjain	Moderate	121	PM ₁₀	1
124	Vapi	Satisfactory	100	PM ₁₀	1
125	Varanasi	Satisfactory	69	PM ₁₀ , PM _{2.5}	3
126	Vatva	Moderate	127	PM ₁₀	1
127	Vijayapura	Good	48	PM _{2.5}	1
128	Visakhapatnam	Moderate	163	PM ₁₀	1
129	Yadgir	Satisfactory	98	PM ₁₀	1
130	Yamunanagar	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Coimbatore, Hajipur, Jorapokhar, Kaithal, Kalyan, Kolar, Maihar, Manglore, Naharlagun, Nandesari, Shillong, Shivamogga, Siliguri, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.