

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	120	PM _{2.5}	1
2	Agra	Poor	281	PM _{2.5}	1
3	Ahmedabad	Poor	205	PM _{2.5}	1
4	Aizawl	Good	14	со	1
5	Ajmer	Moderate	109	PM ₁₀	1
6	Alwar	Satisfactory	97	PM _{2.5}	1
7	Amaravati	Satisfactory	94	PM _{2.5}	1
8	Ambala	Good	43	03	1
9	Amritsar	Good	35	PM ₁₀	1
10	Ankleshwar	Very Poor	312	PM _{2.5}	1
11	Asansol	Poor	285	PM _{2.5}	1
12	Bagalkot	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	114	PM _{2.5}	1
14	Bahadurgarh	Moderate	160	PM _{2.5}	1
15	Ballabgarh	Satisfactory	82	PM _{2.5}	1
16	Bathinda	Good	34	PM ₁₀	1
17	Bengaluru	Good	38	CO, PM ₁₀ , O ₃	8
18	Bhiwadi	Poor	220	PM _{2.5}	1
19	Bhiwani	Satisfactory	55	PM ₁₀	1
20	Bhopal	Poor	263	PM _{2.5}	1
21	Bidar	Satisfactory	58	PM _{2.5}	1
22	Brajrajnagar	Moderate	190	PM _{2.5}	1
23	Bulandshahr	Poor	262	PM _{2.5}	1
24	Chandigarh	Good	34	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	136	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Satisfactory	89	PM _{2.5}	1
27	Chennai	Good	38	PM _{2.5} , PM ₁₀ , CO	7
28	Chikkaballapur	Good	36	со	1
29	Chikkamagaluru	Good	41	03	1
30	Coimbatore	Satisfactory	53	PM ₁₀	1
31	Damoh	Poor	291	PM _{2.5}	1
32	Delhi	Poor	226	PM _{2.5}	32
33	Dewas	Moderate	188	PM _{2.5}	1
34	Dharuhera	Poor	212	PM _{2.5}	1
35	Durgapur	Very Poor	313	PM _{2.5}	1
36	Eloor	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	49	со	1
38	Faridabad	Poor	203	PM _{2.5} , PM ₁₀	3
39	Fatehabad	Good	43	PM _{2.5}	1
40	Gadag	Good	38	PM _{2.5}	1
41	Gandhinagar	Moderate	106	PM ₁₀	1
42	Gaya	Moderate	176	PM _{2.5}	2
43	Ghaziabad	Poor	234	PM _{2.5}	4
44	Greater Noida	Poor	239	PM _{2.5}	2
45	Gummidipoondi	Satisfactory	74	PM ₁₀	1
46	Gurugram	Moderate	175	PM _{2.5} , PM ₁₀	4
47	Guwahati	Poor	263	PM _{2.5}	1
48	Gwalior	Poor	294	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Moderate	109	PM _{2.5}	1
50	Haldia	Poor	292	PM _{2.5}	1
51	Hapur	Satisfactory	54	со	1
52	Hisar	Moderate	118	PM _{2.5}	1
53	Howrah	Very Poor	303	PM _{2.5} , PM ₁₀	3
54	Hubballi	Satisfactory	76	PM ₁₀	1
55	Hyderabad	Moderate	102	PM ₁₀ , PM _{2.5}	5
56	Indore	Poor	239	PM _{2.5}	1
57	Jabalpur	Poor	272	PM _{2.5}	1
58	Jaipur	Moderate	115	PM ₁₀	3
59	Jalandhar	Good	42	SO ₂	1
60	Jind	Moderate	108	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	152	PM _{2.5}	1
62	Jorapokhar	Moderate	195	PM ₁₀	1
63	Kaithal	Good	47	со	1
64	Kalaburgi	Satisfactory	67	PM ₁₀	1
65	Kalyan	Very Poor	335	PM _{2.5}	1
66	Kannur	Satisfactory	51	PM ₁₀	1
67	Kanpur	Very Poor	336	PM _{2.5}	1
68	Karnal	Good	42	со	1
69	Katni	Very Poor	302	PM _{2.5}	1
70	Khanna	Satisfactory	55	со	1
71	Kochi	Good	44	со	1
72	Kohima	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Poor	284	PM _{2.5}	7
74	Kollam	Good	48	PM _{2.5}	1
75	Koppal	Good	46	PM ₁₀	1
76	Kota	Moderate	169	PM _{2.5}	1
77	Kozhikode	Satisfactory	70	со	1
78	Kurukshetra	Satisfactory	55	PM _{2.5}	1
79	Lucknow	Very Poor	361	PM _{2.5}	4
80	Ludhiana	Good	40	PM ₁₀	1
81	Mandi Gobindgarh	Satisfactory	91	PM ₁₀	1
82	Mandideep	Poor	233	PM _{2.5}	1
83	Mandikhera	Moderate	106	PM _{2.5}	1
84	Manesar	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manglore	Good	38	PM ₁₀	1
86	Medikeri	Satisfactory	66	03	1
87	Meerut	Moderate	104	NO ₂ , PM _{2.5} , O ₃	3
88	Mumbai	Poor	274	PM _{2.5}	16
89	Muzaffarnagar	Satisfactory	74	PM ₁₀	1
90	Muzaffarpur	Very Poor	339	PM _{2.5}	2
91	Mysuru	Good	45	PM ₁₀	1
92	Nandesari	Moderate	102	PM _{2.5}	1
93	Nashik	Moderate	152	PM _{2.5}	1
94	Navi Mumbai	Very Poor	330	PM _{2.5}	3
95	Noida	Moderate	200	PM _{2.5} , PM ₁₀	4
96	Pali	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	125	со	1
98	Panchkula	Satisfactory	97	03	1
99	Patna	Very Poor	330	PM ₁₀ , PM _{2.5}	5
100	Pithampur	Poor	223	PM _{2.5}	1
101	Pune	Satisfactory	81	PM _{2.5} , CO	2
102	Raichur	Satisfactory	83	PM ₁₀	1
103	Rajamahendravaram	Moderate	128	PM _{2.5}	1
104	Ramanagara	Good	44	со	1
105	Ratlam	Moderate	191	PM _{2.5}	1
106	Rupnagar	Good	33	PM _{2.5}	1
107	Sagar	Satisfactory	68	PM _{2.5}	1
108	Satna	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	28	03	1
110	Shivamogga	Satisfactory	57	PM ₁₀	1
111	Siliguri	Poor	202	PM _{2.5}	1
112	Singrauli	Very Poor	318	PM _{2.5}	1
113	Sirsa	Satisfactory	79	NO ₂	1
114	Solapur	Satisfactory	90	PM ₁₀	1
115	Sonipat	Moderate	114	PM ₁₀	1
116	Talcher	Moderate	145	PM _{2.5}	1
117	Thane	Poor	201	PM ₁₀	1
118	Thiruvananthapuram	Satisfactory	55	со	1
119	Thoothukudi	Good	42	03	1
120	Thrissur	Satisfactory	67	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	39	со	1
122	Udaipur	Poor	264	PM _{2.5}	1
123	Ujjain	Poor	267	PM _{2.5}	1
124	Vapi	Very Poor	333	PM _{2.5}	1
125	Varanasi	Very Poor	339	PM _{2.5}	1
126	Vatva	Poor	298	PM _{2.5}	1
127	Vijayapura	Good	50	СО	1
128	Visakhapatnam	Moderate	143	PM _{2.5}	1
129	Yadgir	Satisfactory	55	PM ₁₀	1
130	Yamunanagar	Satisfactory	63	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Chamarajanagar, Maihar, Moradabad, Nagpur, Narnaul, Panipat, Patiala, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.