Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	245	$PM_{2.5}$	1
2	Ahmedabad	Moderate	111	PM_{10}	1
3	Ajmer	Satisfactory	82	PM_{10}	1
4	Alwar	Moderate	110	$PM_{2.5}$	1
5	Amaravati	Satisfactory	61	PM_{10}	1
6	Ambala	Poor	247	$PM_{2.5}$	1
7	Amritsar	Satisfactory	85	PM_{10}	1
8	Ankleshwar	Moderate	182	$PM_{2.5}$	1
9	Asanol	Moderate	143	$PM_{2.5}$	1
10	Aurangabad	Moderate	102	$PM_{2.5}$	1
11	Bahadurgarh	Poor	218	$PM_{2.5}$	1
12	Bathinda	Moderate	155	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	85	$PM_{2.5}$, PM_{10}, CO	9
14	Bhiwadi	Poor	279	$PM_{2.5}$	1
15	Bhiwani	Moderate	183	$PM_{2.5}$	1
16	Bhopal	Moderate	106	PM_{10}	1
17	Brajrajnagar	Moderate	150	$PM_{2.5}$	1
18	Bulandshahr	Poor	290	$PM_{2.5}$	1
19	Chandigarh	Moderate	143	$PM_{2.5}$	1
20	Chandrapur	Satisfactory	98	$PM_{2.5}$	2
21	Chennai	Satisfactory	88	$PM_{2.5}$, CO	4
22	Chikkaballapur	Satisfactory	80	PM_{10}	1
23	Coimbatore	Satisfactory	64	O_3	1
24	Damoh	Satisfactory	84	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	364	$PM_{2.5}$	34
26	Dewas	Satisfactory	96	PM_{10}	1
27	Dharuhera	Poor	243	$PM_{2.5}$	1
28	Eloor	Moderate	131	PM_{10}	1
29	Faridabad	Very Poor	344	$PM_{2.5}$	1
30	Fatehabad	Moderate	115	$PM_{2.5}$	1
31	Gaya	Poor	210	$PM_{2.5}$	1
32	Ghaziabad	Very Poor	398	$PM_{2.5}$	3
33	Greater_Noida	Very Poor	346	$PM_{2.5}$	1
34	Gurugram	Poor	290	$PM_{2.5}$	2
35	Guwahati	Moderate	188	$PM_{2.5}$	1
36	Haldia	Moderate	114	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Moderate	135	PM_{10}	1
38	Hisar	Poor	288	$PM_{2.5}$	1
39	Howrah	Moderate	196	$PM_{2.5}$	3
40	Hubballi	Satisfactory	96	PM_{10}	1
41	Hyderabad	Satisfactory	85	PM_{10}, $PM_{2.5}$	5
42	Indore	Moderate	124	PM_{10}	1
43	Jabalpur	Moderate	160	PM_{10}	1
44	Jaipur	Satisfactory	96	PM_{10}	3
45	Jalandhar	Satisfactory	92	$PM_{2.5}$	1
46	Jind	Poor	300	$PM_{2.5}$	1
47	Jodhpur	Moderate	169	$PM_{2.5}$	1
48	Jorapokhar	Moderate	119	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Moderate	161	$PM_{2.5}$	1
50	Kalaburagi	Satisfactory	94	PM_{10}	1
51	Kalyan	Poor	265	PM_{10}	1
52	Kanpur	Poor	274	$PM_{2.5}$	1
53	Karnal	Poor	257	$PM_{2.5}$	1
54	Katni	Moderate	164	$PM_{2.5}$	1
55	Khanna	Moderate	193	$PM_{2.5}$	1
56	Kolkata	Moderate	177	$PM_{2.5}$, O_3, PM_{10}	6
57	Kota	Moderate	104	PM_{10}	1
58	Kurukshetra	Poor	259	$PM_{2.5}$	1
59	Lucknow	Poor	240	$PM_{2.5}$	4
60	Ludhiana	Satisfactory	98	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	54	$PM_{2.5}$	1
62	Mandi Gobindgarh	Moderate	141	$PM_{2.5}$	1
63	Mandideep	Moderate	115	PM_{10}	1
64	Mandikhera	Moderate	182	$PM_{2.5}$	1
65	Manesar	Moderate	166	$PM_{2.5}$	1
66	Meerut	Very Poor	309	$PM_{2.5}$	3
67	Mumbai	Poor	229	PM_{10}, $PM_{2.5}$	9
68	Muzaffarnagar	Very Poor	355	$PM_{2.5}$	1
69	Muzaffarpur	Very Poor	316	$PM_{2.5}$	1
70	Mysuru	Satisfactory	61	$PM_{2.5}$	1
71	Nagpur	Moderate	114	$PM_{2.5}$	1
72	Narnaul	Poor	287	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Moderate	125	$PM_{2.5}$	1
74	Navi Mumbai	Moderate	178	$PM_{2.5}$, CO	2
75	Noida	Very Poor	361	$PM_{2.5}$	4
76	Pali	Moderate	124	$PM_{2.5}$	1
77	Panchkula	Moderate	183	$PM_{2.5}$	1
78	Panipat	Very Poor	303	PM_{10}	1
79	Patiala	Moderate	119	$PM_{2.5}$	1
80	Patna	Poor	237	$PM_{2.5}$	3
81	Pithampur	Moderate	134	PM_{10}	1
82	Pune	Moderate	170	$PM_{2.5}$	1
83	Ramanagara	Satisfactory	60	PM_{10}	1
84	Ratlam	Moderate	120	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Poor	277	$PM_{2.5}$	1
86	Rupnagar	Moderate	136	$PM_{2.5}$	1
87	Shillong	Good	39	O_3	1
88	Singrauli	Poor	249	$PM_{2.5}$	1
89	Sirsa	Moderate	128	PM_{10}	1
90	Solapur	Moderate	154	PM_{10}	1
91	Sonipat	Moderate	156	PM_{10}	1
92	Thane	Satisfactory	96	PM_{10}	1
93	Thiruvananthapuram	Satisfactory	54	PM_{10}	1
94	Tirupati	Good	50	PM_{10}	1
95	Udaipur	Moderate	109	PM_{10}	1
96	Ujjain	Moderate	146	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 21, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vapi	Very Poor	301	$PM_{2.5}$	1
98	Vatva	Moderate	158	PM_{10}	1
99	Vijayapura	Satisfactory	64	$PM_{2.5}$	1
100	Visakhapatnam	Good	49	PM_{10}	1
101	Yadgir	Satisfactory	62	PM_{10}	1
102	Yamunanagar	Very Poor	337	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, GandhiNagar, Moradabad, Palwal, Rajamahendravaram, Satna, Siliguri, Talcher, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.