

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	239	PM _{2.5}	1
2	Agra	Very Poor	328	PM _{2.5}	3
3	Ahmedabad	Moderate	134	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	35	PM ₁₀	1
5	Ajmer	Moderate	160	PM _{2.5}	1
6	Alwar	Moderate	157	PM _{2.5}	1
7	Amaravati	Poor	222	PM _{2.5}	1
8	Ambala	Very Poor	303	PM _{2.5}	1
9	Amritsar	Poor	225	PM _{2.5}	1
10	Ankleshwar	Poor	283	PM _{2.5}	1
11	Araria	Poor	251	PM _{2.5}	1
12	Arrah	Very Poor	335	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	322	PM _{2.5}	1
14	Aurangabad	Moderate	128	PM ₁₀	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Very Poor	324	PM _{2.5}	1
17	Bahadurgarh	Very Poor	374	PM _{2.5}	1
18	Ballabgarh	Very Poor	362	PM _{2.5}	1
19	Bengaluru	Moderate	132	PM _{2.5} , PM ₁₀	7
20	Bettiah	Poor	282	PM ₁₀	1
21	Bhagalpur	Very Poor	320	PM _{2.5}	2
22	Bhilai	Satisfactory	63	PM ₁₀	1
23	Bhiwadi	Very Poor	338	PM _{2.5}	1
24	Bhopal	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Moderate	117	PM ₁₀	1
26	Brajrajnagar	Moderate	108	PM ₁₀	1
27	Bulandshahr	Very Poor	388	PM _{2.5}	1
28	Buxar	Very Poor	373	PM ₁₀	1
29	Chamarajanagar	Satisfactory	56	PM _{2.5}	1
30	Chandigarh	Moderate	150	PM _{2.5} , PM ₁₀	2
31	Chandrapur	Moderate	168	O ₃ , PM _{2.5}	2
32	Charkhi Dadri	Very Poor	323	PM _{2.5}	1
33	Chennai	Satisfactory	99	PM _{2.5} , PM ₁₀	7
34	Chikkaballapur	Satisfactory	87	PM _{2.5}	1
35	Damoh	Moderate	174	PM _{2.5}	1
36	Darbhanga	Poor	263	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Moderate	120	PM ₁₀	1
38	Delhi	Severe	431	PM _{2.5}	37
39	Dewas	Moderate	110	PM ₁₀	1
40	Dharuhera	Very Poor	354	PM _{2.5}	1
41	Eloor	Satisfactory	70	PM ₁₀	1
42	Ernakulam	Moderate	171	PM _{2.5}	1
43	Faridabad	Severe	432	PM ₁₀ , PM _{2.5}	2
44	Fatehabad	Poor	251	PM _{2.5}	1
45	Firozabad	Very Poor	336	PM _{2.5}	1
46	Gadag	Moderate	111	PM _{2.5}	1
47	Gandhinagar	Moderate	114	PM _{2.5} , PM ₁₀	3
48	Gaya	Poor	248	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Very Poor	393	PM _{2.5}	4
50	Gorakhpur	Moderate	155	PM _{2.5}	1
51	Greater Noida	Very Poor	392	PM _{2.5}	2
52	Gurugram	Very Poor	349	PM _{2.5}	3
53	Guwahati	Poor	223	PM _{2.5}	2
54	Gwalior	Poor	236	PM _{2.5} , PM ₁₀	2
55	Hajipur	Moderate	189	PM _{2.5}	1
56	Haldia	Moderate	196	PM _{2.5}	1
57	Hapur	Very Poor	346	PM _{2.5}	1
58	Hassan	Satisfactory	97	PM _{2.5}	1
59	Hisar	Very Poor	370	PM _{2.5}	1
60	Howrah	Poor	280	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Poor	212	PM _{2.5}	1
62	Hyderabad	Moderate	160	PM _{2.5}	6
63	Indore	Moderate	176	PM _{2.5}	1
64	Jabalpur	Poor	242	PM _{2.5}	1
65	Jaipur	Moderate	188	PM _{2.5} , PM ₁₀	2
66	Jalandhar	Poor	212	PM _{2.5}	1
67	Jind	Very Poor	371	PM _{2.5}	1
68	Jodhpur	Moderate	178	PM _{2.5}	1
69	Kaithal	Very Poor	321	PM _{2.5}	1
70	Kalaburgi	Poor	223	PM _{2.5}	1
71	Kalyan	Moderate	124	PM _{2.5}	1
72	Kannur	Moderate	187	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	172	PM _{2.5} , PM ₁₀	3
74	Karnal	Poor	251	PM _{2.5}	1
75	Katihar	Poor	235	PM _{2.5}	1
76	Katni	Poor	272	PM _{2.5}	1
77	Khanna	Poor	236	PM _{2.5}	1
78	Kishanganj	Very Poor	306	PM _{2.5}	1
79	Kochi	Moderate	155	PM _{2.5}	1
80	Kohima	Satisfactory	61	PM ₁₀	1
81	Kolkata	Poor	250	PM _{2.5}	7
82	Kollam	Moderate	154	PM ₁₀	1
83	Koppal	Satisfactory	66	O ₃	1
84	Kota	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Good	50	PM ₁₀	1
86	Kurukshetra	Very Poor	313	PM _{2.5}	1
87	Lucknow	Poor	280	PM _{2.5}	6
88	Ludhiana	Very Poor	304	PM _{2.5}	1
89	Madikeri	Satisfactory	73	PM ₁₀	1
90	Maihar	Satisfactory	74	СО	1
91	Mandi Gobindgarh	Poor	238	PM _{2.5}	1
92	Mandideep	Satisfactory	87	PM ₁₀	1
93	Mandikhera	Moderate	194	PM _{2.5}	1
94	Manesar	Severe	402	PM _{2.5}	1
95	Manglore	Satisfactory	68	PM _{2.5}	1
96	Meerut	Very Poor	367	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	145	PM _{2.5}	3
98	Motihari	Poor	256	PM _{2.5}	1
99	Mumbai	Moderate	110	PM _{2.5} , O ₃ , PM ₁₀	18
100	Munger	Very Poor	306	PM ₁₀	1
101	Muzaffarnagar	Very Poor	391	PM _{2.5}	1
102	Muzaffarpur	Very Poor	390	PM _{2.5}	2
103	Mysuru	Satisfactory	83	PM ₁₀	1
104	Nagpur	Satisfactory	100	PM ₁₀	1
105	Narnaul	Poor	297	PM _{2.5}	1
106	Nashik	Satisfactory	88	PM _{2.5}	1
107	Navi Mumbai	Moderate	126	PM _{2.5} , CO	2
108	Noida	Severe	414	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	143	PM _{2.5}	1
110	Palwal	Poor	246	PM ₁₀	1
111	Panchkula	Moderate	150	PM _{2.5}	1
112	Panipat	Very Poor	395	PM ₁₀	1
113	Patiala	Poor	262	PM _{2.5}	1
114	Patna	Poor	298	PM _{2.5} , PM ₁₀	6
115	Pithampur	Moderate	109	PM ₁₀	1
116	Prayagraj	Poor	234	PM _{2.5}	3
117	Puducherry	Satisfactory	68	PM ₁₀	1
118	Pune	Moderate	145	PM _{2.5}	3
119	Purnia	Poor	239	PM ₁₀	1
120	Raichur	Moderate	135	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Moderate	150	PM _{2.5}	1
122	Rajgir	Very Poor	365	PM _{2.5}	1
123	Ramanagara	Satisfactory	91	PM ₁₀	1
124	Ratlam	Satisfactory	93	PM ₁₀	1
125	Rohtak	Very Poor	357	PM _{2.5}	1
126	Rupnagar	Poor	235	PM ₁₀	1
127	Sagar	Moderate	111	PM _{2.5}	1
128	Saharsa	Poor	258	PM _{2.5}	1
129	Sasaram	Very Poor	339	PM _{2.5}	1
130	Satna	Satisfactory	73	PM ₁₀	1
131	Shillong	Good	20	PM _{2.5}	1
132	Shivamogga	Good	49	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	120	PM ₁₀	1
134	Singrauli	Very Poor	363	PM ₁₀	1
135	Sirsa	Poor	219	PM _{2.5}	1
136	Siwan	Very Poor	379	PM _{2.5}	1
137	Sonipat	Very Poor	354	PM ₁₀	1
138	Srinagar	Satisfactory	91	PM ₁₀	1
139	Talcher	Moderate	163	PM _{2.5}	1
140	Thane	Poor	239	O ₃	1
141	Thiruvananthapuram	Satisfactory	84	PM ₁₀	2
142	Thoothukudi	Satisfactory	51	PM ₁₀	1
143	Thrissur	Moderate	115	PM ₁₀	1
144	Tirupati	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	121	PM ₁₀	1
146	Udupi	Good	46	O ₃	1
147	Ujjain	Moderate	165	PM ₁₀	1
148	Vapi	Poor	234	PM _{2.5}	1
149	Varanasi	Moderate	140	PM _{2.5}	4
150	Vatva	Poor	267	NO ₂	1
151	Vijayapura	Satisfactory	51	PM ₁₀	1
152	Visakhapatnam	Moderate	169	PM _{2.5}	1
153	Vrindavan	Very Poor	328	PM _{2.5}	1
154	Yadgir	Moderate	117	PM _{2.5}	1
155	Yamunanagar	Very Poor	359	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Nandesari, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.