Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	215	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	68	PM_{10}	1
3	Ajmer	Satisfactory	76	PM_{10}	1
4	Alwar	Satisfactory	93	$PM_{2.5}$	1
5	Amaravati	Satisfactory	61	PM_{10}	1
6	Ambala	Poor	208	$PM_{2.5}$	1
7	Amritsar	Satisfactory	96	$PM_{2.5}$	1
8	Ankleshwar	Moderate	133	$PM_{2.5}$	1
9	Asanol	Poor	274	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	98	PM_{10}	1
11	Bahadurgarh	Moderate	105	CO	1
12	Ballabgarh	Moderate	112	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	86	CO	1
14	Bengaluru	Satisfactory	96	$PM_{2.5}$, O_3, PM_{10}	8
15	Bhiwadi	Poor	232	$PM_{2.5}$	1
16	Bhopal	Moderate	180	PM_{10}	1
17	Brajrajnagar	Moderate	141	PM_{10}	1
18	Bulandshahr	Very Poor	306	$PM_{2.5}$	1
19	Chandigarh	Moderate	140	$PM_{2.5}$	1
20	Chandrapur	Satisfactory	60	$PM_{2.5}$	1
21	Chennai	Satisfactory	93	$PM_{2.5}$	3
22	Chikkaballapur	Moderate	111	PM_{10}	1
23	Coimbatore	Satisfactory	98	$PM_{2.5}$	1
24	Damoh	Satisfactory	61	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	243	$PM_{2.5}$	35
26	Dewas	Moderate	120	PM_{10}	1
27	Dharuhera	Moderate	183	PM_{10}	1
28	Eloor	Moderate	118	PM_{10}	1
29	Faridabad	Poor	260	$PM_{2.5}$	1
30	Fatehabad	Satisfactory	56	PM_{10}	1
31	GandhiNagar	Good	46	PM_{10}	1
32	Gaya	Poor	254	$PM_{2.5}$	1
33	Ghaziabad	Poor	284	$PM_{2.5}$	4
34	Greater_Noida	Poor	296	$PM_{2.5}$	2
35	Gurugram	Poor	206	$PM_{2.5}$	2
36	Guwahati	Poor	250	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Moderate	116	$PM_{2.5}$	1
38	Howrah	Very Poor	306	$PM_{2.5}$	3
39	Hyderabad	Moderate	104	$PM_{2.5}$, PM_{10}	5
40	Jabalpur	Moderate	124	PM_{10}	1
41	Jaipur	Satisfactory	96	PM_{10}	3
42	Jalandhar	Satisfactory	71	PM_{10}	1
43	Jind	Moderate	188	$PM_{2.5}$	1
44	Jodhpur	Moderate	118	$PM_{2.5}$	1
45	Jorapokhar	Poor	219	PM_{10}	1
46	Kaithal	Moderate	121	$PM_{2.5}$	1
47	Kalyan	Moderate	138	PM_{10}	1
48	Kanpur	Very Poor	329	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Katni	Satisfactory	82	PM_{10}	1
50	Kolkata	Poor	275	PM_{10}, $PM_{2.5}$, O_3	7
51	Kota	Satisfactory	79	PM_{10}	1
52	Kurukshetra	Poor	256	$PM_{2.5}$	1
53	Lucknow	Very Poor	301	$PM_{2.5}$	3
54	Ludhiana	Satisfactory	90	$PM_{2.5}$	1
55	Maihar	Satisfactory	68	PM_{10}	1
56	Mandi Gobindgarh	Satisfactory	67	PM_{10}	1
57	Mandideep	Moderate	129	PM_{10}	1
58	Mandikhera	Poor	206	$PM_{2.5}$	1
59	Manesar	Moderate	124	PM_{10}	1
60	Meerut	Poor	244	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Moradabad	Very Poor	364	$PM_{2.5}$	1
62	Mumbai	Satisfactory	82	PM_{10}, O_3	9
63	Muzaffarnagar	Poor	288	$PM_{2.5}$	1
64	Muzaffarpur	Severe	421	$PM_{2.5}$	1
65	Nagpur	Satisfactory	80	NO_2	1
66	Nashik	Moderate	127	PM_{10}	1
67	Navi Mumbai	Moderate	108	PM_{10}	2
68	Noida	Poor	288	$PM_{2.5}$	4
69	Pali	Satisfactory	97	$PM_{2.5}$	1
70	Palwal	Poor	268	$PM_{2.5}$	1
71	Panchkula	Satisfactory	92	$PM_{2.5}$	1
72	Panipat	Poor	268	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patiala	Moderate	101	$PM_{2.5}$	1
74	Patna	Very Poor	302	$PM_{2.5}$	4
75	Pithampur	Moderate	130	PM_{10}	1
76	Pune	Moderate	111	$PM_{2.5}$	1
77	Rajamahendravaram	Satisfactory	75	PM_{10}	1
78	Ramanagara	Satisfactory	77	$PM_{2.5}$	1
79	Ratlam	Moderate	131	$PM_{2.5}$	1
80	Rohtak	Moderate	173	$PM_{2.5}$	1
81	Rupnagar	Satisfactory	99	$PM_{2.5}$	1
82	Shillong	Satisfactory	90	$PM_{2.5}$	1
83	Siliguri	Poor	286	$PM_{2.5}$	1
84	Singrauli	Poor	269	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sirsa	Satisfactory	56	SO_2	1
86	Sonipat	Moderate	133	PM_{10}	1
87	Talcher	Poor	298	$PM_{2.5}$	1
88	Thiruvananthapuram	Satisfactory	73	PM_{10}	1
89	Tirupati	Satisfactory	67	$PM_{2.5}$	1
90	Udaipur	Satisfactory	83	PM_{10}	1
91	Ujjain	Satisfactory	100	PM_{10}	1
92	Vapi	Moderate	136	$PM_{2.5}$	1
93	Varanasi	Poor	266	$PM_{2.5}$	1
94	Vatva	Moderate	155	PM_{10}	1
95	Visakhapatnam	Moderate	114	PM_{10}	1
96	Yadgir	Satisfactory	87	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Yamunanagar	Very Poor	327	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bhiwani, Haldia, Hisar, Hubballi, Indore, Kalaburagi, Karnal, Khanna, Mysuru, Narnaul, Satna, Solapur, Thane, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.