



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	153	PM <sub>2.5</sub> , PM <sub>10</sub>	5
2	Ahmedabad	Moderate	151	PM <sub>2.5</sub> , PM <sub>10</sub>	8
3	Aizawl	Good	26	PM <sub>10</sub>	1
4	Ajmer	Moderate	137	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	79	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	89	PM <sub>2.5</sub>	1
7	Ambala	Poor	228	PM <sub>2.5</sub>	1
8	Amritsar	Moderate	106	PM <sub>10</sub>	1
9	Ankleshwar	Poor	259	PM <sub>2.5</sub>	1
10	Araria	Moderate	172	PM <sub>2.5</sub>	1
11	Arrah	Poor	263	PM <sub>2.5</sub>	1
12	Asansol	Moderate	154	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	107	PM <sub>10</sub>	1
14	Bagalkot	Good	50	PM <sub>2.5</sub>	1
15	Baghat	Very Poor	317	PM <sub>2.5</sub>	1
16	Bahadurgarh	Poor	281	PM <sub>2.5</sub>	1
17	Ballabgarh	Moderate	184	PM <sub>2.5</sub>	1
18	Bathinda	Moderate	154	PM <sub>10</sub>	1
19	Bengaluru	Satisfactory	65	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	10
20	Bhagalpur	Very Poor	364	PM <sub>2.5</sub>	1
21	Bhiwadi	Poor	274	PM <sub>2.5</sub>	1
22	Bhiwani	Poor	215	PM <sub>2.5</sub>	1
23	Bhopal	Moderate	184	PM <sub>2.5</sub>	1
24	Bihar Sharif	Poor	275	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Good	36	PM <sub>2.5</sub>	1
26	Brajrajnagar	Satisfactory	66	O <sub>3</sub>	1
27	Bulandshahr	Very Poor	310	PM <sub>2.5</sub>	1
28	Buxar	Very Poor	348	PM <sub>2.5</sub>	1
29	Chamarajanagar	Good	31	O <sub>3</sub>	1
30	Chandigarh	Poor	232	PM <sub>2.5</sub>	2
31	Chandrapur	Moderate	124	PM <sub>2.5</sub>	2
32	Charkhi Dadri	Poor	227	PM <sub>2.5</sub>	1
33	Chennai	Satisfactory	56	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	8
34	Chhapra	Very Poor	367	PM <sub>2.5</sub>	1
35	Chikkaballapur	Good	42	O <sub>3</sub>	1
36	Chikkamagaluru	Good	36	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	41	PM <sub>2.5</sub>	1
38	Damoh	Moderate	136	PM <sub>2.5</sub>	1
39	Darbhanga	Poor	288	PM <sub>2.5</sub>	1
40	Davanagere	Satisfactory	59	PM <sub>10</sub>	1
41	Delhi	Very Poor	352	PM <sub>2.5</sub> , PM <sub>10</sub>	31
42	Dewas	Moderate	130	PM <sub>2.5</sub>	1
43	Dharuhera	Moderate	196	PM <sub>2.5</sub>	1
44	Durgapur	Poor	266	PM <sub>2.5</sub>	1
45	Eloor	Satisfactory	70	PM <sub>10</sub>	1
46	Ernakulam	Satisfactory	56	PM <sub>2.5</sub>	1
47	Faridabad	Very Poor	334	PM <sub>2.5</sub> , PM <sub>10</sub>	4
48	Firozabad	Poor	218	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	41	O <sub>3</sub>	1
50	Gandhinagar	Moderate	133	PM <sub>2.5</sub>	3
51	Gaya	Moderate	168	PM <sub>2.5</sub>	2
52	Ghaziabad	Very Poor	347	PM <sub>2.5</sub>	3
53	Gorakhpur	Moderate	124	PM <sub>2.5</sub>	1
54	Greater Noida	Very Poor	325	PM <sub>2.5</sub>	1
55	Gummidipoondi	Good	36	PM <sub>10</sub>	1
56	Gurugram	Very Poor	315	PM <sub>2.5</sub>	3
57	Guwahati	Moderate	178	PM <sub>2.5</sub> , PM <sub>10</sub>	2
58	Gwalior	Poor	236	PM <sub>2.5</sub>	1
59	Hajipur	Poor	235	PM <sub>2.5</sub>	1
60	Haldia	Moderate	127	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	294	PM <sub>2.5</sub>	1
62	Hassan	Good	41	PM <sub>10</sub>	1
63	Hisar	Very Poor	313	PM <sub>2.5</sub>	1
64	Howrah	Poor	219	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Hubballi	Satisfactory	72	PM <sub>10</sub>	1
66	Hyderabad	Moderate	103	PM <sub>2.5</sub> , PM <sub>10</sub>	6
67	Indore	Moderate	151	PM <sub>2.5</sub>	1
68	Jabalpur	Moderate	164	PM <sub>2.5</sub>	1
69	Jaipur	Moderate	168	PM <sub>2.5</sub>	2
70	Jalandhar	Moderate	145	PM <sub>10</sub>	1
71	Jind	Very Poor	305	PM <sub>2.5</sub>	1
72	Jodhpur	Moderate	175	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	191	PM <sub>2.5</sub>	1
74	Kalaburgi	Satisfactory	90	PM <sub>10</sub>	1
75	Kalyan	Poor	204	PM <sub>2.5</sub>	1
76	Kannur	Satisfactory	56	PM <sub>10</sub>	1
77	Kanpur	Moderate	173	PM <sub>2.5</sub>	3
78	Karnal	Moderate	187	PM <sub>2.5</sub>	1
79	Katihar	Very Poor	327	PM <sub>2.5</sub>	1
80	Katni	Moderate	155	PM <sub>2.5</sub>	1
81	Khanna	Moderate	164	PM <sub>2.5</sub>	1
82	Kishanganj	Poor	292	PM <sub>2.5</sub>	1
83	Kochi	Satisfactory	63	PM <sub>2.5</sub>	1
84	Kohima	Satisfactory	74	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	226	PM <sub>2.5</sub>	6
86	Kollam	Satisfactory	84	PM <sub>10</sub>	1
87	Koppal	Satisfactory	82	O <sub>3</sub>	1
88	Kota	Poor	241	PM <sub>2.5</sub>	1
89	Kozhikode	Good	46	CO	1
90	Kurukshetra	Poor	270	PM <sub>2.5</sub>	1
91	Lucknow	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	6
92	Ludhiana	Moderate	131	PM <sub>2.5</sub>	1
93	Maihar	Satisfactory	55	CO	1
94	Mandi Gobindgarh	Moderate	156	PM <sub>2.5</sub>	1
95	Mandideep	Moderate	114	PM <sub>2.5</sub>	1
96	Mandikhera	Satisfactory	58	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Good	46	PM <sub>2.5</sub>	1
98	Meerut	Very Poor	371	PM <sub>2.5</sub>	3
99	Moradabad	Poor	211	PM <sub>2.5</sub>	3
100	Motihari	Moderate	183	PM <sub>2.5</sub>	1
101	Mumbai	Moderate	171	PM <sub>2.5</sub>	19
102	Munger	Severe	423	PM <sub>2.5</sub>	1
103	Muzaffarnagar	Very Poor	361	PM <sub>2.5</sub>	1
104	Muzaffarpur	Very Poor	306	PM <sub>2.5</sub>	2
105	Mysuru	Satisfactory	58	O <sub>3</sub>	1
106	Nagpur	Satisfactory	92	CO	1
107	Naharlagun	Satisfactory	84	PM <sub>10</sub>	1
108	Narnaul	Satisfactory	90	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	186	PM <sub>2.5</sub> , PM <sub>10</sub>	3
110	Noida	Very Poor	334	PM <sub>2.5</sub> , PM <sub>10</sub>	4
111	Pali	Moderate	119	PM <sub>10</sub>	1
112	Palwal	Moderate	106	PM <sub>10</sub>	1
113	Panchkula	Very Poor	308	PM <sub>2.5</sub>	1
114	Panipat	Poor	232	PM <sub>10</sub>	1
115	Patiala	Moderate	128	PM <sub>2.5</sub>	1
116	Patna	Very Poor	304	PM <sub>2.5</sub> , PM <sub>10</sub>	6
117	Pithampur	Moderate	148	PM <sub>2.5</sub>	1
118	Prayagraj	Moderate	181	PM <sub>2.5</sub>	3
119	Puducherry	Good	39	O <sub>3</sub>	1
120	Pune	Moderate	109	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Very Poor	311	PM <sub>2.5</sub>	1
122	Raichur	Satisfactory	79	PM <sub>10</sub>	1
123	Rajamahendravaram	Moderate	111	PM <sub>2.5</sub>	1
124	Rajgir	Very Poor	347	PM <sub>2.5</sub>	1
125	Ramanagara	Good	42	O <sub>3</sub>	1
126	Ratlam	Satisfactory	99	PM <sub>10</sub>	1
127	Rohtak	Poor	279	PM <sub>2.5</sub>	1
128	Rupnagar	Moderate	148	PM <sub>2.5</sub>	1
129	Sagar	Satisfactory	62	PM <sub>2.5</sub>	1
130	Saharsa	Poor	269	PM <sub>2.5</sub>	1
131	Sasaram	Very Poor	349	PM <sub>2.5</sub>	1
132	Satna	Satisfactory	51	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	17	O <sub>3</sub>	1
134	Shivamogga	Good	49	PM <sub>10</sub>	1
135	Singrauli	Poor	297	PM <sub>2.5</sub>	1
136	Sirsa	Moderate	131	PM <sub>10</sub>	1
137	Siwan	Very Poor	359	PM <sub>2.5</sub>	1
138	Sonipat	Moderate	121	PM <sub>10</sub>	1
139	Srinagar	Poor	297	PM <sub>10</sub>	1
140	Talcher	Moderate	188	PM <sub>2.5</sub>	1
141	Thane	Moderate	105	PM <sub>10</sub>	1
142	Thiruvananthapuram	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub>	2
143	Thoothukudi	Good	34	PM <sub>10</sub>	1
144	Tirupati	Satisfactory	52	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	137	PM <sub>10</sub>	1
146	Vapi	Very Poor	305	PM <sub>2.5</sub>	1
147	Varanasi	Poor	218	PM <sub>2.5</sub>	4
148	Vatva	Moderate	141	PM <sub>10</sub>	1
149	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
150	Visakhapatnam	Moderate	169	PM <sub>2.5</sub>	1
151	Vrindavan	Moderate	160	PM <sub>2.5</sub>	1
152	Yadgir	Satisfactory	65	PM <sub>10</sub>	1
153	Yamunanagar	Very Poor	301	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Bettiah, Bhilai, Bidar, Fatehabad, Jorapokhar, Kolar, Madikeri, Manesar, Manguraha, Nandesari, Nashik, Siliguri, Solapur, Thrissur, Udaipur, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.