Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	78	SO_2, PM_{10}	2
2	Agra	Moderate	150	PM_{10}	5
3	Ahmedabad	Poor	242	$PM_{2.5}$, PM_{10}	8
4	Aizawl	Satisfactory	90	O_3	1
5	Ajmer	Moderate	103	PM_{10}	1
6	Alwar	Moderate	101	PM_{10}	1
7	Amaravati	Good	44	O_3	1
8	Ambala	Moderate	137	PM_{10}	1
9	Amritsar	Moderate	101	PM_{10}	1
10	Ankleshwar	Poor	223	$PM_{2.5}$	1
11	Arrah	Poor	210	PM_{10}	1
12	Asansol	Moderate	119	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Very Poor	312	PM_{10}	1
14	Aurangabad	Moderate	108	PM_{10}	1
15	Baddi	Moderate	182	PM_{10}	1
16	Bagalkot	Good	50	$PM_{2.5}$	1
17	Baghpat	Poor	201	PM_{10}	1
18	Bahadurgarh	Poor	226	$PM_{2.5}$	1
19	Ballabgarh	Poor	262	PM_{10}	1
20	Bathinda	Satisfactory	60	PM_{10}	1
21	Bengaluru	Satisfactory	97	PM_{10}, CO, $PM_{2.5}$	10
22	Bhagalpur	Poor	233	PM_{10}, $PM_{2.5}$	2
23	Bhiwadi	Poor	258	$PM_{2.5}$	1
24	Bhiwani	Moderate	161	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	133	O_3	1
26	Bihar Sharif	Severe	418	PM_{10}	1
27	Bilaspur	Satisfactory	58	PM_{10}	1
28	Brajrajnagar	Poor	270	O_3	1
29	Bulandshahr	Poor	231	PM_{10}	1
30	Chandigarh	Moderate	153	O_3, PM_{10}	3
31	Chandrapur	Poor	201	$PM_{2.5}$	2
32	Charkhi Dadri	Poor	211	$PM_{2.5}$	1
33	Chennai	Good	45	CO, PM_{10}, O_3	8
34	Chhapra	Very Poor	367	PM_{10}	1
35	Chikkaballapur	Moderate	102	PM_{10}	1
36	Chikkamagaluru	Satisfactory	53	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	53	$PM_{2.5}$	1
38	Damoh	Satisfactory	54	PM_{10}	1
39	Darbhanga	Moderate	163	PM_{10}	1
40	Davanagere	Satisfactory	90	PM_{10}	1
41	Delhi	Poor	218	$PM_{2.5}$, NO_2, PM_{10}	36
42	Dewas	Moderate	111	PM_{10}	1
43	Dharuhera	Poor	247	PM_{10}	1
44	Durgapur	Moderate	174	$PM_{2.5}$	1
45	Ernakulam	Satisfactory	54	$PM_{2.5}$	1
46	Faridabad	Poor	266	O_3, $PM_{2.5}$	2
47	Fatehabad	Moderate	162	PM_{10}	1
48	Firozabad	Moderate	184	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	56	$PM_{2.5}$	1
50	Gandhinagar	Poor	220	$PM_{2.5}$, PM_{10}	3
51	Gaya	Moderate	171	$PM_{2.5}$, PM_{10}	3
52	Ghaziabad	Poor	220	PM_{10}	4
53	Gorakhpur	Satisfactory	79	$PM_{2.5}$	1
54	Greater Noida	Poor	243	PM_{10}	1
55	Gurugram	Poor	230	$PM_{2.5}$	4
56	Guwahati	Satisfactory	100	$PM_{2.5}$	2
57	Gwalior	Moderate	171	O_3	1
58	Hajipur	Poor	214	$PM_{2.5}$	1
59	Haldia	Good	39	$PM_{2.5}$	1
60	Hapur	Moderate	148	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Moderate	111	PM_{10}	1
62	Hisar	Moderate	171	PM_{10}	1
63	Howrah	Satisfactory	82	PM_{10}	3
64	Hubballi	Satisfactory	99	PM_{10}	1
65	Hyderabad	Moderate	137	$PM_{2.5}$, PM_{10}	5
66	Indore	Moderate	169	PM_{10}	1
67	Jabalpur	Poor	232	PM_{10}	1
68	Jaipur	Moderate	158	$PM_{2.5}$, PM_{10}	3
69	Jalandhar	Moderate	117	PM_{10}	1
70	Jhansi	Moderate	178	PM_{10}	1
71	Jind	Moderate	141	PM_{10}	1
72	Jodhpur	Moderate	167	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	140	PM_{10}	1
74	Kalaburgi	Moderate	129	PM_{10}	1
75	Kalyan	Poor	201	PM_{10}	1
76	Kannur	Satisfactory	76	PM_{10}	1
77	Kanpur	Moderate	160	$PM_{2.5}$, PM_{10}	3
78	Karnal	Moderate	136	PM_{10}	1
79	Katni	Poor	240	PM_{10}	1
80	Khanna	Moderate	125	PM_{10}	1
81	Kishanganj	Moderate	122	$PM_{2.5}$	1
82	Kochi	Moderate	126	$PM_{2.5}$	1
83	Kolar	Satisfactory	98	PM_{10}	1
84	Kolkata	Satisfactory	70	PM_{10}, NO_2	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	81	PM_{10}	1
86	Koppal	Satisfactory	52	PM_{10}	1
87	Kozhikode	Satisfactory	57	PM_{10}	1
88	Lucknow	Poor	220	$PM_{2.5}$, PM_{10}	6
89	Ludhiana	Moderate	126	PM_{10}	1
90	Madikeri	Satisfactory	71	PM_{10}	1
91	Mandi Gobindgarh	Moderate	130	$PM_{2.5}$	1
92	Mandideep	Satisfactory	94	PM_{10}	1
93	Mandikhera	Satisfactory	91	PM_{10}	1
94	Manesar	Poor	249	$PM_{2.5}$	1
95	Manglore	Satisfactory	56	CO	1
96	Meerut	Poor	247	PM_{10}, O_3, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	161	$PM_{2.5}$, PM_{10}	4
98	Motihari	Moderate	199	$PM_{2.5}$	1
99	Mumbai	Moderate	196	$PM_{2.5}$, PM_{10}	18
100	Munger	Poor	234	PM_{10}	1
101	Muzaffarnagar	Poor	217	O_3	1
102	Muzaffarpur	Moderate	188	$PM_{2.5}$	3
103	Mysuru	Satisfactory	62	PM_{10}	1
104	Nagpur	Satisfactory	84	PM_{10}	1
105	Nandesari	Moderate	104	$PM_{2.5}$	1
106	Narnaul	Moderate	132	$PM_{2.5}$	1
107	Nashik	Satisfactory	87	PM_{10}	1
108	Navi Mumbai	Moderate	128	PM_{10}, SO_2	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http:/cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	219	PM_{10}	3
110	Pali	Moderate	129	$PM_{2.5}$	1
111	Palwal	Moderate	156	PM_{10}	1
112	Panchkula	Poor	231	$PM_{2.5}$	1
113	Patiala	Moderate	130	PM_{10}	1
114	Patna	Poor	265	$PM_{2.5}$	5
115	Pithampur	Satisfactory	96	PM_{10}	1
116	Prayagraj	Moderate	156	PM_{10}	3
117	Puducherry	Good	28	PM_{10}	1
118	Pune	Moderate	109	$PM_{2.5}$, CO, PM_{10}	6
119	Rajamahendravaram	Good	35	PM_{10}	1
120	Rajgir	Poor	240	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Moderate	114	PM_{10}	1
122	Ratlam	Moderate	148	PM_{10}	1
123	Rohtak	Moderate	196	$PM_{2.5}$	1
124	Rupnagar	Moderate	103	PM_{10}	1
125	Saharsa	Poor	211	PM_{10}	1
126	Sasaram	Poor	300	O_3	1
127	Satna	Satisfactory	62	PM_{10}	1
128	Shillong	Good	30	O_3	1
129	Shivamogga	Satisfactory	55	PM_{10}	1
130	Singrauli	Very Poor	361	PM_{10}	1
131	Sirsa	Moderate	152	O_3	1
132	Siwan	Poor	228	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Good	44	PM_{10}	1
134	Talcher	Good	37	PM_{10}	1
135	Thane	Poor	235	O_3	1
136	Thiruvananthapuram	Good	48	$PM_{2.5}$	2
137	Thoothukudi	Satisfactory	52	PM_{10}	1
138	Thrissur	Satisfactory	91	$PM_{2.5}$	1
139	Tirupati	Satisfactory	78	PM_{10}	1
140	Udaipur	Moderate	157	$PM_{2.5}$	1
141	Udupi	Good	42	CO	1
142	Ujjain	Moderate	159	PM_{10}	1
143	Varanasi	Moderate	128	PM_{10}	4
144	Vatva	Moderate	160	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Satisfactory	51	PM_{10}	1
146	Visakhapatnam	Satisfactory	95	PM_{10}	1
147	Vrindavan	Moderate	148	PM_{10}	1
148	Yadgir	Moderate	104	PM_{10}	1
149	Yamunanagar	Moderate	166	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Eloor, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kota, Kurukshetra, Maihar, Manguraha, Naharlagun, Panipat, Purnia, Raichur, Sagar, Samastipur, Siliguri, Solapur, Sonipat, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.