Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM_{10}	2
2	Agra	Poor	253	PM_{10}	3
3	Ahmedabad	Moderate	115	$PM_{2.5}$, PM_{10}	7
4	Aizawl	Good	42	PM_{10}	1
5	Ajmer	Satisfactory	98	PM_{10}	1
6	Alwar	Moderate	115	PM_{10}	1
7	Amaravati	Good	46	O_3	1
8	Ambala	Moderate	161	PM_{10}	1
9	Amritsar	Satisfactory	90	PM_{10}	1
10	Ankleshwar	Satisfactory	87	PM_{10}	1
11	Araria	Poor	235	$PM_{2.5}$	1
12	Arrah	Poor	228	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	206	O_3	1
14	Aurangabad	Moderate	195	PM_{10}	1
15	Aurangabad	Moderate	107	PM_{10}	1
16	Baddi	Moderate	126	PM_{10}	1
17	Bagalkot	Good	50	$PM_{2.5}$	1
18	Baghpat	Moderate	112	PM_{10}	1
19	Bahadurgarh	Moderate	186	PM_{10}	1
20	Ballabgarh	Moderate	168	PM_{10}	1
21	Bathinda	Moderate	128	PM_{10}	1
22	Bengaluru	Satisfactory	72	CO, PM_{10}, NO_2	5
23	Bhagalpur	Very Poor	302	PM_{10}	2
24	Bhiwadi	Very Poor	356	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Poor	253	$PM_{2.5}$	1
26	Bihar Sharif	Poor	250	PM_{10}	1
27	Bilaspur	Satisfactory	53	CO	1
28	Brajrajnagar	Moderate	177	O_3	1
29	Bulandshahr	Poor	205	PM_{10}	1
30	Buxar	Very Poor	330	PM_{10}	1
31	Chamarajanagar	Good	45	PM_{10}	1
32	Chandigarh	Moderate	134	O_3, PM_{10}	3
33	Chandrapur	Moderate	128	PM_{10}	2
34	Charkhi Dadri	Poor	231	PM_{10}	1
35	Chennai	Good	35	CO, PM_{10}, O_3	5
36	Chhapra	Very Poor	364	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	46	O_3	1
38	Chikkamagaluru	Good	35	CO	1
39	Coimbatore	Good	26	PM_{10}	1
40	Damoh	Satisfactory	58	PM_{10}	1
41	Darbhanga	Very Poor	335	PM_{10}	1
42	Davanagere	Good	49	PM_{10}	1
43	Delhi	Poor	201	O_3, PM_{10}	36
44	Dewas	Moderate	173	$PM_{2.5}$	1
45	Dharuhera	Very Poor	361	PM_{10}	1
46	Durgapur	Poor	266	$PM_{2.5}$	1
47	Eloor	Satisfactory	66	PM_{10}	1
48	Ernakulam	Satisfactory	66	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	279	$PM_{2.5}$, PM_{10}	3
50	Fatehabad	Poor	217	PM_{10}	1
51	Gandhinagar	Moderate	162	$PM_{2.5}$, PM_{10}	3
52	Gangtok	Satisfactory	76	O_3	1
53	Gaya	Moderate	139	PM_{10}, $PM_{2.5}$	2
54	Ghaziabad	Moderate	195	PM_{10}	3
55	Gorakhpur	Satisfactory	83	PM_{10}	1
56	Greater Noida	Poor	234	PM_{10}	1
57	Gummidipoondi	Good	38	PM_{10}	1
58	Gurugram	Poor	249	PM_{10}, $PM_{2.5}$	3
59	Guwahati	Satisfactory	56	PM_{10}	2
60	Gwalior	Moderate	140	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Poor	219	$PM_{2.5}$	1
62	Haldia	Satisfactory	68	PM_{10}	1
63	Hapur	Moderate	195	PM_{10}	1
64	Hassan	Satisfactory	52	NO_2	1
65	Haveri	Satisfactory	85	CO	1
66	Hisar	Poor	209	PM_{10}	1
67	Howrah	Satisfactory	80	PM_{10}	2
68	Hubballi	Satisfactory	63	PM_{10}	1
69	Hyderabad	Satisfactory	96	PM_{10}, $PM_{2.5}$	6
70	Indore	Moderate	156	PM_{10}	1
71	Jabalpur	Moderate	155	PM_{10}	1
72	Jaipur	Moderate	154	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	115	PM_{10}	1
74	Jhansi	Poor	218	PM_{10}	1
75	Jind	Moderate	161	PM_{10}	1
76	Jodhpur	Moderate	176	$PM_{2.5}$	1
77	Kaithal	Moderate	187	PM_{10}	1
78	Kalyan	Moderate	113	PM_{10}	1
79	Kannur	Good	43	PM_{10}	1
80	Kanpur	Moderate	148	PM_{10}, $PM_{2.5}$	2
81	Karnal	Moderate	112	PM_{10}	1
82	Katni	Poor	276	PM_{10}	1
83	Khanna	Moderate	136	PM_{10}	1
84	Kishanganj	Moderate	193	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Moderate	119	$PM_{2.5}$	1
86	Kohima	Satisfactory	71	PM_{10}	1
87	Kolkata	Satisfactory	93	O_3, PM_{10}	7
88	Kollam	Satisfactory	78	PM_{10}	1
89	Koppal	Satisfactory	60	PM_{10}	1
90	Kota	Moderate	168	$PM_{2.5}$	1
91	Kozhikode	Good	42	PM_{10}	1
92	Lucknow	Moderate	185	$PM_{2.5}$, PM_{10}	5
93	Ludhiana	Moderate	118	PM_{10}	1
94	Madikeri	Good	50	O_3	1
95	Mandi Gobindgarh	Moderate	197	$PM_{2.5}$	1
96	Mandideep	Satisfactory	100	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	100	PM_{10}	1
98	Manesar	Poor	260	$PM_{2.5}$	1
99	Manglore	Good	40	CO	1
100	Manguraha	Moderate	142	CO	1
101	Meerut	Moderate	170	O_3, PM_{10}	3
102	Moradabad	Moderate	125	PM_{10}	3
103	Motihari	Poor	277	$PM_{2.5}$	1
104	Mumbai	Satisfactory	72	CO, PM_{10}	14
105	Munger	Very Poor	318	PM_{10}	1
106	Muzaffarnagar	Moderate	175	O_3	1
107	Muzaffarpur	Poor	281	PM_{10}, $PM_{2.5}$	3
108	Mysuru	Good	41	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Moderate	128	PM_{10}	1
110	Narnaul	Moderate	176	$PM_{2.5}$	1
111	Nashik	Satisfactory	56	$PM_{2.5}$	1
112	Navi Mumbai	Satisfactory	95	CO, PM_{10}	2
113	Noida	Poor	231	PM_{10}	4
114	Pali	Moderate	148	$PM_{2.5}$	1
115	Palwal	Moderate	188	PM_{10}	1
116	Panchkula	Moderate	167	O_3	1
117	Panipat	Moderate	180	PM_{10}	1
118	Patiala	Moderate	155	O_3	1
119	Patna	Poor	293	PM_{10}, $PM_{2.5}$	5
120	Pithampur	Moderate	155	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	120	PM_{10}	1
122	Puducherry	Good	40	CO	1
123	Pune	Moderate	122	$PM_{2.5}$, PM_{10}	4
124	Purnia	Moderate	155	PM_{10}	1
125	Raichur	Moderate	106	PM_{10}	1
126	Rajamahendravaram	Good	24	O_3	1
127	Rajgir	Moderate	173	PM_{10}	1
128	Ramanagara	Good	33	O_3	1
129	Ratlam	Moderate	114	PM_{10}	1
130	Rohtak	Poor	273	$PM_{2.5}$	1
131	Rupnagar	Satisfactory	83	PM_{10}	1
132	Sagar	Moderate	115	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Poor	279	PM_{10}	1
134	Samastipur	Poor	287	PM_{10}	1
135	Sasaram	Moderate	174	PM_{10}	1
136	Satna	Satisfactory	56	PM_{10}	1
137	Shivamogga	Satisfactory	53	PM_{10}	1
138	Singrauli	Very Poor	351	PM_{10}	1
139	Sirsa	Poor	202	PM_{10}	1
140	Siwan	Poor	234	PM_{10}	1
141	Srinagar	Good	43	NH_3	1
142	Talcher	Satisfactory	75	PM_{10}	1
143	Thane	Moderate	178	O_3	1
144	Thiruvananthapuram	Good	34	CO, PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	39	PM_{10}	1
146	Thrissur	Satisfactory	59	CO	1
147	Tirupati	Satisfactory	61	PM_{10}	1
148	Udaipur	Moderate	118	PM_{10}	1
149	Udupi	Satisfactory	71	O_3	1
150	Ujjain	Moderate	176	$PM_{2.5}$	1
151	Varanasi	Moderate	118	PM_{10}	2
152	Vatva	Moderate	117	PM_{10}	1
153	Vijayapura	Good	46	PM_{10}	1
154	Visakhapatnam	Satisfactory	76	PM_{10}	1
155	Vrindavan	Poor	229	PM_{10}	1
156	Yadgir	Satisfactory	72	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Moderate	200	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhopal, Bidar, Firozabad, Gadag, Jorapokhar, Kalaburgi, Katihar, Kolar, Kurukshetra, Maihar, Naharlagun, Nandesari, Shillong, Siliguri, Solapur, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.