

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	75	PM _{2.5}	1
2	Ahmedabad	Satisfactory	100	O ₃	1
3	Aizawl	Good	14	со	1
4	Ajmer	Satisfactory	84	O ₃	1
5	Alwar	Satisfactory	68	O ₃	1
6	Amaravati	Good	37	O ₃	1
7	Ambala	Good	39	O ₃	1
8	Amritsar	Good	47	PM ₁₀	1
9	Ankleshwar	Satisfactory	73	PM ₁₀	1
10	Asanol	Good	36	PM ₁₀	1
11	Aurangabad	Good	50	O ₃	1
12	Bagalkot	Satisfactory	51	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe Affects healthy people and seriously impacts those with existing disease		

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	97	O ₃	1
14	Ballabgarh	Satisfactory	67	PM _{2.5}	1
15	Bathinda	Satisfactory	52	PM ₁₀	1
16	Bengaluru	Satisfactory	60	PM ₁₀ , O ₃ , PM _{2.5}	8
17	Bhiwadi	Satisfactory	53	PM ₁₀	1
18	Bhiwani	Satisfactory	71	PM ₁₀	1
19	Bhopal	Moderate	112	O ₃	1
20	Brajrajnagar	Satisfactory	72	PM ₁₀	1
21	Chandigarh	Good	31	PM ₁₀	1
22	Chandrapur	Satisfactory	67	O ₃ , PM ₁₀	2
23	Charkhi Dadri	Moderate	119	PM _{2.5}	1
24	Chennai	Good	49	O ₃ , CO	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	54	PM ₁₀	1
26	Damoh	Good	44	PM ₁₀	1
27	Delhi	Satisfactory	100	03	30
28	Dewas	Satisfactory	86	03	1
29	Dharuhera	Satisfactory	72	03	1
30	Eloor	Satisfactory	52	PM ₁₀	1
31	Faridabad	Moderate	176	03	1
32	Fatehabad	Satisfactory	73	PM ₁₀	1
33	Gandhinagar	Satisfactory	86	PM ₁₀	1
34	Gaya	Moderate	122	03	2
35	Ghaziabad	Satisfactory	83	PM _{2.5} , O ₃ , PM ₁₀	3
36	Greater Noida	Satisfactory	75	O ₃	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	138	O ₃ , PM _{2.5}	4
38	Guwahati	Good	47	03	1
39	Gwalior	Moderate	126	O ₃ , PM _{2.5}	2
40	Hajipur	Moderate	143	PM ₁₀	1
41	Hisar	Satisfactory	90	PM ₁₀	1
42	Howrah	Good	46	O ₃	2
43	Hyderabad	Satisfactory	53	PM ₁₀ , PM _{2.5}	6
44	Indore	Satisfactory	78	PM ₁₀	1
45	Jabalpur	Satisfactory	92	O ₃	1
46	Jaipur	Satisfactory	69	O ₃ , CO	3
47	Jalandhar	Good	36	PM ₁₀	1
48	Jind	Satisfactory	84	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Satisfactory	66	PM ₁₀	1
50	Jorapokhar	Satisfactory	89	PM ₁₀	1
51	Kaithal	Good	48	PM ₁₀	1
52	Kalaburgi	Good	48	PM _{2.5}	1
53	Kalyan	Satisfactory	91	O ₃	1
54	Kannur	Satisfactory	53	PM ₁₀	1
55	Kanpur	Satisfactory	64	PM _{2.5}	1
56	Karnal	Satisfactory	55	O ₃	1
57	Katni	Moderate	106	O ₃	1
58	Khanna	Good	33	PM ₁₀	1
59	Kochi	Satisfactory	53	СО	1
60	Kolkata	Good	39	O ₃	7

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kota	Satisfactory	59	O ₃	1
62	Kozhikode	Good	49	PM ₁₀	1
63	Kurukshetra	Satisfactory	60	03	1
64	Lucknow	Satisfactory	67	PM _{2.5}	4
65	Ludhiana	Satisfactory	66	NO ₂	1
66	Maihar	Good	50	NO ₂	1
67	Mandideep	Good	43	PM _{2.5}	1
68	Mandikhera	Satisfactory	63	NO ₂	1
69	Manesar	Good	45	PM ₁₀	1
70	Meerut	Satisfactory	100	PM ₁₀	2
71	Mumbai	Satisfactory	53	SO ₂ , PM ₁₀ , O ₃	8
72	Muzaffarnagar	Good	46	СО	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Poor Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarpur	Satisfactory	62	03	1
74	Mysuru	Satisfactory	62	O ₃	1
75	Nagpur	Satisfactory	77	O ₃	1
76	Nashik	Satisfactory	77	O ₃	1
77	Navi Mumbai	Satisfactory	98	O ₃ , PM ₁₀	2
78	Noida	Satisfactory	74	PM _{2.5} , O ₃ , PM ₁₀	4
79	Pali	Satisfactory	59	03	1
80	Palwal	Satisfactory	63	PM ₁₀	1
81	Panchkula	Satisfactory	69	O ₃	1
82	Panipat	Moderate	130	PM ₁₀	1
83	Patiala	Good	23	O ₃	1
84	Patna	Satisfactory	63	PM ₁₀ , O ₃	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pithampur	Satisfactory	85	PM ₁₀	1
86	Pune	Satisfactory	53	со	1
87	Rajamahendravaram	Satisfactory	73	03	1
88	Ramanagara	Satisfactory	68	PM ₁₀	1
89	Rohtak	Satisfactory	62	PM _{2.5}	1
90	Rupnagar	Satisfactory	68	PM ₁₀	1
91	Satna	Good	39	PM ₁₀	1
92	Siliguri	Good	46	PM _{2.5}	1
93	Singrauli	Satisfactory	92	PM ₁₀	1
94	Sirsa	Satisfactory	76	PM ₁₀	1
95	Solapur	Satisfactory	67	PM ₁₀	1
96	Sonipat	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Good	47	PM ₁₀	1
98	Thiruvananthapuram	Good	49	O ₃	2
99	Tirupati	Good	44	O ₃	1
100	Udaipur	Satisfactory	64	O ₃	1
101	Ujjain	Moderate	164	O ₃	1
102	Vapi	Satisfactory	69	PM _{2.5}	1
103	Varanasi	Moderate	193	O ₃	1
104	Vatva	Satisfactory	72	PM ₁₀	1
105	Yamunanagar	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr,
 Chikkaballapur, Coimbatore, Ernakulam, Hapur, Hubballi, Kollam, Mandi
 Gobindgarh, Moradabad, Nandesari, Narnaul, Ratlam, Sagar, Shillong,
 Talcher, Vijayapura, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.