

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	217	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	182	PM <sub>2.5</sub>	1
3	Aizawl	Satisfactory	63	PM <sub>10</sub>	1
4	Ajmer	Satisfactory	94	PM <sub>10</sub>	1
5	Alwar	Moderate	106	PM <sub>10</sub>	1
6	Amaravati	Good	46	PM <sub>10</sub>	1
7	Ambala	Moderate	104	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	51	PM <sub>10</sub>	1
9	Asansol	Moderate	148	PM <sub>10</sub>	1
10	Bagalkot	Good	47	O <sub>3</sub>	1
11	Baghpat	Poor	236	PM <sub>2.5</sub>	1
12	Bahadurgarh	Poor	253	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	185	PM <sub>2.5</sub>	1
14	Bathinda	Moderate	145	PM <sub>10</sub>	1
15	Bengaluru	Satisfactory	84	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	9
16	Bhiwadi	Poor	254	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	142	PM <sub>10</sub>	1
18	Bhopal	Moderate	160	PM <sub>10</sub>	1
19	Bidar	Moderate	105	PM <sub>10</sub>	1
20	Chamarajanagar	Satisfactory	90	PM <sub>10</sub>	1
21	Chandigarh	Moderate	110	PM <sub>10</sub>	1
22	Chandrapur	Moderate	177	PM <sub>2.5</sub> , PM <sub>10</sub>	2
23	Charkhi Dadri	Moderate	133	PM <sub>10</sub>	1
24	Chennai	Satisfactory	64	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	85	PM <sub>10</sub>	1
26	Damoh	Satisfactory	73	PM <sub>10</sub>	1
27	Davanagere	Satisfactory	93	PM <sub>10</sub>	1
28	Delhi	Poor	256	PM <sub>10</sub>	36
29	Dewas	Moderate	147	PM <sub>10</sub>	1
30	Dharuhera	Moderate	190	PM <sub>10</sub>	1
31	Durgapur	Poor	241	PM <sub>2.5</sub>	1
32	Eloor	Good	47	со	1
33	Ernakulam	Satisfactory	83	PM <sub>10</sub>	1
34	Faridabad	Poor	278	PM <sub>10</sub> , PM <sub>2.5</sub>	4
35	Fatehabad	Moderate	108	PM <sub>10</sub>	1
36	Gandhinagar	Satisfactory	79	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	157	O <sub>3</sub>	1
38	Ghaziabad	Very Poor	329	PM <sub>10</sub>	3
39	Greater Noida	Poor	270	PM <sub>10</sub> , PM <sub>2.5</sub>	2
40	Gummidipoondi	Moderate	106	PM <sub>10</sub>	1
41	Gurugram	Poor	218	PM <sub>10</sub> , PM <sub>2.5</sub>	4
42	Guwahati	Moderate	112	PM <sub>10</sub>	2
43	Gwalior	Moderate	158	PM <sub>2.5</sub>	1
44	Hajipur	Poor	225	PM <sub>2.5</sub>	1
45	Hapur	Moderate	177	PM <sub>10</sub>	1
46	Hisar	Moderate	188	PM <sub>2.5</sub>	1
47	Howrah	Moderate	191	PM <sub>2.5</sub>	3
48	Hubballi	Moderate	130	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	122	PM <sub>10</sub>	4
50	Indore	Poor	229	PM <sub>10</sub>	1
51	Jabalpur	Moderate	158	PM <sub>10</sub>	1
52	Jaipur	Moderate	143	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Jalandhar	Satisfactory	69	PM <sub>10</sub>	1
54	Jind	Moderate	161	PM <sub>2.5</sub>	1
55	Jodhpur	Moderate	175	PM <sub>2.5</sub>	1
56	Kaithal	Moderate	169	PM <sub>10</sub>	1
57	Kalaburgi	Moderate	120	PM <sub>2.5</sub>	1
58	Kalyan	Moderate	158	PM <sub>2.5</sub>	1
59	Kannur	Satisfactory	97	PM <sub>10</sub>	1
60	Kanpur	Poor	238	PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	149	PM <sub>2.5</sub>	1
62	Katni	Poor	204	PM <sub>10</sub>	1
63	Khanna	Satisfactory	98	PM <sub>10</sub>	1
64	Kohima	Satisfactory	96	PM <sub>2.5</sub>	1
65	Kolar	Satisfactory	75	03	1
66	Kolkata	Moderate	188	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	6
67	Kollam	Moderate	139	PM <sub>2.5</sub>	1
68	Koppal	Satisfactory	83	PM <sub>10</sub>	1
69	Kota	Moderate	123	PM <sub>2.5</sub>	1
70	Kozhikode	Satisfactory	80	PM <sub>10</sub>	1
71	Kurukshetra	Moderate	146	PM <sub>2.5</sub>	1
72	Lucknow	Poor	207	PM <sub>2.5</sub>	4

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	98	PM <sub>10</sub>	1
74	Mandi Gobindgarh	Moderate	137	PM <sub>10</sub>	1
75	Mandideep	Satisfactory	82	PM <sub>10</sub>	1
76	Mandikhera	Satisfactory	93	PM <sub>2.5</sub>	1
77	Manesar	Poor	233	PM <sub>2.5</sub>	1
78	Manglore	Moderate	124	СО	1
79	Medikeri	Satisfactory	67	PM <sub>10</sub>	1
80	Meerut	Poor	248	PM <sub>2.5</sub>	2
81	Moradabad	Poor	269	PM <sub>2.5</sub>	1
82	Mumbai	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	20
83	Muzaffarpur	Poor	209	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Mysuru	Satisfactory	81	03	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	107	СО	1
86	Narnaul	Moderate	112	PM <sub>10</sub>	1
87	Nashik	Satisfactory	87	PM <sub>2.5</sub>	1
88	Navi Mumbai	Moderate	161	PM <sub>2.5</sub> , PM <sub>10</sub>	3
89	Noida	Poor	278	PM <sub>10</sub>	4
90	Pali	Moderate	185	PM <sub>2.5</sub>	1
91	Palwal	Satisfactory	75	со	1
92	Panchkula	Satisfactory	87	PM <sub>2.5</sub>	1
93	Panipat	Severe	453	PM <sub>10</sub>	1
94	Patiala	Moderate	118	PM <sub>10</sub>	1
95	Patna	Poor	216	PM <sub>2.5</sub> , PM <sub>10</sub>	5
96	Pithampur	Moderate	136	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Good	46	PM <sub>10</sub>	1
98	Pune	Moderate	123	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	5
99	Raichur	Moderate	159	PM <sub>10</sub>	1
100	Rajamahendravaram	Satisfactory	83	PM <sub>10</sub>	1
101	Ramanagara	Satisfactory	96	PM <sub>2.5</sub>	1
102	Rohtak	Moderate	200	PM <sub>2.5</sub>	1
103	Rupnagar	Satisfactory	92	PM <sub>10</sub>	1
104	Sagar	Moderate	125	PM <sub>2.5</sub>	1
105	Satna	Satisfactory	96	PM <sub>10</sub>	1
106	Shivamogga	Good	41	O <sub>3</sub>	1
107	Siliguri	Moderate	167	PM <sub>2.5</sub>	1
108	Singrauli	Moderate	180	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Moderate	139	PM <sub>10</sub>	1
110	Sonipat	Poor	237	PM <sub>10</sub>	1
111	Srinagar	Moderate	104	PM <sub>2.5</sub>	1
112	Talcher	Poor	213	PM <sub>2.5</sub>	1
113	Thane	Moderate	174	03	1
114	Thiruvananthapuram	Satisfactory	84	PM <sub>10</sub>	2
115	Thoothukudi	Satisfactory	78	PM <sub>10</sub>	1
116	Thrissur	Satisfactory	92	PM <sub>2.5</sub>	1
117	Tirupati	Satisfactory	60	NO <sub>2</sub>	1
118	Udaipur	Moderate	126	PM <sub>10</sub>	1
119	Udupi	Poor	244	03	1
120	Ujjain	Poor	210	03	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	113	PM <sub>10</sub>	1
122	Varanasi	Poor	259	O <sub>3</sub>	1
123	Vatva	Poor	233	PM <sub>10</sub>	1
124	Visakhapatnam	Moderate	116	PM <sub>10</sub>	1
125	Yadgir	Moderate	166	O <sub>3</sub>	1
126	Yamunanagar	Poor	267	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Aurangabad, Brajrajnagar, Bulandshahr, Chikkamagaluru, Coimbatore, Gadag, Haldia, Jorapokhar, Kochi, Maihar, Muzaffarnagar, Nagpur, Ratlam, Shillong, Sirsa, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.