



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	72	PM _{2.5}	1
2	Agra	Good	48	PM ₁₀	6
3	Ahmedabad	Satisfactory	73	CO, O ₃	6
4	Aizawl	Good	15	PM ₁₀	1
5	Akola	Satisfactory	53	PM ₁₀	1
6	Alwar	Satisfactory	59	NO ₂	1
7	Amaravati	Good	39	PM ₁₀	1
8	Ambala	Satisfactory	97	CO	1
9	Amravati	Good	38	PM ₁₀	2
10	Amritsar	Satisfactory	95	PM _{2.5}	1
11	Anantapur	Satisfactory	53	PM ₁₀	1
12	Ankleshwar	Moderate	128	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	39	PM ₁₀	1
14	Arrah	Satisfactory	77	PM ₁₀	1
15	Asansol	Satisfactory	64	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Good	48	PM ₁₀	3
17	Baddi	Moderate	103	PM ₁₀	1
18	Badlapur	Good	43	PM ₁₀	1
19	Bagalkot	Good	45	PM ₁₀	1
20	Baghpat	Satisfactory	65	PM ₁₀	1
21	Bahadurgarh	Good	42	O ₃	1
22	Banswara	Good	43	PM ₁₀	1
23	Baran	Satisfactory	72	PM _{2.5}	1
24	Bareilly	Good	44	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dehri, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	60	PM ₁₀	1
26	Barmer	Satisfactory	51	PM ₁₀	1
27	Bathinda	Good	34	PM ₁₀	1
28	Belapur	Satisfactory	53	O ₃	1
29	Bengaluru	Good	47	PM ₁₀ , NO ₂	8
30	Bhagalpur	Satisfactory	55	PM ₁₀	2
31	Bhilai	Good	28	PM ₁₀ , CO	3
32	Bhilwara	Satisfactory	99	PM ₁₀	1
33	Bhiwadi	Satisfactory	79	PM ₁₀	1
34	Bhiwandi	Good	38	PM ₁₀	1
35	Bhiwani	Good	35	PM ₁₀	1
36	Bhopal	Satisfactory	56	CO	3

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhubaneswar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Good	24	PM ₁₀	1
38	Bihar Sharif	Moderate	110	O ₃	1
39	Bikaner	Satisfactory	61	PM ₁₀	1
40	Bilaspur	Good	49	PM ₁₀	1
41	Bileipada	Satisfactory	80	PM ₁₀	1
42	Bulandshahr	Satisfactory	72	PM ₁₀	1
43	Bundi	Satisfactory	70	PM ₁₀	1
44	Byrnihat	Moderate	163	PM ₁₀	1
45	Chamarajanagar	Good	40	PM ₁₀	1
46	Chandigarh	Satisfactory	82	PM ₁₀	3
47	Chandrapur	Good	39	PM ₁₀	1
48	Charkhi Dadri	Good	48	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	74	PM ₁₀ , CO	7
50	Chhal	Good	34	CO	1
51	Chikkaballapur	Good	35	PM ₁₀	1
52	Chikkamagaluru	Good	43	PM ₁₀	1
53	Chittoor	Good	34	O ₃	1
54	Chittorgarh	Satisfactory	60	PM ₁₀	1
55	Churu	Satisfactory	91	PM ₁₀	1
56	Cuddalore	Good	41	PM _{2.5}	1
57	Damoh	Good	22	PM ₁₀	1
58	Dausa	Satisfactory	81	PM ₁₀	1
59	Davanagere	Good	34	PM ₁₀	1
60	Dehradun	Satisfactory	62	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Satisfactory	89	PM ₁₀ , CO	35
62	Dewas	Good	28	PM ₁₀	1
63	Dharuhera	Good	50	PM ₁₀	1
64	Dharwad	Satisfactory	54	PM _{2.5}	1
65	Dholpur	Good	27	PM ₁₀	1
66	Dhule	Satisfactory	57	PM ₁₀	1
67	Durgapur	Good	50	PM ₁₀	1
68	Eloor	Satisfactory	67	PM ₁₀	1
69	Faridabad	Satisfactory	85	CO, PM ₁₀	4
70	Fatehabad	Moderate	124	O ₃	1
71	Firozabad	Good	40	PM ₁₀	2
72	Gadag	Good	46	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Good	44	PM ₁₀	1
74	Gangtok	Satisfactory	58	SO ₂	1
75	Gaya	Good	22	PM _{2.5}	2
76	Ghaziabad	Moderate	104	O ₃	4
77	Gorakhpur	Satisfactory	70	SO ₂	1
78	Greater Noida	Moderate	122	PM ₁₀	2
79	Gummidipoondi	Satisfactory	94	PM ₁₀	1
80	Gurugram	Satisfactory	69	PM ₁₀ , PM _{2.5}	3
81	Guwahati	Satisfactory	62	CO, SO ₂	4
82	Gwalior	Good	47	O ₃ , CO	4
83	Hajipur	Satisfactory	90	O ₃	1
84	Haldia	Good	27	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhubaneswar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Good	47	PM ₁₀	1
86	Hapur	Satisfactory	70	PM ₁₀	1
87	Haveri	Good	40	CO	1
88	Hosur	Good	47	PM ₁₀	1
89	Howrah	Good	48	NO ₂ , PM ₁₀	2
90	Hubballi	Satisfactory	54	CO	1
91	Hyderabad	Satisfactory	56	PM ₁₀ , NO ₂	13
92	Indore	Satisfactory	60	PM ₁₀	1
93	Jabalpur	Good	43	PM ₁₀	3
94	Jaipur	Satisfactory	69	O ₃ , PM ₁₀	6
95	Jaisalmer	Satisfactory	72	PM ₁₀	1
96	Jalandhar	Satisfactory	94	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dehri, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	57	PM ₁₀	1
98	Jhalawar	Good	41	PM ₁₀	1
99	Jhansi	Satisfactory	57	PM _{2.5}	1
100	Jhunjhunu	Satisfactory	57	O ₃	1
101	Jind	Satisfactory	85	PM _{2.5}	1
102	Jodhpur	Satisfactory	64	PM ₁₀	4
103	Kaithal	Good	47	PM _{2.5}	1
104	Kalyan	Satisfactory	64	CO	1
105	Kanpur	Good	48	PM ₁₀	2
106	Karauli	Good	49	O ₃	1
107	Karnal	Good	50	PM ₁₀	1
108	Kashipur	Good	33	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Satisfactory	80	PM ₁₀	1
110	Katni	Good	36	PM ₁₀	1
111	Keonjhar	Good	49	PM ₁₀	1
112	Khanna	Satisfactory	61	PM ₁₀	1
113	Khurja	Satisfactory	85	SO ₂	1
114	Kishanganj	Satisfactory	70	PM ₁₀	1
115	Kochi	Satisfactory	79	CO	1
116	Kohima	Good	47	SO ₂	1
117	Kolhapur	Good	33	PM ₁₀	1
118	Kolkata	Good	46	O ₃ , PM ₁₀	5
119	Kollam	Satisfactory	86	PM ₁₀	1
120	Koppal	Good	41	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	30	PM ₁₀	2
122	Kota	Satisfactory	59	PM ₁₀	3
123	Kunjemura	Moderate	101	PM ₁₀	1
124	Kurukshetra	Satisfactory	55	O ₃	1
125	Latur	Satisfactory	73	PM ₁₀	1
126	Lucknow	Satisfactory	52	PM ₁₀	6
127	Ludhiana	Satisfactory	75	PM ₁₀	1
128	Madikeri	Good	32	PM _{2.5}	1
129	Mahad	Good	36	PM ₁₀	1
130	Maihar	Good	32	CO	1
131	Mandi Gobindgarh	Poor	238	PM _{2.5}	1
132	Mandideep	Good	42	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Good	30	PM ₁₀	1
134	Manesar	Satisfactory	71	PM ₁₀	1
135	Mangalore	Satisfactory	52	PM ₁₀	1
136	Meerut	Satisfactory	67	PM _{2.5} , PM ₁₀	3
137	Moradabad	Satisfactory	81	PM _{2.5}	6
138	Mumbai	Satisfactory	53	O ₃ , CO	14
139	Munger	Satisfactory	76	PM ₁₀	1
140	Muzaffarnagar	Satisfactory	92	PM _{2.5}	1
141	Muzaffarpur	Satisfactory	79	PM _{2.5} , CO	3
142	Mysuru	Satisfactory	52	PM ₁₀	1
143	Nagaur	Satisfactory	69	PM ₁₀	1
144	Nagpur	Good	38	PM ₁₀	4

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udipi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nalbari	Good	22	PM _{2.5}	1
146	Narnaul	Satisfactory	94	SO ₂	1
147	Nashik	Good	44	PM ₁₀	3
148	Navi Mumbai	Good	44	O ₃ , CO	7
149	Nayagarh	Satisfactory	51	NO ₂	1
150	Noida	Satisfactory	95	PM ₁₀	4
151	Pali	Moderate	140	PM _{2.5}	1
152	Palkalaiperur	Satisfactory	66	SO ₂	1
153	Palwal	Satisfactory	66	O ₃	1
154	Panchkula	Satisfactory	71	PM _{2.5}	1
155	Panipat	Satisfactory	68	PM ₁₀	1
156	Parbhani	Satisfactory	62	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dehri, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patiala	Satisfactory	61	PM ₁₀	1
158	Patna	Satisfactory	91	O ₃ , CO	6
159	Pimpri Chinchwad	Good	43	PM ₁₀	3
160	Pithampur	Satisfactory	68	PM ₁₀	1
161	Pratapgarh	Good	47	PM ₁₀	1
162	Prayagraj	Moderate	105	O ₃ , PM ₁₀	3
163	Puducherry	Satisfactory	60	PM ₁₀	1
164	Pune	Satisfactory	93	NO ₂ , PM ₁₀	5
165	Purnia	Satisfactory	74	PM ₁₀	1
166	Raipur	Good	43	PM ₁₀	3
167	Rajamahendravaram	Good	38	PM ₁₀	1
168	Rajsamand	Satisfactory	60	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Good	47	PM ₁₀	1
170	Ramanathapuram	Satisfactory	55	PM ₁₀	1
171	Ratlam	Good	30	PM ₁₀	1
172	Rishikesh	Good	42	O ₃	1
173	Rohtak	Good	44	PM _{2.5}	1
174	Rourkela	Satisfactory	76	PM ₁₀	1
175	Sagar	Good	30	CO	1
176	Samastipur	Moderate	144	PM ₁₀	1
177	Sangli	Good	29	PM ₁₀	1
178	Sasaram	Good	35	PM ₁₀	1
179	Satna	Satisfactory	91	PM ₁₀	1
180	Sawai Madhopur	Satisfactory	58	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dehri, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shillong	Good	20	PM _{2.5}	2
182	Shivamogga	Good	50	PM ₁₀	1
183	Sikar	Good	48	O ₃	1
184	Silchar	Good	32	CO	1
185	Siliguri	Good	44	PM ₁₀	1
186	Singrauli	Moderate	191	NO ₂	1
187	Sirohi	Good	38	PM ₁₀	1
188	Sivasagar	Good	13	PM ₁₀	1
189	Siwan	Satisfactory	53	PM ₁₀	1
190	Solapur	Satisfactory	55	PM ₁₀	3
191	Sri Ganganagar	Moderate	144	PM ₁₀	1
192	Srinagar	Satisfactory	80	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Suakati	Good	48	PM ₁₀	1
194	Tensa	Satisfactory	53	PM ₁₀	1
195	Thane	Good	47	PM ₁₀ , CO	3
196	Thiruvananthapuram	Good	36	CO	2
197	Thoothukudi	Satisfactory	76	PM ₁₀	1
198	Thrissur	Satisfactory	53	PM ₁₀	1
199	Tirupati	Satisfactory	98	CO	2
200	Tonk	Satisfactory	90	PM ₁₀	1
201	Tumakuru	Good	37	CO	1
202	Udaipur	Good	47	PM ₁₀	1
203	Ujjain	Satisfactory	69	CO	1
204	Ulhasnagar	Satisfactory	52	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhojpur, Bhopal, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dehri, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonapat, Surat, Talcher, Tirupur, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vapi	Satisfactory	79	CO	1
206	Varanasi	Good	36	O ₃ , SO ₂	4
207	Vatva	Satisfactory	67	PM ₁₀	1
208	Vijayapura	Good	46	PM ₁₀	1
209	Vijayawada	Good	43	O ₃	1
210	Visakhapatnam	Satisfactory	77	PM ₁₀	1
211	Vrindavan	Moderate	162	PM ₁₀	1
212	Yadgir	Good	28	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria, Aurangabad (Bihar), Ballabgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Boisar, Brajarajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nanded, Nandesari, Ooty, Raichur, Rairangpur, Rajgir, Rupnagar, Saharsa, Salem, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udipi, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases