

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	67	PM ₁₀	1
2	Agra	Moderate	112	PM _{2.5}	6
3	Ahmedabad	Moderate	108	PM _{2.5} , PM ₁₀	9
4	Ajmer	Moderate	118	PM ₁₀	1
5	Akola	Moderate	122	PM ₁₀	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Satisfactory	54	O ₃	1
8	Ambala	Satisfactory	97	СО	1
9	Amravati	Satisfactory	96	PM ₁₀	2
10	Amritsar	Satisfactory	75	PM _{2.5}	1
11	Ankleshwar	Moderate	112	PM ₁₀	1
12	Araria	Good	28	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan, Hosur, Jalore, Jorapokhar, Kanchipuram, Katihar, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Pali, Palkalaiperur, Purnia, Saharsa, Salem, Sasaram, Silchar, Singrauli, Srinagar, Tensa, Thrissur, Tirupur, Tonk, Virar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	34	PM ₁₀	1
14	Arrah	Satisfactory	78	со	1
15	Asansol	Good	47	03	1
16	Aurangabad (Maharashtra)	Moderate	114	PM ₁₀	3
17	Baddi	Moderate	114	PM ₁₀	1
18	Badlapur	Moderate	128	PM ₁₀	1
19	Bagalkot	Good	48	03	1
20	Baghpat	Moderate	146	PM ₁₀	1
21	Bahadurgarh	Moderate	195	PM ₁₀	1
22	Ballabgarh	Moderate	115	PM ₁₀	1
23	Banswara	Moderate	139	PM _{2.5}	1
24	Baran	Poor	202	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, di, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	76	PM ₁₀	2
26	Baripada	Good	50	PM ₁₀	1
27	Barmer	Moderate	103	PM ₁₀	1
28	Bathinda	Moderate	129	PM ₁₀	1
29	Belapur	Satisfactory	92	PM ₁₀	1
30	Belgaum	Satisfactory	56	PM ₁₀	1
31	Bengaluru	Satisfactory	94	PM ₁₀	10
32	Bhagalpur	Good	42	CO, SO ₂	2
33	Bharatpur	Moderate	192	PM ₁₀	1
34	Bhilai	Good	22	PM ₁₀	3
35	Bhilwara	Moderate	112	PM ₁₀	1
36	Bhiwadi	Moderate	173	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease			

Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Moderate	118	PM ₁₀	1
38	Bhiwani	Moderate	110	PM ₁₀	1
39	Bhopal	Moderate	118	PM ₁₀	3
40	Bidar	Satisfactory	78	PM _{2.5}	1
41	Bihar Sharif	Good	31	03	1
42	Bikaner	Moderate	172	PM ₁₀	1
43	Bilaspur	Good	30	PM ₁₀	1
44	Bileipada	Good	48	PM ₁₀	1
45	Bulandshahr	Moderate	184	PM ₁₀	1
46	Chamarajanagar	Good	41	PM ₁₀	1
47	Chandigarh	Moderate	112	O ₃ , PM ₁₀	3
48	Chandrapur	Satisfactory	61	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	78	PM ₁₀	1
50	Chennai	Satisfactory	56	PM ₁₀	4
51	Chhapra	Satisfactory	74	со	1
52	Chikkaballapur	Satisfactory	69	PM ₁₀	1
53	Chikkamagaluru	Satisfactory	56	PM ₁₀	1
54	Chittoor	Satisfactory	66	03	1
55	Chittorgarh	Very Poor	339	PM ₁₀	1
56	Churu	Satisfactory	90	03	1
57	Cuddalore	Good	32	PM _{2.5}	1
58	Damoh	Good	22	со	1
59	Dausa	Moderate	170	PM ₁₀	1
60	Davanagere	Satisfactory	65	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan, Hosur, Jalore, Jorapokhar, Kanchipuram, Katihar, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Pali, Palkalaiperur, Purnia, Saharsa, Salem, Sasaram, Silchar, Singrauli, Srinagar, Tensa, Thrissur, Tirupur, Tonk, Virar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	155	PM ₁₀ , PM _{2.5}	37
62	Dewas	Moderate	127	PM _{2.5}	1
63	Dhanbad	Satisfactory	80	PM _{2.5}	1
64	Dharuhera	Moderate	182	PM ₁₀	1
65	Dharwad	Satisfactory	59	PM ₁₀	1
66	Dholpur	Poor	211	PM _{2.5}	1
67	Dhule	Satisfactory	92	PM _{2.5}	1
68	Durgapur	Satisfactory	57	PM ₁₀	1
69	Faridabad	Satisfactory	86	PM ₁₀ , PM _{2.5}	2
70	Fatehabad	Moderate	154	03	1
71	Firozabad	Moderate	123	PM ₁₀	2
72	Gadag	Good	36	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, di, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Moderate	152	PM _{2.5} , CO	2
74	Gangtok	Satisfactory	60	SO ₂	1
75	Gaya	Good	50	03	2
76	Ghaziabad	Moderate	169	PM ₁₀	4
77	Gorakhpur	Good	39	SO ₂	1
78	Greater Noida	Poor	250	03	2
79	Gummidipoondi	Satisfactory	89	PM ₁₀	1
80	Gurugram	Poor	240	PM _{2.5}	3
81	Gwalior	Moderate	164	O ₃ , PM ₁₀	3
82	Hajipur	Satisfactory	86	03	1
83	Haldia	Good	40	со	1
84	Hanumangarh	Moderate	156	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan, Hosur, Jalore, Jorapokhar, Kanchipuram, Katihar, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Pali, Palkalaiperur, Purnia, Saharsa, Salem, Sasaram, Silchar, Singrauli, Srinagar, Tensa, Thrissur, Tirupur, Tonk, Virar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haveri	Good	47	PM ₁₀	1
86	Hisar	Moderate	132	PM ₁₀	1
87	Howrah	Good	35	PM ₁₀	3
88	Hubballi	Satisfactory	60	PM ₁₀ , CO	2
89	Hyderabad	Satisfactory	83	PM ₁₀	11
90	Imphal	Satisfactory	72	SO ₂	1
91	Indore	Moderate	139	PM ₁₀	1
92	Jabalpur	Satisfactory	67	O ₃	3
93	Jaipur	Moderate	142	PM ₁₀ , O ₃	4
94	Jaisalmer	Moderate	148	PM ₁₀	1
95	Jalandhar	Satisfactory	67	PM _{2.5}	1
96	Jalgaon	Poor	202	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Oor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, di, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalna	Moderate	183	O ₃	1
98	Jhalawar	Moderate	126	PM ₁₀	1
99	Jhansi	Moderate	124	PM ₁₀	1
100	Jhunjhunu	Moderate	169	03	1
101	Jind	Moderate	101	PM ₁₀	1
102	Jodhpur	Moderate	148	PM _{2.5}	5
103	Kadapa	Satisfactory	61	PM _{2.5}	1
104	Kaithal	Moderate	115	PM _{2.5}	1
105	Kalaburgi	Satisfactory	61	PM ₁₀	1
106	Kalyan	Moderate	147	PM ₁₀	1
107	Kannur	Satisfactory	70	PM ₁₀	1
108	Kanpur	Moderate	116	O ₃	4

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Hosur, Ja

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	57	PM ₁₀	1
110	Karnal	Satisfactory	94	PM ₁₀	1
111	Kashipur	Moderate	110	PM ₁₀	1
112	Katni	Good	45	PM ₁₀	1
113	Keonjhar	Good	36	PM ₁₀	1
114	Khanna	Satisfactory	68	PM _{2.5}	1
115	Khurja	Satisfactory	66	PM ₁₀	1
116	Kishanganj	Good	40	PM ₁₀	1
117	Kochi	Good	47	со	1
118	Kohima	Satisfactory	55	SO ₂	1
119	Kolar	Satisfactory	78	PM ₁₀	1
120	Kolhapur	Satisfactory	78	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Good	31	SO ₂ , PM ₁₀	6
122	Kollam	Satisfactory	61	PM _{2.5}	1
123	Korba	Good	25	NO ₂	2
124	Kota	Moderate	134	PM _{2.5}	3
125	Kunjemura	Good	24	СО	1
126	Kurukshetra	Moderate	125	PM ₁₀	1
127	Latur	Satisfactory	77	PM ₁₀	1
128	Lucknow	Good	44	CO, PM ₁₀	6
129	Ludhiana	Satisfactory	88	PM ₁₀	1
130	Madikeri	Satisfactory	62	O ₃	1
131	Mahad	Satisfactory	66	PM ₁₀	1
132	Maihar	Good	40	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandideep	Moderate	181	PM ₁₀	1
134	Mandikhera	Good	40	PM ₁₀	1
135	Manesar	Moderate	167	PM _{2.5}	1
136	Mangalore	Moderate	135	PM ₁₀	1
137	Meerut	Moderate	158	PM _{2.5} , PM ₁₀	3
138	Milupara	Good	19	СО	1
139	Moradabad	Moderate	124	PM _{2.5} , PM ₁₀	6
140	Mumbai	Moderate	116	PM _{2.5} , PM ₁₀	20
141	Munger	Good	29	PM ₁₀	1
142	Muzaffarpur	Satisfactory	67	CO, O ₃	3
143	Mysuru	Satisfactory	65	O ₃	1
144	Nagaur	Moderate	147	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan, Hosur, Jalore, Jorapokhar, Kanchipuram, Katihar, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Pali, Palkalaiperur, Purnia, Saharsa, Salem, Sasaram, Silchar, Singrauli, Srinagar, Tensa, Thrissur, Tirupur, Tonk, Virar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Satisfactory	55	PM ₁₀	4
146	Nalbari	Satisfactory	60	СО	1
147	Nanded	Moderate	172	03	1
148	Narnaul	Moderate	194	PM ₁₀	1
149	Nashik	Satisfactory	80	PM ₁₀	3
150	Navi Mumbai	Moderate	131	PM _{2.5} , O ₃	7
151	Nayagarh	Good	32	PM ₁₀	1
152	Noida	Moderate	159	PM ₁₀	3
153	Ooty	Satisfactory	64	PM ₁₀	1
154	Palwal	Good	40	PM ₁₀	1
155	Panchkula	Moderate	121	PM _{2.5}	1
156	Panipat	Satisfactory	79	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan, Hosur, Jalore, Jorapokhar, Kanchipuram, Katihar, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Pali, Palkalaiperur, Purnia, Saharsa, Salem, Sasaram, Silchar, Singrauli, Srinagar, Tensa, Thrissur, Tirupur, Tonk, Virar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Parbhani	Moderate	158	03	1
158	Patiala	Moderate	108	PM ₁₀	1
159	Patna	Satisfactory	57	PM ₁₀ , CO	6
160	Pimpri Chinchwad	Satisfactory	79	PM ₁₀	1
161	Pithampur	Moderate	126	PM ₁₀	1
162	Pratapgarh	Moderate	112	PM ₁₀	1
163	Prayagraj	Satisfactory	57	PM _{2.5} , PM ₁₀	3
164	Puducherry	Good	48	O ₃	1
165	Pune	Moderate	113	NO ₂ , PM ₁₀	6
166	Raichur	Satisfactory	79	PM ₁₀	1
167	Raipur	Good	49	PM ₁₀	3
168	Rairangpur	Good	35	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Ho

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajamahendravaram	Good	48	PM ₁₀	1
170	Rajgir	Good	43	PM _{2.5}	1
171	Rajsamand	Moderate	101	PM ₁₀	1
172	Ramanagara	Satisfactory	84	PM ₁₀	1
173	Ramanathapuram	Good	24	PM ₁₀	1
174	Ratlam	Moderate	110	PM ₁₀	1
175	Rishikesh	Good	48	PM ₁₀	1
176	Rohtak	Satisfactory	100	PM _{2.5}	1
177	Rourkela	Good	33	NO ₂	2
178	Rupnagar	Moderate	136	PM ₁₀	1
179	Sagar	Satisfactory	84	O ₃ , CO	2
180	Samastipur	Good	38	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, di, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan, Hosur, Jalore, Jorapokhar, Kanchipuram, Katihar, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Pali, Palkalaiperur, Purnia, Saharsa, Salem, Sasaram, Silchar, Singrauli, Srinagar, Tensa, Thrissur, Tirupur, Tonk, Virar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sangli	Satisfactory	67	PM ₁₀	1
182	Satna	Moderate	118	PM ₁₀	1
183	Sawai Madhopur	Satisfactory	76	PM ₁₀	1
184	Shillong	Good	22	SO ₂	2
185	Shivamogga	Satisfactory	57	PM ₁₀	1
186	Sikar	Moderate	105	O ₃	1
187	Siliguri	Good	36	PM ₁₀	1
188	Sirohi	Moderate	109	PM ₁₀	1
189	Sirsa	Moderate	114	PM ₁₀	1
190	Sivasagar	Good	21	PM ₁₀	1
191	Siwan	Moderate	125	со	1
192	Solapur	Satisfactory	76	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sonipat	Poor	229	PM _{2.5}	1
194	Sri Ganganagar	Moderate	182	PM ₁₀	1
195	Suakati	Good	41	со	1
196	Surat	Moderate	168	PM ₁₀	1
197	Talcher	Good	39	NO ₂	1
198	Thane	Moderate	128	PM ₁₀	1
199	Thiruvananthapuram	Good	34	PM ₁₀ , CO	2
200	Thoothukudi	Good	23	PM ₁₀	1
201	Tirupati	Good	50	PM ₁₀	2
202	Tumakuru	Good	19	PM ₁₀	1
203	Tumidih	Good	22	O ₃	1
204	Udaipur	Moderate	117	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, di, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Udupi	Good	47	O ₃	1
206	Ujjain	Moderate	155	PM ₁₀	1
207	Ulhasnagar	Moderate	122	PM ₁₀	1
208	Vapi	Moderate	106	со	1
209	Varanasi	Good	25	03	4
210	Vatva	Moderate	145	PM ₁₀	1
211	Vijayapura	Good	38	PM ₁₀	1
212	Vijayawada	Satisfactory	67	O ₃ , PM _{2.5}	2
213	Visakhapatnam	Moderate	125	PM ₁₀	1
214	Vrindavan	Satisfactory	74	PM ₁₀	1
215	Yadgir	Satisfactory	75	PM ₁₀	1
216	Yamunanagar	Moderate	157	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Guwahati, Hapur, Hassan, Hosur, Jalore, Jorapokhar, Kanchipuram, Katihar, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Pali, Palkalaiperur, Purnia, Saharsa, Salem, Sasaram, Silchar, Singrauli, Srinagar, Tensa, Thrissur, Tirupur, Tonk, Virar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.