

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	75	PM <sub>10</sub>	8
4	Ajmer	Satisfactory	79	PM <sub>10</sub>	1
5	Akola	Good	34	PM <sub>10</sub>	1
6	Alwar	Satisfactory	62	PM <sub>10</sub>	1
7	Amaravati	Good	31	O <sub>3</sub>	1
8	Ambala	Satisfactory	91	СО	1
9	Amravati	Good	49	PM <sub>10</sub>	2
10	Amritsar	Moderate	116	PM <sub>10</sub>	1
11	Ankleshwar	Good	43	PM <sub>10</sub>	1
12	Araria	Good	44	со	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	37	PM <sub>10</sub>	1
14	Arrah	Good	49	03	1
15	Asansol	Good	28	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Good	48	PM <sub>10</sub>	3
17	Baddi	Moderate	165	PM <sub>2.5</sub>	1
18	Badlapur	Satisfactory	65	PM <sub>10</sub>	1
19	Bagalkot	Good	42	PM <sub>10</sub>	1
20	Baghpat	Satisfactory	99	PM <sub>10</sub>	1
21	Bahadurgarh	Moderate	124	PM <sub>10</sub>	1
22	Banswara	Satisfactory	59	PM <sub>10</sub>	1
23	Baran	Satisfactory	70	PM <sub>10</sub>	1
24	Bareilly	Good	44	PM <sub>10</sub> , SO <sub>2</sub>	2

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspur, Be

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Good	29	PM <sub>10</sub>	1
26	Barmer	Satisfactory	66	PM <sub>10</sub>	1
27	Bathinda	Moderate	136	PM <sub>10</sub>	1
28	Begusarai	Moderate	151	со	1
29	Belapur	Good	37	PM <sub>10</sub>	1
30	Belgaum	Good	47	со	1
31	Bengaluru	Good	44	PM <sub>10</sub>	10
32	Bettiah	Satisfactory	96	PM <sub>10</sub>	1
33	Bhagalpur	Moderate	160	PM <sub>2.5</sub>	2
34	Bharatpur	Satisfactory	71	PM <sub>10</sub>	1
35	Bhilai	Satisfactory	65	со	1
36	Bhilwara	Satisfactory	96	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	101	PM <sub>10</sub>	1
38	Bhiwani	Satisfactory	67	СО	1
39	Bhopal	Moderate	110	PM <sub>10</sub> , CO	3
40	Bidar	Good	32	PM <sub>2.5</sub>	1
41	Bihar Sharif	Good	34	PM <sub>10</sub>	1
42	Bikaner	Moderate	107	PM <sub>10</sub>	1
43	Bileipada	Good	44	PM <sub>10</sub>	1
44	Brajrajnagar	Good	41	O <sub>3</sub>	1
45	Bulandshahr	Satisfactory	90	PM <sub>10</sub>	1
46	Bundi	Satisfactory	79	O <sub>3</sub>	1
47	Byrnihat	Moderate	180	PM <sub>10</sub>	1
48	Chamarajanagar	Good	44	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Moderate	115	PM <sub>2.5</sub>	3
50	Chandrapur	Satisfactory	53	PM <sub>10</sub>	1
51	Charkhi Dadri	Good	44	PM <sub>10</sub>	1
52	Chennai	Satisfactory	55	NO <sub>2</sub> , PM <sub>10</sub>	8
53	Chikkaballapur	Good	32	PM <sub>10</sub>	1
54	Chikkamagaluru	Good	40	O <sub>3</sub>	1
55	Chittoor	Good	45	O <sub>3</sub>	1
56	Chittorgarh	Moderate	139	PM <sub>2.5</sub>	1
57	Churu	Satisfactory	57	O <sub>3</sub>	1
58	Cuddalore	Good	18	PM <sub>2.5</sub>	1
59	Damoh	Good	28	PM <sub>10</sub>	1
60	Dausa	Satisfactory	84	со	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	16	O <sub>3</sub>	1
62	Delhi	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	34
63	Dewas	Good	41	PM <sub>10</sub>	1
64	Dharuhera	Satisfactory	87	PM <sub>10</sub>	1
65	Dharwad	Good	32	03	1
66	Dholpur	Moderate	148	PM <sub>2.5</sub>	1
67	Dhule	Good	43	PM <sub>2.5</sub>	1
68	Eloor	Good	47	PM <sub>10</sub>	1
69	Faridabad	Moderate	102	PM <sub>10</sub> , PM <sub>2.5</sub>	3
70	Fatehabad	Moderate	132	O <sub>3</sub>	1
71	Firozabad	Satisfactory	54	PM <sub>10</sub>	2
72	Gadag	Good	46	SO <sub>2</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	65	co	3
74	Gangtok	Satisfactory	61	SO <sub>2</sub>	1
75	Gaya	Satisfactory	54	со	3
76	Ghaziabad	Satisfactory	73	PM <sub>10</sub>	3
77	Gorakhpur	Good	50	PM <sub>2.5</sub>	1
78	Greater Noida	Moderate	132	PM <sub>10</sub>	2
79	Gummidipoondi	Satisfactory	93	PM <sub>10</sub>	1
80	Gurugram	Moderate	134	PM <sub>2.5</sub>	3
81	Guwahati	Satisfactory	52	PM <sub>10</sub>	2
82	Gwalior	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub>	3
83	Hajipur	Good	37	PM <sub>10</sub>	1
84	Hanumangarh	Moderate	133	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspur, Be

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Satisfactory	68	PM <sub>2.5</sub>	1
86	Hassan	Good	49	SO <sub>2</sub>	1
87	Haveri	Good	39	со	1
88	Hisar	Moderate	108	PM <sub>10</sub>	1
89	Howrah	Good	42	PM <sub>10</sub>	3
90	Hubballi	Satisfactory	58	PM <sub>10</sub>	1
91	Hyderabad	Satisfactory	56	PM <sub>10</sub> , CO	9
92	Indore	Satisfactory	64	PM <sub>10</sub>	1
93	Jabalpur	Satisfactory	60	PM <sub>10</sub>	3
94	Jaipur	Good	50	PM <sub>10</sub>	6
95	Jaisalmer	Satisfactory	70	PM <sub>10</sub>	1
96	Jalandhar	Satisfactory	67	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspur, B

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Moderate	101	PM <sub>10</sub>	1
98	Jalna	Good	39	PM <sub>10</sub>	1
99	Jhalawar	Satisfactory	55	PM <sub>10</sub>	1
100	Jhansi	Good	43	PM <sub>10</sub>	1
101	Jhunjhunu	Satisfactory	86	03	1
102	Jind	Satisfactory	69	со	1
103	Jodhpur	Satisfactory	52	PM <sub>10</sub>	4
104	Kadapa	Good	32	NO <sub>2</sub>	1
105	Kaithal	Moderate	102	PM <sub>2.5</sub>	1
106	Kalaburgi	Satisfactory	57	PM <sub>10</sub>	1
107	Kalyan	Satisfactory	67	со	1
108	Kannur	Satisfactory	70	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Satisfactory	57	PM <sub>2.5</sub> , PM <sub>10</sub>	4
110	Karauli	Good	37	03	1
111	Karnal	Satisfactory	73	PM <sub>10</sub>	1
112	Katihar	Satisfactory	81	со	1
113	Katni	Good	35	PM <sub>10</sub>	1
114	Keonjhar	Good	34	PM <sub>2.5</sub>	1
115	Khanna	Satisfactory	55	PM <sub>10</sub>	1
116	Khurja	Moderate	130	PM <sub>2.5</sub>	1
117	Kishanganj	Satisfactory	71	NO <sub>2</sub>	1
118	Kochi	Good	35	PM <sub>10</sub>	1
119	Kohima	Satisfactory	53	SO <sub>2</sub>	1
120	Kolhapur	Good	36	PM <sub>10</sub>	2

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspur, B

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Good	31	PM <sub>10</sub> , O <sub>3</sub>	7
122	Kollam	Satisfactory	56	PM <sub>10</sub>	1
123	Korba	Good	21	CO, NO <sub>2</sub>	2
124	Kota	Good	50	PM <sub>10</sub>	3
125	Kunjemura	Good	22	со	1
126	Kurukshetra	Satisfactory	90	PM <sub>2.5</sub>	1
127	Latur	Good	36	PM <sub>10</sub>	1
128	Lucknow	Satisfactory	61	PM <sub>10</sub> , CO	6
129	Ludhiana	Moderate	153	PM <sub>2.5</sub>	1
130	Madikeri	Good	33	PM <sub>2.5</sub>	1
131	Mahad	Satisfactory	69	PM <sub>10</sub>	1
132	Maihar	Good	34	со	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspur, B

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandi Gobindgarh	Satisfactory	76	PM <sub>10</sub>	1
134	Mandideep	Satisfactory	53	03	1
135	Mandikhera	Good	25	SO <sub>2</sub>	1
136	Manesar	Satisfactory	88	PM <sub>2.5</sub>	1
137	Mangalore	Good	45	PM <sub>10</sub>	1
138	Manguraha	Satisfactory	64	NO <sub>2</sub>	1
139	Meerut	Satisfactory	61	PM <sub>2.5</sub>	1
140	Milupara	Good	36	O <sub>3</sub>	1
141	Moradabad	Satisfactory	62	PM <sub>10</sub>	6
142	Motihari	Good	47	PM <sub>10</sub>	1
143	Mumbai	Satisfactory	65	PM <sub>2.5</sub> , CO	20
144	Munger	Satisfactory	98	PM <sub>2.5</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarnagar	Moderate	127	PM <sub>2.5</sub>	1
146	Muzaffarpur	Satisfactory	68	CO, NO <sub>2</sub>	3
147	Mysuru	Good	39	03	1
148	Nagaon	Satisfactory	58	PM <sub>10</sub>	1
149	Nagaur	Satisfactory	56	PM <sub>10</sub>	1
150	Nagpur	Good	32	PM <sub>10</sub>	4
151	Naharlagun	Good	41	PM <sub>10</sub>	1
152	Nanded	Good	40	PM <sub>10</sub>	1
153	Narnaul	Satisfactory	70	PM <sub>10</sub>	1
154	Nashik	Good	38	PM <sub>10</sub> , O <sub>3</sub>	2
155	Navi Mumbai	Satisfactory	57	PM <sub>10</sub>	6
156	Nayagarh	Good	33	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Noida	Satisfactory	98	PM <sub>2.5</sub>	4
158	Ooty	Good	21	PM <sub>10</sub>	1
159	Pali	Satisfactory	93	PM <sub>10</sub>	1
160	Palkalaiperur	Good	25	SO <sub>2</sub>	1
161	Palwal	Satisfactory	52	PM <sub>2.5</sub>	1
162	Panchkula	Moderate	149	PM <sub>2.5</sub>	1
163	Panipat	Satisfactory	71	PM <sub>10</sub>	1
164	Parbhani	Good	45	PM <sub>10</sub>	1
165	Patiala	Satisfactory	75	PM <sub>10</sub>	1
166	Patna	Satisfactory	96	PM <sub>2.5</sub>	4
167	Pimpri Chinchwad	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	3
168	Pithampur	Satisfactory	62	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pratapgarh	Good	50	O <sub>3</sub>	1
170	Prayagraj	Satisfactory	67	PM <sub>10</sub>	3
171	Puducherry	Good	43	PM <sub>10</sub>	1
172	Pune	Satisfactory	79	NO <sub>2</sub> , PM <sub>10</sub>	7
173	Purnia	Satisfactory	57	со	1
174	Raichur	Satisfactory	54	SO <sub>2</sub>	1
175	Raipur	Good	20	O <sub>3</sub>	2
176	Rairangpur	Good	32	PM <sub>10</sub>	1
177	Rajamahendravaram	Good	43	03	1
178	Rajgir	Good	38	PM <sub>10</sub>	1
179	Rajsamand	Satisfactory	64	со	1
180	Ramanagara	Good	28	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Ratlam	Good	40	PM <sub>10</sub>	1
182	Rishikesh	Satisfactory	53	PM <sub>10</sub>	1
183	Rohtak	Satisfactory	56	PM <sub>2.5</sub>	1
184	Rourkela	Good	34	PM <sub>10</sub> , NO <sub>2</sub>	3
185	Rupnagar	Moderate	170	PM <sub>10</sub>	1
186	Sagar	Good	46	со	2
187	Saharsa	Good	42	SO <sub>2</sub>	1
188	Samastipur	Good	46	PM <sub>10</sub>	1
189	Sangli	Good	30	PM <sub>10</sub>	1
190	Satna	Satisfactory	91	PM <sub>10</sub>	1
191	Sawai Madhopur	Satisfactory	54	со	1
192	Shillong	Good	31	PM <sub>10</sub> , SO <sub>2</sub>	2

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Shivamogga	Satisfactory	62	PM <sub>10</sub>	1
194	Sikar	Satisfactory	62	03	1
195	Silchar	Good	22	со	1
196	Siliguri	Good	39	03	1
197	Singrauli	Satisfactory	62	SO <sub>2</sub>	1
198	Sirohi	Good	42	PM <sub>10</sub>	1
199	Sirsa	Satisfactory	100	PM <sub>10</sub>	1
200	Sivasagar	Good	20	PM <sub>10</sub>	1
201	Siwan	Satisfactory	85	PM <sub>10</sub>	1
202	Solapur	Satisfactory	55	PM <sub>10</sub>	3
203	Sonipat	Moderate	189	PM <sub>2.5</sub>	1
204	Sri Ganganagar	Moderate	160	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Talcher	Good	38	SO <sub>2</sub>	1
206	Tensa	Good	33	NO <sub>2</sub>	1
207	Thane	Satisfactory	53	PM <sub>10</sub>	2
208	Thiruvananthapuram	Good	28	PM <sub>10</sub> , CO	2
209	Thoothukudi	Good	40	PM <sub>10</sub>	1
210	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
211	Tirupati	Good	41	PM <sub>2.5</sub> , NO <sub>2</sub>	2
212	Tirupur	Good	28	PM <sub>10</sub>	1
213	Tonk	Good	50	O <sub>3</sub>	1
214	Tumakuru	Good	48	со	1
215	Tumidih	Good	48	PM <sub>10</sub>	1
216	Udaipur	Satisfactory	83	PM <sub>10</sub>	1

Notes:

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### <del>tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspu</del>

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Ujjain	Satisfactory	62	СО	1
218	Ulhasnagar	Satisfactory	57	NO <sub>2</sub>	1
219	Vapi	Moderate	104	со	1
220	Varanasi	Good	27	PM <sub>10</sub> , O <sub>3</sub>	4
221	Vatva	Satisfactory	86	PM <sub>10</sub>	1
222	Vijayapura	Satisfactory	53	PM <sub>10</sub>	1
223	Vijayawada	Good	43	NO <sub>2</sub> , O <sub>3</sub>	3
224	Visakhapatnam	Moderate	111	PM <sub>10</sub>	1
225	Vrindavan	Good	40	PM <sub>10</sub>	1
226	Yadgir	Good	29	со	1
227	Yamunanagar	Moderate	106	PM <sub>2.5</sub>	1

Notes:

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bilaspur, Bei

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.