

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	258	PM _{2.5}	1
2	Agra	Very Poor	321	PM _{2.5}	1
3	Ahmedabad	Moderate	129	PM ₁₀	1
4	Aizawl	Moderate	110	PM ₁₀	1
5	Ajmer	Moderate	142	PM ₁₀	1
6	Alwar	Moderate	135	PM ₁₀	1
7	Amaravati	Satisfactory	53	PM ₁₀	1
8	Amritsar	Moderate	124	PM ₁₀	1
9	Ankleshwar	Poor	212	03	1
10	Asansol	Poor	228	PM ₁₀	1
11	Aurangabad	Moderate	104	PM ₁₀	1
12	Bagalkot	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh,
 Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya
 Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	334	PM ₁₀	1
14	Ballabgarh	Poor	256	PM _{2.5}	1
15	Bathinda	Moderate	178	PM _{2.5}	1
16	Bengaluru	Satisfactory	92	PM _{2.5} , PM ₁₀	9
17	Bhiwadi	Very Poor	376	PM ₁₀	1
18	Bhiwani	Moderate	182	PM ₁₀	1
19	Bhopal	Moderate	187	O ₃	1
20	Bidar	Moderate	114	PM _{2.5}	1
21	Brajrajnagar	Satisfactory	64	PM ₁₀	1
22	Chandigarh	Moderate	197	PM ₁₀	1
23	Chandrapur	Moderate	164	PM _{2.5}	2
24	Charkhi Dadri	Moderate	200	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh,
 Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya
 Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	61	PM _{2.5} , PM ₁₀	7
26	Chikkaballapur	Satisfactory	100	PM ₁₀	1
27	Chikkamagaluru	Satisfactory	88	PM _{2.5}	1
28	Damoh	Satisfactory	96	PM ₁₀	1
29	Davanagere	Good	28	NO ₂	1
30	Delhi	Very Poor	315	PM ₁₀ , PM _{2.5}	25
31	Dewas	Moderate	105	PM ₁₀	1
32	Dharuhera	Very Poor	346	PM ₁₀	1
33	Eloor	Satisfactory	71	03	1
34	Faridabad	Very Poor	340	PM ₁₀ , PM _{2.5}	4
35	Fatehabad	Very Poor	318	PM ₁₀	1
36	Gandhinagar	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Very Poor	373	PM ₁₀	4
38	Greater Noida	Very Poor	389	PM ₁₀	1
39	Gummidipoondi	Moderate	121	PM ₁₀	1
40	Gurugram	Very Poor	307	PM ₁₀ , PM _{2.5}	3
41	Guwahati	Poor	286	PM _{2.5}	2
42	Gwalior	Moderate	196	PM ₁₀	2
43	Hajipur	Very Poor	306	PM ₁₀	1
44	Haldia	Moderate	108	PM ₁₀	1
45	Hapur	Poor	217	PM ₁₀	1
46	Hisar	Very Poor	309	PM _{2.5}	1
47	Howrah	Moderate	176	PM _{2.5} , PM ₁₀	2
48	Hubballi	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh,
 Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya
 Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	113	PM ₁₀ , PM _{2.5}	6
50	Indore	Moderate	138	PM ₁₀	1
51	Jabalpur	Moderate	189	PM ₁₀	1
52	Jaipur	Poor	222	PM _{2.5}	3
53	Jalandhar	Moderate	147	PM ₁₀	1
54	Jind	Poor	220	PM _{2.5}	1
55	Jodhpur	Moderate	174	PM _{2.5}	1
56	Kaithal	Moderate	183	PM ₁₀	1
57	Kalaburgi	Moderate	113	PM ₁₀	1
58	Kalyan	Poor	236	PM _{2.5}	1
59	Kannur	Moderate	119	PM ₁₀	1
60	Kanpur	Poor	250	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh,
 Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya
 Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Poor	254	PM ₁₀	1
62	Katni	Moderate	171	PM ₁₀	1
63	Khanna	Moderate	157	PM ₁₀	1
64	Kochi	Moderate	108	PM _{2.5}	1
65	Kolar	Satisfactory	86	03	1
66	Kolkata	Moderate	151	PM _{2.5} , PM ₁₀	7
67	Kollam	Moderate	148	PM _{2.5}	1
68	Koppal	Satisfactory	99	PM ₁₀	1
69	Kota	Poor	207	PM _{2.5}	1
70	Kozhikode	Satisfactory	74	PM ₁₀	1
71	Kurukshetra	Poor	219	PM _{2.5}	1
72	Lucknow	Very Poor	334	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh,
 Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya
 Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	134	PM _{2.5}	1
74	Mandi Gobindgarh	Poor	217	PM _{2.5}	1
75	Mandideep	Satisfactory	55	O ₃	1
76	Mandikhera	Very Poor	328	PM _{2.5}	1
77	Manesar	Very Poor	335	PM _{2.5}	1
78	Manglore	Moderate	106	PM ₁₀	1
79	Medikeri	Satisfactory	68	PM ₁₀	1
80	Meerut	Very Poor	355	PM ₁₀	2
81	Moradabad	Very Poor	343	PM ₁₀	1
82	Mumbai	Moderate	154	PM _{2.5} , O ₃ , PM ₁₀	19
83	Muzaffarnagar	Very Poor	321	PM ₁₀	1
84	Muzaffarpur	Poor	275	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	78	PM ₁₀	1
86	Nandesari	Satisfactory	51	PM _{2.5}	1
87	Narnaul	Very Poor	324	PM ₁₀	1
88	Nashik	Moderate	123	PM _{2.5}	1
89	Navi Mumbai	Poor	230	PM ₁₀ , PM _{2.5}	2
90	Noida	Very Poor	336	PM ₁₀	2
91	Pali	Moderate	137	PM ₁₀	1
92	Palwal	Moderate	174	PM ₁₀	1
93	Panchkula	Poor	233	PM _{2.5}	1
94	Panipat	Poor	294	PM ₁₀	1
95	Patiala	Moderate	171	PM ₁₀	1
96	Patna	Very Poor	331	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	158	03	1
98	Puducherry	Satisfactory	59	PM ₁₀	1
99	Pune	Moderate	125	PM _{2.5} , PM ₁₀	6
100	Raichur	Moderate	134	PM _{2.5}	1
101	Rajamahendravaram	Moderate	111	PM ₁₀	1
102	Ratlam	Moderate	165	PM ₁₀	1
103	Rohtak	Poor	291	PM _{2.5}	1
104	Rupnagar	Moderate	127	PM ₁₀	1
105	Sagar	Satisfactory	95	PM _{2.5}	1
106	Satna	Satisfactory	88	PM ₁₀	1
107	Shillong	Good	43	03	1
108	Shivamogga	Satisfactory	66	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Very Poor	312	PM _{2.5}	1
110	Singrauli	Very Poor	317	PM _{2.5}	1
111	Sirsa	Poor	204	PM _{2.5}	1
112	Sonipat	Very Poor	309	PM ₁₀	1
113	Talcher	Satisfactory	93	со	1
114	Thane	Poor	266	03	1
115	Thiruvananthapuram	Satisfactory	75	PM ₁₀	1
116	Thoothukudi	Satisfactory	62	PM ₁₀	1
117	Thrissur	Satisfactory	98	03	1
118	Tirupati	Satisfactory	93	PM _{2.5}	1
119	Udaipur	Moderate	149	PM ₁₀	1
120	Udupi	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Poor	215	O ₃	1
122	Vapi	Moderate	131	PM ₁₀	1
123	Varanasi	Poor	258	PM ₁₀	1
124	Vatva	Poor	223	PM _{2.5}	1
125	Vijayapura	Satisfactory	83	PM _{2.5}	1
126	Visakhapatnam	Satisfactory	98	PM ₁₀	1
127	Yadgir	Moderate	111	O ₃	1
128	Yamunanagar	Poor	297	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh,
 Bulandshahr, Chamarajanagar, Coimbatore, Durgapur, Ernakulam, Gadag, Gaya
 Jorapokhar, Kohima, Maihar, Nagpur, Ramanagara, Solapur, Srinagar as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.