

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	35	PM <sub>10</sub>	1
2	Agra	Satisfactory	52	PM <sub>10</sub> , NO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	77	CO, PM <sub>10</sub>	5
4	Ajmer	Satisfactory	86	PM <sub>2.5</sub>	1
5	Akola	Good	37	PM <sub>10</sub>	1
6	Alwar	Moderate	108	PM <sub>10</sub>	1
7	Amaravati	Good	33	со	1
8	Ambala	Satisfactory	97	со	1
9	Amravati	Good	30	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	65	PM <sub>2.5</sub>	1
11	Anantapur	Good	40	PM <sub>10</sub>	1
12	Ankleshwar	Moderate	110	O <sub>3</sub>	1

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	35	PM <sub>10</sub>	1
14	Arrah	Satisfactory	78	PM <sub>10</sub>	1
15	Aurangabad (Bihar)	Moderate	113	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Good	39	СО	3
17	Baddi	Satisfactory	79	PM <sub>10</sub>	1
18	Badlapur	Good	36	PM <sub>10</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Baghpat	Satisfactory	75	O <sub>3</sub>	1
21	Bahadurgarh	Good	50	PM <sub>10</sub>	1
22	Banswara	Satisfactory	57	O <sub>3</sub>	1
23	Baran	Satisfactory	66	O <sub>3</sub>	1
24	Bareilly	Good	35	PM <sub>2.5</sub> , SO <sub>2</sub>	2

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Imphal, Jalna, Jind, Jorapokhar, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Salem, Samastipur, Sirsa, Sonipat, Tensa, Tirupur, Tonk, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

Asansol, Ballabgarh, Bidar, Bilaspur, Boisar, Brajrajnagar, E

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	60	O <sub>3</sub>	1
26	Barmer	Moderate	104	O <sub>3</sub>	1
27	Bathinda	Good	50	со	1
28	Begusarai	Satisfactory	74	PM <sub>10</sub>	1
29	Belapur	Good	33	со	1
30	Belgaum	Good	46	со	1
31	Bengaluru	Good	39	PM <sub>10</sub>	10
32	Bettiah	Moderate	110	PM <sub>10</sub>	1
33	Bhagalpur	Satisfactory	62	СО	2
34	Bharatpur	Satisfactory	64	O <sub>3</sub>	1
35	Bhilai	Good	22	NO <sub>2</sub>	2
36	Bhilwara	Satisfactory	77	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	66	PM <sub>10</sub>	1
38	Bhiwandi	Satisfactory	97	PM <sub>10</sub>	1
39	Bhiwani	Satisfactory	59	со	1
40	Bhopal	Good	44	PM <sub>10</sub>	3
41	Bihar Sharif	Good	22	PM <sub>10</sub>	1
42	Bikaner	Satisfactory	62	PM <sub>10</sub>	1
43	Bileipada	Good	48	PM <sub>10</sub>	1
44	Bulandshahr	Good	37	PM <sub>10</sub>	1
45	Bundi	Moderate	124	PM <sub>10</sub>	1
46	Byrnihat	Poor	213	PM <sub>2.5</sub>	1
47	Chamarajanagar	Good	46	PM <sub>10</sub>	1
48	Chandigarh	Satisfactory	57	PM <sub>10</sub>	3

## Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Asansol, Ballabgarh, Bidar, Bilaspur, Boisar, Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Imphal, Jalna, Jind, Jorapokhar, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Salem, Samastipur, Sirsa, Sonipat, Tensa, Tirupur, Tonk, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Satisfactory	61	PM <sub>10</sub>	1
50	Charkhi Dadri	Satisfactory	71	PM <sub>10</sub>	1
51	Chennai	Satisfactory	82	NO <sub>2</sub> , O <sub>3</sub>	7
52	Chhal	Good	29	со	1
53	Chhapra	Moderate	101	со	1
54	Chikkaballapur	Good	32	03	1
55	Chittoor	Good	41	O <sub>3</sub>	1
56	Chittorgarh	Satisfactory	56	03	1
57	Churu	Satisfactory	75	03	1
58	Cuddalore	Moderate	124	NO <sub>2</sub>	2
59	Damoh	Good	20	со	1
60	Dausa	Satisfactory	66	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	16	O <sub>3</sub>	1
62	Dehradun	Satisfactory	99	03	1
63	Delhi	Satisfactory	77	O <sub>3</sub> , PM <sub>10</sub>	35
64	Dewas	Satisfactory	61	PM <sub>10</sub>	1
65	Dhanbad	Moderate	187	со	1
66	Dharuhera	Satisfactory	81	PM <sub>10</sub>	1
67	Dhule	Good	37	O <sub>3</sub>	1
68	Durgapur	Good	43	PM <sub>10</sub>	1
69	Faridabad	Moderate	135	PM <sub>10</sub>	3
70	Fatehabad	Moderate	192	O <sub>3</sub>	1
71	Firozabad	Satisfactory	99	O <sub>3</sub>	2
72	Gadag	Good	46	SO <sub>2</sub>	1

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	52	PM <sub>10</sub>	2
74	Gangtok	Satisfactory	52	SO <sub>2</sub>	1
75	Gaya	Good	50	03	3
76	Ghaziabad	Satisfactory	58	PM <sub>2.5</sub> , PM <sub>10</sub>	4
77	Gorakhpur	Satisfactory	54	PM <sub>2.5</sub>	1
78	Greater Noida	Satisfactory	75	03	2
79	Gurugram	Satisfactory	78	CO, PM <sub>2.5</sub>	4
80	Guwahati	Good	36	SO <sub>2</sub> , PM <sub>2.5</sub>	4
81	Gwalior	Good	44	со	2
82	Hajipur	Good	43	PM <sub>10</sub>	1
83	Haldia	Good	44	O <sub>3</sub>	1
84	Hanumangarh	Satisfactory	98	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Good	44	PM <sub>10</sub>	1
86	Haveri	Good	38	со	1
87	Hisar	Satisfactory	71	03	1
88	Hosur	Good	30	PM <sub>10</sub>	1
89	Howrah	Good	45	NO <sub>2</sub>	2
90	Hubballi	Good	49	PM <sub>10</sub>	2
91	Hyderabad	Good	50	PM <sub>10</sub> , NO <sub>2</sub>	12
92	Indore	Satisfactory	71	СО	1
93	Jabalpur	Satisfactory	55	O <sub>3</sub>	3
94	Jaipur	Satisfactory	56	O <sub>3</sub> , PM <sub>10</sub>	6
95	Jaisalmer	Satisfactory	65	PM <sub>10</sub>	1
96	Jalandhar	Satisfactory	60	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Notes:

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	70	PM <sub>10</sub>	1
98	Jhalawar	Satisfactory	55	O <sub>3</sub>	1
99	Jhansi	Satisfactory	57	PM <sub>10</sub>	1
100	Jhunjhunu	Moderate	157	03	1
101	Jodhpur	Satisfactory	68	03	4
102	Kadapa	Good	29	PM <sub>2.5</sub>	1
103	Kaithal	Satisfactory	55	PM <sub>2.5</sub>	1
104	Kalaburgi	Good	46	PM <sub>10</sub>	1
105	Kanchipuram	Good	21	PM <sub>10</sub>	1
106	Kanpur	Satisfactory	76	со	3
107	Karauli	Satisfactory	67	PM <sub>10</sub>	1
108	Karnal	Good	32	PM <sub>10</sub>	1

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Good	30	PM <sub>10</sub>	1
110	Katihar	Satisfactory	56	PM <sub>10</sub>	1
111	Katni	Satisfactory	59	PM <sub>10</sub>	1
112	Keonjhar	Good	33	PM <sub>10</sub>	1
113	Khanna	Satisfactory	84	PM <sub>10</sub>	1
114	Khurja	Satisfactory	94	PM <sub>2.5</sub>	1
115	Kishanganj	Good	46	СО	1
116	Kochi	Satisfactory	73	СО	1
117	Kohima	Good	44	SO <sub>2</sub>	1
118	Kolhapur	Good	30	O <sub>3</sub> , PM <sub>10</sub>	2
119	Kolkata	Satisfactory	51	O <sub>3</sub> , PM <sub>10</sub>	7
120	Kollam	Satisfactory	60	PM <sub>10</sub>	1

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Araria, Asansol, Ballabgarh, Bidar, Bilaspur, Boisar, Brajrajnagar, E

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Good	21	SO <sub>2</sub>	1
122	Korba	Good	34	NO <sub>2</sub> , PM <sub>10</sub>	2
123	Kota	Satisfactory	68	PM <sub>10</sub> , PM <sub>2.5</sub>	3
124	Kurukshetra	Good	40	03	1
125	Latur	Good	33	PM <sub>10</sub>	1
126	Lucknow	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	6
127	Ludhiana	Satisfactory	73	PM <sub>10</sub>	1
128	Madikeri	Good	28	SO <sub>2</sub>	1
129	Mahad	Good	22	PM <sub>2.5</sub>	1
130	Maihar	Good	26	PM <sub>10</sub>	1
131	Mandi Gobindgarh	Satisfactory	64	PM <sub>2.5</sub>	1
132	Mandikhera	Satisfactory	59	PM <sub>10</sub>	1

#### Araria, Asansol, Ballabgarh, Bidar, Bilaspur, Boisar, Brajrajnagar,

#### Notes:

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Imphal, Jalna, Jind, Jorapokhar, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Salem, Samastipur, Sirsa, Sonipat, Tensa, Tirupur, Tonk, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Satisfactory	60	PM <sub>10</sub>	1
134	Mangalore	Satisfactory	70	PM <sub>10</sub>	1
135	Manguraha	Moderate	153	03	1
136	Meerut	Good	29	со	3
137	Moradabad	Satisfactory	67	SO <sub>2</sub>	5
138	Motihari	Good	44	СО	1
139	Mumbai	Satisfactory	54	CO, PM <sub>10</sub>	20
140	Munger	Moderate	119	PM <sub>10</sub>	1
141	Muzaffarpur	Satisfactory	98	СО	3
142	Mysuru	Good	42	PM <sub>10</sub>	1
143	Nagaon	Good	44	PM <sub>10</sub>	1
144	Nagaur	Satisfactory	96	O <sub>3</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Good	32	PM <sub>10</sub> , O <sub>3</sub>	4
146	Naharlagun	Good	38	PM <sub>2.5</sub>	1
147	Nalbari	Good	22	NO <sub>2</sub>	1
148	Nanded	Satisfactory	62	03	1
149	Nashik	Good	36	03	3
150	Navi Mumbai	Satisfactory	82	со	3
151	Nayagarh	Good	31	NO <sub>2</sub>	1
152	Noida	Satisfactory	78	СО	4
153	Ooty	Satisfactory	51	SO <sub>2</sub>	1
154	Pali	Moderate	115	PM <sub>10</sub>	1
155	Palkalaiperur	Satisfactory	65	SO <sub>2</sub>	1
156	Palwal	Good	27	PM <sub>10</sub>	1

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Araria, Asansel, Ballabgarh, Bidar, Bilaspur, Beisar, Brajrajnagar, Buxar,
Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dholpur,
Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Imphal, Jalna, Jind,

Jorapokhar, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Salem, Samastipur, Sirsa, Sonipat, Tensa, Tirupur, Tonk, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	54	СО	1
158	Panipat	Good	45	PM <sub>2.5</sub>	1
159	Parbhani	Good	36	PM <sub>10</sub>	1
160	Patiala	Good	41	03	1
161	Patna	Satisfactory	71	PM <sub>2.5</sub> , NO <sub>2</sub>	6
162	Pimpri Chinchwad	Good	42	NO <sub>2</sub> , PM <sub>10</sub>	2
163	Pithampur	Satisfactory	54	PM <sub>10</sub>	1
164	Pratapgarh	Satisfactory	62	O <sub>3</sub>	1
165	Prayagraj	Satisfactory	99	PM <sub>2.5</sub> , PM <sub>10</sub>	3
166	Puducherry	Satisfactory	69	PM <sub>10</sub>	1
167	Pune	Satisfactory	89	NO <sub>2</sub> , CO	4
168	Purnia	Satisfactory	66	СО	1

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

 $^{\star}$  AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Araria, Asansel, Ballabgarh, Bidar, Bilaspur, Beisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Imphal, Jalna, Jind, Jorapokhar, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon,

Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Salem, Samastipur, Sirsa, Sonipat, Tensa, Tirupur, Tonk, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raichur	Moderate	101	03	1
170	Raipur	Good	44	NO <sub>2</sub>	3
171	Rairangpur	Good	39	PM <sub>10</sub>	1
172	Rajamahendravaram	Good	22	PM <sub>10</sub>	1
173	Rajgir	Good	42	PM <sub>10</sub>	1
174	Rajsamand	Satisfactory	91	со	1
175	Ramanagara	Good	33	O <sub>3</sub>	1
176	Ramanathapuram	Good	24	PM <sub>10</sub>	1
177	Ratlam	Good	24	SO <sub>2</sub>	1
178	Rishikesh	Good	35	PM <sub>10</sub>	1
179	Rohtak	Good	41	PM <sub>2.5</sub>	1
180	Rourkela	Satisfactory	67	PM <sub>10</sub>	2

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- Ujjain, Yamunanagar, vellore as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rupnagar	Moderate	133	PM <sub>10</sub>	1
182	Sagar	Good	47	O <sub>3</sub>	1
183	Saharsa	Satisfactory	52	со	1
184	Sangli	Good	33	03	1
185	Sasaram	Good	26	со	1
186	Satna	Satisfactory	72	PM <sub>10</sub>	1
187	Sawai Madhopur	Satisfactory	90	PM <sub>2.5</sub>	1
188	Shillong	Good	21	SO <sub>2</sub>	1
189	Shivamogga	Good	40	PM <sub>10</sub>	1
190	Sikar	Satisfactory	74	03	1
191	Silchar	Good	32	со	1
192	Siliguri	Good	26	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Satisfactory	53	03	1
194	Sirohi	Satisfactory	73	03	1
195	Sivasagar	Good	15	PM <sub>10</sub>	1
196	Siwan	Satisfactory	84	PM <sub>10</sub>	1
197	Solapur	Satisfactory	58	PM <sub>10</sub>	3
198	Sri Ganganagar	Moderate	141	PM <sub>10</sub>	1
199	Srinagar	Satisfactory	85	PM <sub>10</sub>	1
200	Suakati	Satisfactory	52	03	1
201	Surat	Good	32	PM <sub>10</sub>	1
202	Talcher	Satisfactory	81	со	1
203	Thane	Good	34	O <sub>3</sub>	2
204	Thiruvananthapuram	Good	25	PM <sub>10</sub> , CO	2

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Imphal, Jalna, Jind, Jorapokhar, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Salem, Samastipur, Sirsa, Sonipat, Tensa, Tirupur, Tonk, Tumakuru, Udupi,

Asansol, Ballabgarh, Bidar, Bilaspur, Boisar, Brajrajnagar, E

# Some stations have data available at 3PM

Ujjain, Yamunanagar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thoothukudi	Satisfactory	64	O <sub>3</sub>	1
206	Thrissur	Good	48	PM <sub>2.5</sub>	1
207	Tirupati	Good	37	NO <sub>2</sub>	1
208	Tumidih	Good	39	PM <sub>10</sub>	1
209	Udaipur	Satisfactory	58	PM <sub>2.5</sub>	1
210	Vapi	Good	40	со	1
211	Varanasi	Good	32	SO <sub>2</sub>	4
212	Vatva	Satisfactory	85	PM <sub>2.5</sub>	1
213	Vijayapura	Good	49	PM <sub>10</sub>	1
214	Vijayawada	Good	47	O <sub>3</sub>	1
215	Visakhapatnam	Satisfactory	100	PM <sub>10</sub>	1
216	Vrindavan	Moderate	134	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Good	31	СО	1

 $^{\star}$  AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	od Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Araria, Asansol, Ballabgarh, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Imphal, Jalna, Jind, Jorapokhar, Kalyan, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul,

Salem, Samastipur, Sirsa, Sonipat, Tensa, Tirupur, Tonk, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.