

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	64	SO ₂ , PM ₁₀	2
2	Agra	Moderate	132	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	99	PM ₁₀ , PM _{2.5}	5
4	Aizawl	Good	37	PM ₁₀	1
5	Ajmer	Moderate	169	PM _{2.5}	1
6	Alwar	Satisfactory	99	PM ₁₀	1
7	Amaravati	Moderate	174	O ₃	1
8	Ambala	Moderate	169	PM ₁₀	1
9	Amritsar	Satisfactory	75	PM _{2.5}	1
10	Ankleshwar	Satisfactory	83	PM ₁₀	1
11	Araria	Moderate	156	PM _{2.5}	1
12	Asansol	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	93	PM _{2.5}	1
14	Baddi	Moderate	162	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Moderate	119	PM ₁₀	1
17	Bahadurgarh	Moderate	166	PM _{2.5}	1
18	Ballabgarh	Moderate	138	PM _{2.5}	1
19	Bathinda	Moderate	112	PM ₁₀	1
20	Begusarai	Moderate	110	PM _{2.5}	1
21	Bengaluru	Satisfactory	67	PM ₁₀ , CO	7
22	Bettiah	Satisfactory	80	PM _{2.5}	1
23	Bhagalpur	Moderate	156	PM _{2.5} , PM ₁₀	2
24	Bhiwadi	Poor	243	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	193	PM _{2.5}	1
26	Bhopal	Moderate	136	PM ₁₀	1
27	Bidar	Satisfactory	86	PM ₁₀	1
28	Bihar Sharif	Poor	214	PM ₁₀	1
29	Bilaspur	Satisfactory	57	PM ₁₀	1
30	Brajrajnagar	Satisfactory	75	PM ₁₀	1
31	Bulandshahr	Moderate	179	O ₃	1
32	Buxar	Very Poor	320	PM _{2.5}	1
33	Chamarajanagar	Good	41	PM ₁₀	1
34	Chandigarh	Moderate	143	PM ₁₀ , O ₃	3
35	Chandrapur	Moderate	144	O ₃ , PM ₁₀	2
36	Charkhi Dadri	Moderate	170	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	75	PM ₁₀ , PM _{2.5} , CO	6
38	Chhapra	Moderate	140	PM ₁₀	1
39	Chikkaballapur	Good	44	PM ₁₀	1
40	Chikkamagaluru	Good	40	PM ₁₀	1
41	Coimbatore	Good	31	PM ₁₀	1
42	Damoh	Satisfactory	77	PM ₁₀	1
43	Darbhanga	Moderate	148	PM ₁₀	1
44	Dehradun	Moderate	119	PM ₁₀	1
45	Delhi	Poor	202	PM ₁₀ , PM _{2.5} , O ₃	35
46	Dewas	Moderate	128	PM ₁₀	1
47	Dharuhera	Poor	217	PM ₁₀	1
48	Durgapur	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	51	PM _{2.5}	1
50	Faridabad	Moderate	198	PM ₁₀ , PM _{2.5}	3
51	Fatehabad	Moderate	187	PM _{2.5}	1
52	Firozabad	Poor	272	03	1
53	Gadag	Good	37	PM _{2.5}	1
54	Gandhinagar	Moderate	158	PM _{2.5} , PM ₁₀	2
55	Gangtok	Good	23	03	1
56	Gaya	Moderate	194	O ₃ , PM _{2.5}	2
57	Ghaziabad	Poor	233	PM ₁₀ , O ₃	4
58	Gorakhpur	Satisfactory	52	O ₃	1
59	Greater Noida	Poor	212	PM ₁₀	2
60	Gurugram	Poor	212	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Satisfactory	58	O ₃ , PM ₁₀	2
62	Hajipur	Moderate	153	PM _{2.5}	1
63	Haldia	Satisfactory	57	PM ₁₀	1
64	Hapur	Poor	205	PM ₁₀	1
65	Hassan	Satisfactory	66	PM ₁₀	1
66	Hisar	Moderate	164	PM ₁₀	1
67	Howrah	Satisfactory	78	PM ₁₀	3
68	Hubballi	Satisfactory	82	PM ₁₀	1
69	Hyderabad	Moderate	119	O ₃ , PM ₁₀	10
70	Imphal	Satisfactory	63	SO ₂	2
71	Indore	Satisfactory	84	PM ₁₀	1
72	Jabalpur	Moderate	189	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Moderate	184	PM _{2.5} , PM ₁₀	3
74	Jalandhar	Moderate	167	PM ₁₀	1
75	Jind	Moderate	174	PM _{2.5}	1
76	Jodhpur	Moderate	196	PM _{2.5}	1
77	Kaithal	Moderate	182	PM ₁₀	1
78	Kalaburgi	Satisfactory	89	PM ₁₀	1
79	Kalyan	Satisfactory	98	PM ₁₀	1
80	Kannur	Satisfactory	58	PM ₁₀	1
81	Kanpur	Moderate	187	PM _{2.5} , PM ₁₀	3
82	Karnal	Moderate	126	PM ₁₀	1
83	Katihar	Moderate	170	PM ₁₀	1
84	Katni	Moderate	190	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Moderate	128	PM ₁₀	1
86	Kishanganj	Moderate	146	PM _{2.5}	1
87	Kochi	Satisfactory	59	со	1
88	Kohima	Satisfactory	51	SO ₂	1
89	Kolkata	Satisfactory	74	PM ₁₀ , NO ₂	7
90	Kollam	Satisfactory	84	NO ₂	1
91	Koppal	Satisfactory	63	O ₃	1
92	Kota	Moderate	140	PM _{2.5}	1
93	Kurukshetra	Poor	239	PM _{2.5}	1
94	Lucknow	Moderate	164	PM _{2.5} , PM ₁₀	6
95	Ludhiana	Moderate	101	PM ₁₀	1
96	Madikeri	Good	32	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Satisfactory	51	PM ₁₀	1
98	Mandi Gobindgarh	Moderate	174	PM _{2.5}	1
99	Mandideep	Satisfactory	89	PM ₁₀	1
100	Mandikhera	Satisfactory	89	PM ₁₀	1
101	Manesar	Poor	221	PM _{2.5}	1
102	Manglore	Satisfactory	65	NO ₂	1
103	Meerut	Moderate	148	PM ₁₀ , PM _{2.5}	3
104	Moradabad	Moderate	148	O ₃ , PM ₁₀	4
105	Motihari	Moderate	102	PM _{2.5}	1
106	Mumbai	Satisfactory	99	PM ₁₀	15
107	Munger	Moderate	173	PM ₁₀	1
108	Muzaffarnagar	Poor	233	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Moderate	133	PM _{2.5} , PM ₁₀	3
110	Mysuru	Satisfactory	61	03	1
111	Nagpur	Moderate	174	PM ₁₀	1
112	Naharlagun	Satisfactory	66	SO ₂	1
113	Nandesari	Satisfactory	97	PM _{2.5}	1
114	Narnaul	Moderate	138	PM ₁₀	1
115	Nashik	Satisfactory	60	PM ₁₀	1
116	Navi Mumbai	Satisfactory	97	PM ₁₀ , CO	3
117	Noida	Poor	217	PM ₁₀	4
118	Pali	Satisfactory	89	PM ₁₀	1
119	Panchkula	Moderate	156	PM _{2.5}	1
120	Panipat	Moderate	160	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Moderate	134	PM ₁₀	1
122	Patna	Moderate	178	PM ₁₀ , PM _{2.5}	6
123	Pithampur	Moderate	152	PM ₁₀	1
124	Prayagraj	Moderate	155	PM ₁₀	3
125	Puducherry	Satisfactory	57	PM ₁₀	1
126	Pune	Moderate	114	PM _{2.5}	4
127	Purnia	Moderate	183	PM _{2.5}	1
128	Rajamahendravaram	Moderate	120	PM ₁₀	1
129	Rajgir	Moderate	120	PM ₁₀	1
130	Ramanagara	Good	41	PM ₁₀	1
131	Ratlam	Moderate	126	PM ₁₀	1
132	Rohtak	Poor	228	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Satisfactory	99	PM ₁₀	1
134	Saharsa	Very Poor	306	PM ₁₀	1
135	Samastipur	Poor	297	PM ₁₀	1
136	Sasaram	Moderate	176	03	1
137	Satna	Satisfactory	80	PM ₁₀	1
138	Shillong	Good	37	PM _{2.5}	1
139	Shivamogga	Good	45	PM ₁₀	1
140	Siliguri	Satisfactory	56	PM ₁₀	1
141	Singrauli	Poor	278	PM ₁₀	1
142	Sirsa	Moderate	195	PM ₁₀	1
143	Solapur	Satisfactory	82	PM ₁₀	1
144	Sonipat	Poor	269	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Srinagar	Satisfactory	60	PM ₁₀	1
146	Thane	Moderate	108	PM ₁₀	1
147	Thoothukudi	Good	34	O ₃	1
148	Udaipur	Satisfactory	79	PM ₁₀	1
149	Ujjain	Moderate	166	PM ₁₀	1
150	Varanasi	Moderate	125	O ₃ , PM ₁₀	4
151	Vatva	Moderate	121	PM ₁₀	1
152	Vijayapura	Satisfactory	56	PM ₁₀	1
153	Visakhapatnam	Moderate	116	PM ₁₀	1
154	Vrindavan	Moderate	126	PM ₁₀	1
155	Yamunanagar	Poor	230	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Bhilai, Davanagere, Ernakulam, Gummidipoondi, Gwalior, Haveri, Jhansi, Jorapokhar, Kolar, Kozhikode, Manguraha, Palwal, Raichur, Sagar, Siwan, Talcher, Thiruvananthapuram, Thrissur, Tirupati, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.