



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	326	PM _{2.5}	2
2	Agra	Satisfactory	85	PM ₁₀	6
3	Ahmedabad	Moderate	186	PM _{2.5}	6
4	Ajmer	Moderate	135	PM _{2.5}	1
5	Alwar	Moderate	104	PM _{2.5}	1
6	Amaravati	Good	50	PM ₁₀	1
7	Ambala	Moderate	183	PM _{2.5}	1
8	Amritsar	Moderate	132	PM _{2.5}	1
9	Anantapur	Satisfactory	89	O ₃	1
10	Ankleshwar	Moderate	172	PM _{2.5}	1
11	Araria	Very Poor	310	PM _{2.5}	1
12	Ariyalur	Good	46	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	326	PM _{2.5}	1
14	Asansol	Poor	283	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	222	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	143	PM ₁₀	1
17	Baddi	Poor	284	PM _{2.5}	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Bahadurgarh	Poor	205	PM _{2.5}	1
20	Ballabgarh	Moderate	104	PM ₁₀	1
21	Bareilly	Moderate	122	PM ₁₀	2
22	Baripada	Moderate	162	O ₃	1
23	Bathinda	Moderate	125	PM ₁₀	1
24	Belgaum	Satisfactory	57	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpatt, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	125	PM _{2.5} , PM ₁₀	9
26	Bettiah	Poor	291	PM _{2.5}	1
27	Bhagalpur	Very Poor	356	PM _{2.5}	2
28	Bharatpur	Very Poor	314	PM _{2.5}	1
29	Bhilai	Satisfactory	98	PM ₁₀	2
30	Bhiwadi	Poor	273	PM ₁₀	1
31	Bhiwani	Poor	228	PM _{2.5}	1
32	Bhopal	Poor	204	O ₃	2
33	Bidar	Satisfactory	89	PM ₁₀	1
34	Bihar Sharif	Moderate	187	PM ₁₀	1
35	Bilaspur	Satisfactory	86	CO	1
36	Bileipada	Moderate	183	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpur, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Moderate	154	PM ₁₀	1
38	Bulandshahr	Poor	280	PM _{2.5}	1
39	Chamarajanagar	Good	42	PM ₁₀	1
40	Chandigarh	Very Poor	309	PM _{2.5}	3
41	Chandrapur	Poor	217	PM _{2.5}	1
42	Charkhi Dadri	Very Poor	314	PM _{2.5}	1
43	Chennai	Satisfactory	75	PM _{2.5} , CO	5
44	Chhapra	Very Poor	317	PM _{2.5}	1
45	Chikkaballapur	Moderate	109	PM ₁₀	1
46	Chikkamagaluru	Good	50	PM ₁₀	1
47	Chittoor	Satisfactory	52	O ₃	1
48	Damoh	Satisfactory	83	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpur, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	331	PM _{2.5}	37
50	Dharuhera	Very Poor	363	PM _{2.5}	1
51	Dindigul	Very Poor	313	NO ₂	1
52	Durgapur	Poor	253	PM _{2.5}	1
53	Eloor	Satisfactory	88	PM ₁₀	1
54	Faridabad	Poor	273	PM _{2.5}	4
55	Fatehabad	Moderate	175	PM _{2.5}	1
56	Firozabad	Moderate	154	O ₃	2
57	Gadag	Satisfactory	70	O ₃	1
58	Gandhinagar	Moderate	193	PM _{2.5} , PM ₁₀	3
59	Gangtok	Satisfactory	95	PM _{2.5}	1
60	Gaya	Poor	292	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	279	PM _{2.5} , PM ₁₀	4
62	Gorakhpur	Moderate	111	PM ₁₀	1
63	Greater Noida	Very Poor	320	PM _{2.5}	2
64	Gummidipoondi	Satisfactory	100	PM ₁₀	1
65	Gurugram	Very Poor	329	PM _{2.5}	3
66	Guwahati	Poor	285	PM _{2.5}	4
67	Gwalior	Poor	260	O ₃ , PM _{2.5}	3
68	Hajipur	Poor	274	PM _{2.5}	1
69	Haldia	Satisfactory	84	PM ₁₀	1
70	Hapur	Moderate	138	PM _{2.5}	1
71	Haveri	Satisfactory	81	PM _{2.5}	1
72	Howrah	Moderate	113	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Moderate	186	PM ₁₀ , PM _{2.5}	2
74	Hyderabad	Satisfactory	87	PM ₁₀	13
75	Imphal	Moderate	110	PM _{2.5} , SO ₂	2
76	Indore	Moderate	134	PM ₁₀	1
77	Jabalpur	Poor	251	PM _{2.5}	1
78	Jaipur	Poor	201	PM _{2.5} , PM ₁₀	3
79	Jalandhar	Satisfactory	94	PM ₁₀	1
80	Jhansi	Moderate	113	PM ₁₀	1
81	Jind	Moderate	134	PM _{2.5}	1
82	Jodhpur	Poor	237	PM _{2.5}	2
83	Jorapokhar	Poor	219	PM ₁₀	1
84	Kadapa	Satisfactory	67	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpatt, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	131	PM _{2.5}	1
86	Kalaburgi	Satisfactory	58	PM _{2.5}	1
87	Kalyan	Moderate	160	PM ₁₀	1
88	Kanchipuram	Good	49	PM ₁₀	1
89	Kannur	Satisfactory	63	PM _{2.5}	1
90	Kanpur	Moderate	171	PM _{2.5}	3
91	Karnal	Moderate	102	PM ₁₀	1
92	Kashipur	Moderate	102	PM ₁₀	1
93	Katihar	Very Poor	315	PM ₁₀	1
94	Katni	Poor	260	PM _{2.5}	1
95	Keonjhar	Moderate	160	PM _{2.5}	1
96	Khanna	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpur, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Poor	203	PM _{2.5}	1
98	Kishanganj	Very Poor	302	PM _{2.5}	1
99	Kohima	Moderate	134	PM _{2.5}	1
100	Kolar	Moderate	167	SO ₂	1
101	Kolkata	Satisfactory	90	PM ₁₀ , PM _{2.5}	7
102	Kollam	Satisfactory	76	PM ₁₀	1
103	Koppal	Satisfactory	91	PM ₁₀	1
104	Korba	Moderate	150	PM _{2.5} , PM ₁₀	2
105	Kota	Moderate	176	PM ₁₀ , O ₃	3
106	Kozhikode	Satisfactory	75	PM _{2.5}	1
107	Kurukshetra	Poor	208	PM _{2.5}	1
108	Lucknow	Moderate	185	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ludhiana	Poor	261	PM _{2.5}	1
110	Madikeri	Satisfactory	53	PM _{2.5}	1
111	Maihar	Satisfactory	97	PM ₁₀	1
112	Mandi Gobindgarh	Moderate	125	PM _{2.5}	1
113	Mandideep	Poor	225	PM ₁₀	1
114	Manesar	Poor	256	PM _{2.5}	1
115	Mangalore	Moderate	120	PM ₁₀	1
116	Manguraha	Moderate	162	O ₃	1
117	Meerut	Very Poor	360	PM _{2.5}	2
118	Moradabad	Moderate	116	PM _{2.5}	6
119	Motihari	Moderate	190	PM ₁₀	1
120	Mumbai	Moderate	191	PM _{2.5} , O ₃	18

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpatt, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Munger	Very Poor	346	PM _{2.5}	1
122	Muzaffarnagar	Very Poor	383	PM _{2.5}	1
123	Muzaffarpur	Very Poor	308	PM _{2.5}	3
124	Mysuru	Satisfactory	59	PM ₁₀	1
125	Nagaon	Poor	300	PM _{2.5}	1
126	Nagpur	Poor	228	PM _{2.5}	1
127	Nalbari	Very Poor	331	PM _{2.5}	1
128	Nandesari	Good	26	PM _{2.5}	1
129	Narnaul	Poor	270	PM _{2.5}	1
130	Nashik	Moderate	107	PM _{2.5}	1
131	Navi Mumbai	Poor	264	PM _{2.5}	3
132	Nayagarh	Moderate	166	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Noida	Very Poor	321	PM _{2.5}	4
134	Ooty	Satisfactory	85	PM _{2.5}	1
135	Pali	Satisfactory	98	PM ₁₀	1
136	Palwal	Satisfactory	94	PM _{2.5}	1
137	Panipat	Moderate	161	PM ₁₀	1
138	Patiala	Moderate	101	PM ₁₀	1
139	Patna	Very Poor	348	PM ₁₀ , PM _{2.5}	6
140	Pithampur	Satisfactory	96	PM ₁₀	1
141	Prayagraj	Moderate	116	PM ₁₀	3
142	Puducherry	Good	37	PM ₁₀	1
143	Pune	Moderate	143	PM _{2.5}	4
144	Raichur	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raipur	Moderate	146	PM _{2.5} , PM ₁₀	4
146	Rairangpur	Moderate	163	PM _{2.5}	1
147	Rajamahendravaram	Satisfactory	61	PM ₁₀	1
148	Rajgir	Very Poor	337	PM _{2.5}	1
149	Ramanagara	Satisfactory	84	PM ₁₀	1
150	Ramanathapuram	Good	49	PM ₁₀	1
151	Ratlam	Moderate	192	PM ₁₀	1
152	Rishikesh	Satisfactory	82	PM ₁₀	1
153	Rohtak	Poor	205	PM _{2.5}	1
154	Rourkela	Moderate	163	PM _{2.5}	3
155	Rupnagar	Moderate	157	PM ₁₀	1
156	Sagar	Satisfactory	67	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpatt, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Saharsa	Very Poor	345	PM _{2.5}	1
158	Salem	Moderate	102	SO ₂	1
159	Samastipur	Very Poor	378	PM _{2.5}	1
160	Sasaram	Moderate	140	PM ₁₀	1
161	Satna	Moderate	103	PM ₁₀	1
162	Shillong	Moderate	183	PM _{2.5}	1
163	Shivamogga	Satisfactory	53	PM ₁₀	1
164	Siliguri	Moderate	162	PM _{2.5}	1
165	Singrauli	Poor	261	PM _{2.5}	1
166	Sirsa	Moderate	113	PM ₁₀	1
167	Siwan	Very Poor	324	PM _{2.5}	1
168	Solapur	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpatt, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sonipat	Poor	286	PM ₁₀	1
170	Srinagar	Satisfactory	70	PM ₁₀	1
171	Suakati	Moderate	153	PM _{2.5}	1
172	Surat	Moderate	193	PM _{2.5}	1
173	Tensa	Moderate	104	PM ₁₀	1
174	Thane	Poor	205	PM ₁₀	1
175	Thiruvananthapuram	Satisfactory	80	PM _{2.5}	2
176	Thoothukudi	Satisfactory	56	O ₃	1
177	Thrissur	Moderate	151	PM _{2.5}	1
178	Tirupati	Satisfactory	59	PM ₁₀	1
179	Tirupur	Satisfactory	68	PM _{2.5}	1
180	Udaipur	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Ujjain	Moderate	178	PM _{2.5}	1
182	Vapi	Poor	296	PM _{2.5}	1
183	Varanasi	Satisfactory	85	PM ₁₀	4
184	Vatva	Moderate	198	PM _{2.5}	1
185	Vijayapura	Good	46	PM ₁₀	1
186	Vijayawada	Moderate	116	PM _{2.5}	1
187	Visakhapatnam	Moderate	106	PM ₁₀	1
188	Vrindavan	Poor	219	PM ₁₀	1
189	Yadgir	Satisfactory	90	PM ₁₀	1
190	Yamunanagar	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Begusarai, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Dholpur, Ernakulam, Hassan, Hisar, Hosur, Kochi, Kunjemura, Mandikhera, Milupara, Naharlagun, Panchkula, Purnia, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.