Air Quality Index on Jan 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	201	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	95	$PM_{2.5}$	1
3	Ajmer	Satisfactory	78	$PM_{2.5}$	1
4	Alwar	Satisfactory	66	PM_{10}	1
5	Amaravati	Good	45	PM_{10}	1
6	Ambala	Satisfactory	91	PM_{10}	1
7	Amritsar	Satisfactory	73	PM_{10}	1
8	Asanol	Moderate	134	$PM_{2.5}$	1
9	Aurangabad	Good	46	$PM_{2.5}$	1
10	Baghpat	Poor	225	$PM_{2.5}$	1
11	Bahadurgarh	Moderate	146	$PM_{2.5}$	1
12	Bengaluru	Satisfactory	96	OZONE, PM_{10}, $PM_{2.5}$	10

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Faridabad, Kanpur, Mandi Gobindgarh, Panipat, Ratlam, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Poor	214	PM_{10}	1
14	Bhiwani	Satisfactory	90	PM_{10}	1
15	Brajrajnagar	Moderate	111	CO	1
16	Bulandshahr	Poor	249	$PM_{2.5}$	1
17	Chandrapur	Good	47	OZONE	1
18	Chennai	Good	42	CO	2
19	Chikkaballapur	Satisfactory	71	PM_{10}	1
20	Damoh	Satisfactory	85	$PM_{2.5}$	1
21	Delhi	Poor	262	$PM_{2.5}$	32
22	Dewas	Satisfactory	96	PM_{10}	1
23	Dharuhera	Poor	201	$PM_{2.5}$	1
24	Durgapur	Satisfactory	56	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Faridabad, Kanpur, Mandi Gobindgarh, Panipat, Ratlam, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Fatehabad	Poor	254	$PM_{2.5}$	1
26	Gaya	Moderate	191	$PM_{2.5}$	1
27	Ghaziabad	Poor	249	$PM_{2.5}$	1
28	Greater_Noida	Poor	247	$PM_{2.5}$	1
29	Gurugram	Poor	202	$PM_{2.5}$	2
30	Haldia	Moderate	146	PM_{10}	1
31	Hapur	Poor	236	$PM_{2.5}$	1
32	Howrah	Poor	218	$PM_{2.5}$	2
33	Hubballi	Moderate	129	$PM_{2.5}$	1
34	Hyderabad	Satisfactory	83	$PM_{2.5}$	4
35	Jaipur	Satisfactory	88	PM_{10}, $PM_{2.5}$	3
36	Jalandhar	Satisfactory	100	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Faridabad, Kanpur, Mandi Gobindgarh, Panipat, Ratlam, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jodhpur	Moderate	113	PM_{10}	1
38	Jorapokhar	Moderate	113	PM_{10}	1
39	Kalaburgi	Satisfactory	97	PM_{10}	1
40	Khanna	Satisfactory	60	PM_{10}	1
41	Kolkata	Poor	248	$PM_{2.5}$	2
42	Kota	Satisfactory	90	PM_{10}	1
43	Kurushketra	Moderate	116	$PM_{2.5}$	1
44	Lucknow	Moderate	147	$PM_{2.5}$	4
45	Ludhiana	Satisfactory	93	PM_{10}	1
46	Mandideep	Moderate	102	PM_{10}	1
47	Manesar	Moderate	158	$PM_{2.5}$	1
48	Moradabad	Poor	202	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Faridabad, Kanpur, Mandi Gobindgarh, Panipat, Ratlam, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Mumbai	Moderate	110	PM_{10}	1
50	Muzaffarnagar	Poor	224	$PM_{2.5}$	1
51	Muzaffarpur	Poor	208	$PM_{2.5}$	1
52	Nagpur	Moderate	102	$PM_{2.5}$	1
53	Nashik	Satisfactory	80	OZONE	1
54	Navi Mumbai	Moderate	112	CO	1
55	Noida	Poor	220	$PM_{2.5}$	2
56	Pali	Satisfactory	87	PM_{10}	1
57	Palwal	Moderate	110	$PM_{2.5}$	1
58	Panchkula	Satisfactory	93	$PM_{2.5}$	1
59	Patiala	Satisfactory	65	PM_{10}	1
60	Patna	Poor	247	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Faridabad, Kanpur, Mandi Gobindgarh, Panipat, Ratlam, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Pithampur	Moderate	101	$PM_{2.5}$	1
62	Pune	Moderate	123	$PM_{2.5}$	1
63	Rajamahendravaram	Satisfactory	75	OZONE	1
64	Rohtak	Moderate	187	$PM_{2.5}$	1
65	Rupnagar	Satisfactory	88	$PM_{2.5}$	1
66	Satna	Satisfactory	93	CO	1
67	Siliguri	Moderate	152	$PM_{2.5}$	1
68	Singrauli	Poor	213	$PM_{2.5}$	1
69	Solapur	Satisfactory	96	PM_{10}	1
70	Sonipat	Moderate	164	$PM_{2.5}$	1
71	Talcher	Moderate	181	PM_{10}	1
72	Thane	Moderate	113	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Faridabad, Kanpur, Mandi Gobindgarh, Panipat, Ratlam, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Thiruvananthapuram	Satisfactory	81	OZONE	1
74	Tirupati	Satisfactory	70	NO_2	1
75	Udaipur	Moderate	114	PM_{10}	1
76	Ujjain	Moderate	105	OZONE	1
77	Varanasi	Moderate	196	$PM_{2.5}$	1
78	Vijayawada	Satisfactory	69	PM_{10}	1
79	Yamunanagar	Satisfactory	91	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Faridabad, Kanpur, Mandi Gobindgarh, Panipat, Ratlam, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.