

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	179	PM <sub>2.5</sub>	1
2	Agra	Poor	201	PM <sub>2.5</sub>	1
3	Aizawl	Satisfactory	92	PM <sub>10</sub>	1
4	Ajmer	Satisfactory	81	PM <sub>10</sub>	1
5	Alwar	Moderate	102	PM <sub>10</sub>	1
6	Amaravati	Good	29	03	1
7	Amritsar	Satisfactory	61	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	138	PM <sub>2.5</sub>	1
9	Asansol	Moderate	149	PM <sub>2.5</sub>	1
10	Aurangabad	Moderate	111	PM <sub>2.5</sub>	1
11	Bagalkot	Good	27	O <sub>3</sub>	1
12	Baghpat	Poor	289	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	224	PM <sub>2.5</sub>	1
14	Ballabgarh	Moderate	192	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	131	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	62	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	7
17	Bhiwadi	Moderate	158	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	139	03	1
19	Bhopal	Moderate	114	PM <sub>10</sub>	1
20	Bidar	Satisfactory	61	PM <sub>10</sub>	1
21	Brajrajnagar	Satisfactory	57	PM <sub>10</sub>	1
22	Bulandshahr	Poor	226	PM <sub>2.5</sub>	1
23	Chamarajanagar	Satisfactory	70	PM <sub>10</sub>	1
24	Chandigarh	Moderate	114	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	79	PM <sub>10</sub>	1
26	Charkhi Dadri	Satisfactory	82	PM <sub>10</sub>	1
27	Chennai	Good	43	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	7
28	Chikkaballapur	Good	42	PM <sub>10</sub>	1
29	Damoh	Satisfactory	58	PM <sub>10</sub>	1
30	Davanagere	Satisfactory	70	PM <sub>10</sub>	1
31	Delhi	Poor	218	PM <sub>10</sub> , PM <sub>2.5</sub>	29
32	Dewas	Moderate	113	PM <sub>10</sub>	1
33	Dharuhera	Moderate	173	PM <sub>10</sub>	1
34	Durgapur	Moderate	170	PM <sub>10</sub>	1
35	Eloor	Satisfactory	53	PM <sub>10</sub>	1
36	Faridabad	Poor	243	PM <sub>10</sub> , PM <sub>2.5</sub>	4

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	109	PM <sub>10</sub>	1
38	Gadag	Satisfactory	92	PM <sub>2.5</sub>	1
39	Gandhinagar	Satisfactory	86	PM <sub>10</sub>	1
40	Gaya	Moderate	140	PM <sub>2.5</sub>	1
41	Ghaziabad	Poor	263	PM <sub>10</sub>	4
42	Greater Noida	Poor	240	PM <sub>10</sub>	1
43	Gurugram	Poor	263	PM <sub>2.5</sub>	3
44	Guwahati	Moderate	104	PM <sub>2.5</sub>	2
45	Gwalior	Moderate	101	PM <sub>10</sub>	1
46	Hajipur	Poor	237	PM <sub>10</sub>	1
47	Hapur	Moderate	150	PM <sub>10</sub>	1
48	Hisar	Moderate	176	PM <sub>2.5</sub>	1

### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Satisfactory	94	PM <sub>10</sub>	3
50	Hubballi	Satisfactory	85	PM <sub>10</sub>	1
51	Hyderabad	Satisfactory	68	PM <sub>10</sub>	3
52	Indore	Moderate	148	PM <sub>10</sub>	1
53	Jabalpur	Satisfactory	94	PM <sub>10</sub>	1
54	Jaipur	Satisfactory	84	PM <sub>10</sub>	3
55	Jalandhar	Moderate	109	PM <sub>10</sub>	1
56	Jind	Moderate	169	PM <sub>2.5</sub>	1
57	Jodhpur	Moderate	129	PM <sub>10</sub>	1
58	Kaithal	Moderate	118	PM <sub>10</sub>	1
59	Kalaburgi	Satisfactory	76	PM <sub>10</sub>	1
60	Kalyan	Moderate	138	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	69	PM <sub>2.5</sub>	1
62	Kanpur	Poor	204	PM <sub>2.5</sub>	2
63	Karnal	Moderate	175	PM <sub>2.5</sub>	1
64	Katni	Moderate	134	PM <sub>10</sub>	1
65	Khanna	Satisfactory	94	PM <sub>10</sub>	1
66	Kohima	Moderate	104	PM <sub>10</sub>	1
67	Kolar	Satisfactory	56	СО	1
68	Kolkata	Satisfactory	79	PM <sub>2.5</sub> , PM <sub>10</sub>	6
69	Kollam	Satisfactory	69	PM <sub>10</sub>	1
70	Koppal	Satisfactory	74	03	1
71	Kota	Satisfactory	93	PM <sub>2.5</sub>	1
72	Kozhikode	Satisfactory	68	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	143	PM <sub>2.5</sub>	1
74	Lucknow	Poor	281	PM <sub>2.5</sub>	4
75	Ludhiana	Moderate	127	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Moderate	109	PM <sub>10</sub>	1
77	Mandideep	Satisfactory	54	SO <sub>2</sub>	1
78	Mandikhera	Satisfactory	82	PM <sub>10</sub>	1
79	Manesar	Moderate	173	PM <sub>2.5</sub>	1
80	Manglore	Satisfactory	56	PM <sub>10</sub>	1
81	Medikeri	Good	44	PM <sub>10</sub>	1
82	Meerut	Very Poor	308	PM <sub>10</sub>	2
83	Moradabad	Poor	296	PM <sub>2.5</sub>	1
84	Mumbai	Satisfactory	98	PM <sub>2.5</sub> , PM <sub>10</sub>	18

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	293	PM <sub>10</sub>	1
86	Muzaffarpur	Poor	277	PM <sub>2.5</sub>	1
87	Mysuru	Satisfactory	51	03	1
88	Nagpur	Satisfactory	80	PM <sub>2.5</sub>	1
89	Nandesari	Moderate	123	со	1
90	Narnaul	Satisfactory	81	PM <sub>10</sub>	1
91	Nashik	Moderate	118	PM <sub>10</sub>	1
92	Navi Mumbai	Moderate	145	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
93	Noida	Moderate	199	PM <sub>10</sub>	2
94	Pali	Moderate	132	PM <sub>10</sub>	1
95	Palwal	Good	48	PM <sub>10</sub>	1
96	Panchkula	Good	50	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Poor	207	PM <sub>10</sub>	1
98	Patiala	Moderate	103	PM <sub>10</sub>	1
99	Patna	Poor	253	PM <sub>2.5</sub> , PM <sub>10</sub>	5
100	Pithampur	Moderate	154	03	1
101	Puducherry	Good	31	PM <sub>10</sub>	1
102	Pune	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	5
103	Raichur	Satisfactory	71	PM <sub>10</sub>	1
104	Rajamahendravaram	Good	38	PM <sub>10</sub>	1
105	Rohtak	Poor	227	PM <sub>2.5</sub>	1
106	Satna	Satisfactory	74	PM <sub>10</sub>	1
107	Siliguri	Moderate	117	PM <sub>2.5</sub>	1
108	Singrauli	Very Poor	312	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	101	PM <sub>10</sub>	1
110	Solapur	Satisfactory	95	PM <sub>10</sub>	1
111	Sonipat	Poor	259	PM <sub>10</sub>	1
112	Thane	Moderate	157	O <sub>3</sub>	1
113	Thiruvananthapuram	Good	35	со	1
114	Thoothukudi	Good	47	PM <sub>10</sub>	1
115	Thrissur	Satisfactory	56	O <sub>3</sub>	1
116	Tirupati	Good	40	PM <sub>10</sub>	1
117	Udaipur	Moderate	125	PM <sub>10</sub>	1
118	Udupi	Moderate	174	O <sub>3</sub>	1
119	Ujjain	Moderate	173	O <sub>3</sub>	1
120	Vapi	Moderate	137	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Poor	238	PM <sub>2.5</sub>	1
122	Vatva	Poor	215	PM <sub>10</sub>	1
123	Vijayapura	Satisfactory	55	PM <sub>10</sub>	1
124	Visakhapatnam	Satisfactory	84	PM <sub>10</sub>	1
125	Yadgir	Satisfactory	84	03	1
126	Yamunanagar	Poor	255	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Ambala, Chikkamagaluru, Coimbatore, Ernakulam, Gummidipoondi, Haldia, Jorapokhar, Kochi, Maihar, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Srinagar, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.