Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Satisfactory	65	PM_{10}	1
2	Aizawl	Satisfactory	77	$PM_{2.5}$	1
3	Ajmer	Satisfactory	73	O_3	1
4	Alwar	Satisfactory	57	O_3	1
5	Amaravati	Good	48	PM_{10}	1
6	Ambala	Satisfactory	93	PM_{10}	1
7	Amritsar	Satisfactory	73	PM_{10}	1
8	Ankleshwar	Moderate	103	PM_{10}	1
9	Asanol	Satisfactory	80	PM_{10}	1
10	Aurangabad	Good	50	O_3	1
11	Bagalkot	Satisfactory	78	PM_{10}	1
12	Bahadurgarh	Moderate	150	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	140	PM_{10}	1
14	Bengaluru	Satisfactory	64	$PM_{2.5}$, CO, O_3	8
15	Bhiwadi	Moderate	147	$PM_{2.5}$	1
16	Bhiwani	Moderate	154	PM_{10}	1
17	Bhopal	Satisfactory	95	PM_{10}	1
18	Brajrajnagar	Moderate	197	$PM_{2.5}$	1
19	Bulandshahr	Poor	240	PM_{10}	1
20	Chandigarh	Satisfactory	76	PM_{10}	1
21	Chandrapur	Satisfactory	88	PM_{10}, O_3	2
22	Chennai	Good	42	O_3, CO, $PM_{2.5}$	4
23	Chikkaballapur	Satisfactory	56	O_3	1
24	Chikkamagaluru	Satisfactory	69	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	32	$PM_{2.5}$	1
26	Delhi	Moderate	155	PM_{10}, CO	27
27	Dewas	Moderate	170	$PM_{2.5}$	1
28	Dharuhera	Moderate	158	$PM_{2.5}$	1
29	Eloor	Good	48	PM_{10}	1
30	Ernakulam	Satisfactory	68	CO	1
31	Faridabad	Moderate	186	$PM_{2.5}$	2
32	Fatehabad	Poor	257	PM_{10}	1
33	Gandhinagar	Satisfactory	56	PM_{10}	1
34	Gaya	Satisfactory	70	O_3	1
35	Ghaziabad	Moderate	194	PM_{10}	4
36	Greater Noida	Moderate	196	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	142	PM_{10}, $PM_{2.5}$	4
38	Guwahati	Poor	233	$PM_{2.5}$	1
39	Gwalior	Moderate	104	PM_{10}, $PM_{2.5}$	2
40	Hajipur	Satisfactory	68	PM_{10}	1
41	Hapur	Poor	214	PM_{10}	1
42	Hisar	Poor	222	PM_{10}	1
43	Howrah	Satisfactory	57	PM_{10}	3
44	Hyderabad	Satisfactory	72	$PM_{2.5}$, PM_{10}	6
45	Indore	Moderate	149	PM_{10}	1
46	Jabalpur	Satisfactory	73	O_3	1
47	Jaipur	Satisfactory	93	PM_{10}	3
48	Jalandhar	Satisfactory	59	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Poor	282	$PM_{2.5}$	1
50	Jodhpur	Moderate	121	$PM_{2.5}$	1
51	Jorapokhar	Moderate	112	PM_{10}	1
52	Kaithal	Moderate	134	PM_{10}	1
53	Kalaburgi	Satisfactory	73	$PM_{2.5}$	1
54	Kannur	Satisfactory	70	$PM_{2.5}$	1
55	Kanpur	Moderate	103	$PM_{2.5}$	1
56	Karnal	Moderate	128	$PM_{2.5}$	1
57	Katni	Moderate	102	PM_{10}	1
58	Khanna	Satisfactory	75	PM_{10}	1
59	Kolkata	Satisfactory	53	O_3, PM_{10}	7
60	Kota	Satisfactory	66	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Satisfactory	52	PM_{10}	1
62	Kurukshetra	Moderate	111	PM_{10}	1
63	Lucknow	Moderate	121	$PM_{2.5}$	4
64	Ludhiana	Satisfactory	88	PM_{10}	1
65	Maihar	Good	38	PM_{10}	1
66	Mandideep	Satisfactory	61	PM_{10}	1
67	Mandikhera	Moderate	143	PM_{10}	1
68	Manesar	Moderate	156	PM_{10}	1
69	Meerut	Poor	236	PM_{10}	2
70	Mumbai	Satisfactory	81	CO, PM_{10}	5
71	Muzaffarnagar	Moderate	148	PM_{10}	1
72	Muzaffarpur	Satisfactory	70	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Satisfactory	94	O_3	1
74	Nandesari	Moderate	166	CO	1
75	Narnaul	Moderate	102	PM_{10}	1
76	Nashik	Satisfactory	86	O_3	1
77	Noida	Moderate	184	PM_{10}, $PM_{2.5}$	4
78	Pali	Satisfactory	82	PM_{10}	1
79	Palwal	Poor	202	PM_{10}	1
80	Panchkula	Satisfactory	61	$PM_{2.5}$	1
81	Panipat	Poor	213	PM_{10}	1
82	Patiala	Satisfactory	91	PM_{10}	1
83	Patna	Moderate	126	PM_{10}, CO	4
84	Pithampur	Moderate	134	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Satisfactory	51	CO	1
86	Rajamahendravaram	Satisfactory	58	O_3	1
87	Ramanagara	Satisfactory	85	$PM_{2.5}$	1
88	Ratlam	Moderate	153	$PM_{2.5}$	1
89	Rohtak	Moderate	198	$PM_{2.5}$	1
90	Rupnagar	Satisfactory	73	$PM_{2.5}$	1
91	Sagar	Good	50	PM_{10}	1
92	Satna	Satisfactory	72	PM_{10}	1
93	Siliguri	Moderate	138	$PM_{2.5}$	1
94	Singrauli	Moderate	181	PM_{10}	1
95	Sirsa	Moderate	194	PM_{10}	1
96	Solapur	Satisfactory	81	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Apr 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	60	CO	1
98	Thiruvananthapuram	Good	44	O_3, PM_{10}	2
99	Tirupati	Satisfactory	55	O_3	1
100	Udaipur	Satisfactory	55	PM_{10}	1
101	Ujjain	Poor	210	$PM_{2.5}$	1
102	Varanasi	Moderate	161	O_3	1
103	Visakhapatnam	Satisfactory	63	PM_{10}	1
104	Yadgir	Satisfactory	72	PM_{10}	1
105	Yamunanagar	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Coimbatore, Hubballi, Kalyan, Kochi, Kollam, Mandi Gobindgarh, Moradabad, Mysuru, Navi Mumbai, Shillong, Sonipat, Talcher, Vapi, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.