Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	226	$PM_{2.5}$	1
2	Agra	Satisfactory	71	PM_{10}	5
3	Ahmedabad	Moderate	135	$PM_{2.5}$, NO_2, PM_{10}	9
4	Aizawl	Satisfactory	68	PM_{10}	1
5	Ajmer	Satisfactory	78	PM_{10}	1
6	Alwar	Satisfactory	58	PM_{10}	1
7	Amaravati	Satisfactory	69	PM_{10}	1
8	Amritsar	Moderate	108	CO	1
9	Ankleshwar	Moderate	116	PM_{10}	1
10	Araria	Moderate	187	$PM_{2.5}$	1
11	Arrah	Moderate	187	PM_{10}	1
12	Asansol	Moderate	185	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	100	PM_{10}	1
14	Bagalkot	Good	50	$PM_{2.5}$	1
15	Bahadurgarh	Satisfactory	82	$PM_{2.5}$	1
16	Ballabgarh	Satisfactory	95	PM_{10}	1
17	Bathinda	Satisfactory	61	PM_{10}	1
18	Bengaluru	Satisfactory	76	PM_{10}	8
19	Bettiah	Moderate	126	$PM_{2.5}$	1
20	Bhagalpur	Moderate	162	PM_{10}, O_3	2
21	Bhilai	Satisfactory	63	PM_{10}	1
22	Bhiwadi	Moderate	150	PM_{10}	1
23	Bhiwani	Satisfactory	96	$PM_{2.5}$	1
24	Bhopal	Moderate	108	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	194	$PM_{2.5}$	1
26	Bilaspur	Satisfactory	56	PM_{10}	1
27	Brajrajnagar	Moderate	115	O_3	1
28	Bulandshahr	Moderate	120	PM_{10}	1
29	Buxar	Poor	249	$PM_{2.5}$	1
30	Chandigarh	Satisfactory	79	O_3, PM_{10}	3
31	Chandrapur	Moderate	126	O_3, PM_{10}	2
32	Charkhi Dadri	Satisfactory	85	PM_{10}	1
33	Chennai	Satisfactory	72	PM_{10}	8
34	Chhapra	Poor	206	$PM_{2.5}$	1
35	Coimbatore	Satisfactory	64	$PM_{2.5}$	1
36	Damoh	Satisfactory	92	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	164	PM_{10}	1
38	Davanagere	Satisfactory	85	PM_{10}	1
39	Delhi	Moderate	115	$PM_{2.5}$, PM_{10}, O_3	36
40	Dewas	Moderate	111	PM_{10}	1
41	Dharuhera	Moderate	135	PM_{10}	1
42	Durgapur	Poor	282	$PM_{2.5}$	1
43	Eloor	Satisfactory	80	PM_{10}	1
44	Ernakulam	Moderate	117	$PM_{2.5}$	1
45	Faridabad	Moderate	136	O_3, PM_{10}	4
46	Firozabad	Satisfactory	99	$PM_{2.5}$	2
47	Gadag	Satisfactory	54	O_3	1
48	Gandhinagar	Moderate	113	$PM_{2.5}$, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	165	PM_{10}, $PM_{2.5}$	3
50	Ghaziabad	Moderate	127	$PM_{2.5}$, PM_{10}	4
51	Gorakhpur	Satisfactory	64	PM_{10}	1
52	Greater Noida	Moderate	102	PM_{10}	2
53	Gummidipoondi	Satisfactory	55	PM_{10}	1
54	Gurugram	Moderate	109	$PM_{2.5}$, PM_{10}	4
55	Guwahati	Poor	210	$PM_{2.5}$, PM_{10}	2
56	Gwalior	Satisfactory	100	PM_{10}	1
57	Hajipur	Moderate	144	$PM_{2.5}$	1
58	Haldia	Moderate	149	PM_{10}	1
59	Hapur	Moderate	151	O_3	1
60	Hassan	Satisfactory	72	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Satisfactory	78	$PM_{2.5}$	1
62	Howrah	Poor	226	PM_{10}, $PM_{2.5}$	3
63	Hubballi	Moderate	112	PM_{10}	1
64	Hyderabad	Satisfactory	94	PM_{10}, O_3, $PM_{2.5}$	5
65	Indore	Moderate	103	O_3	1
66	Jabalpur	Moderate	158	PM_{10}	1
67	Jaipur	Satisfactory	89	$PM_{2.5}$, PM_{10}	3
68	Jalandhar	Satisfactory	78	PM_{10}	1
69	Jhansi	Moderate	101	PM_{10}	1
70	Jind	Satisfactory	68	PM_{10}	1
71	Jodhpur	Moderate	133	$PM_{2.5}$	1
72	Kaithal	Satisfactory	62	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	131	$PM_{2.5}$	1
74	Kannur	Satisfactory	70	PM_{10}	1
75	Kanpur	Moderate	103	$PM_{2.5}$, PM_{10}	3
76	Karnal	Satisfactory	62	PM_{10}	1
77	Katihar	Poor	237	$PM_{2.5}$	1
78	Katni	Moderate	178	PM_{10}	1
79	Khanna	Satisfactory	75	PM_{10}	1
80	Kishanganj	Poor	243	$PM_{2.5}$	1
81	Kochi	Moderate	162	$PM_{2.5}$	1
82	Kolkata	Moderate	180	$PM_{2.5}$	7
83	Kollam	Moderate	102	PM_{10}	1
84	Koppal	Moderate	153	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Satisfactory	75	PM_{10}	1
86	Kozhikode	Satisfactory	72	PM_{10}	1
87	Kurukshetra	Satisfactory	92	O_3	1
88	Lucknow	Moderate	102	PM_{10}	6
89	Ludhiana	Satisfactory	81	PM_{10}	1
90	Mandi Gobindgarh	Moderate	139	PM_{10}	1
91	Mandideep	Moderate	121	PM_{10}	1
92	Mandikhera	Satisfactory	99	PM_{10}	1
93	Manesar	Satisfactory	75	$PM_{2.5}$	1
94	Manglore	Good	47	CO	1
95	Manguraha	Satisfactory	85	PM_{10}	1
96	Meerut	Moderate	142	O_3, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Satisfactory	75	PM_{10}	4
98	Motihari	Moderate	150	O_3	1
99	Mumbai	Moderate	167	$PM_{2.5}$, PM_{10}	15
100	Munger	Moderate	155	PM_{10}	1
101	Muzaffarnagar	Moderate	189	O_3	1
102	Muzaffarpur	Poor	218	PM_{10}, $PM_{2.5}$	3
103	Mysuru	Good	50	PM_{10}	1
104	Nagpur	Satisfactory	62	CO	1
105	Naharlagun	Moderate	171	PM_{10}	1
106	Nandesari	Good	50	CO	1
107	Narnaul	Satisfactory	61	$PM_{2.5}$	1
108	Nashik	Satisfactory	68	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	154	PM_{10}, CO	3
110	Noida	Moderate	104	PM_{10}	4
111	Pali	Satisfactory	72	$PM_{2.5}$	1
112	Palwal	Satisfactory	74	PM_{10}	1
113	Panchkula	Satisfactory	86	$PM_{2.5}$	1
114	Panipat	Satisfactory	78	PM_{10}	1
115	Patiala	Satisfactory	61	PM_{10}	1
116	Patna	Moderate	190	$PM_{2.5}$, PM_{10}	5
117	Pithampur	Satisfactory	84	PM_{10}	1
118	Prayagraj	Moderate	104	PM_{10}	3
119	Puducherry	Satisfactory	60	PM_{10}	1
120	Pune	Moderate	127	$PM_{2.5}$, PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	133	$PM_{2.5}$	1
122	Raichur	Moderate	105	PM_{10}	1
123	Rajamahendravaram	Satisfactory	93	PM_{10}	1
124	Rajgir	Moderate	150	O_3	1
125	Ramanagara	Satisfactory	87	PM_{10}	1
126	Ratlam	Satisfactory	92	PM_{10}	1
127	Rohtak	Satisfactory	81	$PM_{2.5}$	1
128	Rupnagar	Satisfactory	61	PM_{10}	1
129	Sagar	Satisfactory	69	$PM_{2.5}$	1
130	Saharsa	Poor	212	PM_{10}	1
131	Sasaram	Moderate	162	PM_{10}	1
132	Satna	Satisfactory	59	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	43	O_3	1
134	Shivamogga	Satisfactory	63	O_3	1
135	Siliguri	Moderate	176	$PM_{2.5}$	1
136	Singrauli	Poor	262	PM_{10}	1
137	Sirsa	Satisfactory	86	O_3	1
138	Siwan	Moderate	163	PM_{10}	1
139	Solapur	Satisfactory	84	CO	1
140	Sonipat	Satisfactory	83	PM_{10}	1
141	Srinagar	Satisfactory	66	PM_{10}	1
142	Thane	Poor	212	PM_{10}	1
143	Thiruvananthapuram	Satisfactory	65	$PM_{2.5}$	1
144	Thoothukudi	Good	38	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Satisfactory	82	$PM_{2.5}$	1
146	Tirupati	Satisfactory	60	PM_{10}	1
147	Udaipur	Moderate	103	PM_{10}	1
148	Udupi	Satisfactory	72	O_3	1
149	Ujjain	Moderate	119	PM_{10}	1
150	Vapi	Moderate	156	PM_{10}	1
151	Varanasi	Satisfactory	94	PM_{10}	4
152	Vijayapura	Good	50	PM_{10}	1
153	Visakhapatnam	Moderate	123	PM_{10}	1
154	Vrindavan	Satisfactory	60	PM_{10}	1
155	Yamunanagar	Satisfactory	94	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bidar, Chamarajanagar, Chikkaballapur, Chikkamagaluru, Fatehabad, Jorapokhar, Kalaburgi, Kohima, Kolar, Madikeri, Maihar, Talcher, Vatva, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.