



## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	231	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	124	NO <sub>2</sub>	1
3	Ajmer	Poor	213	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	94	PM <sub>2.5</sub>	1
5	Amaravati	Good	44	OZONE	1
6	Ambala	Very Poor	376	PM <sub>2.5</sub>	1
7	Amritsar	Poor	265	PM <sub>2.5</sub>	1
8	Asanol	Poor	231	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	61	PM <sub>10</sub>	1
10	Baghpat	Severe	435	PM <sub>2.5</sub>	1
11	Bahadurgarh	Poor	264	PM <sub>2.5</sub>	1
12	Ballabgarh	Very Poor	395	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Very Poor	308	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	60	PM <sub>10</sub> , OZONE, CO	6
15	Bhiwadi	Poor	269	PM <sub>10</sub>	1
16	Bhiwani	Very Poor	378	PM <sub>2.5</sub>	1
17	Bhopal	Moderate	157	PM <sub>2.5</sub>	1
18	Brajrajnagar	Moderate	190	PM <sub>2.5</sub>	1
19	Bulandshahr	Severe	446	PM <sub>10</sub>	1
20	Chandigarh	Poor	279	PM <sub>2.5</sub>	1
21	Chandrapur	Satisfactory	76	PM <sub>10</sub> , PM <sub>2.5</sub>	2
22	Chennai	Satisfactory	56	PM <sub>2.5</sub> , OZONE	3
23	Coimbatore	Good	48	PM <sub>2.5</sub>	1
24	Delhi	Very Poor	399	PM <sub>2.5</sub> , PM <sub>10</sub>	35

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	78	PM <sub>2.5</sub>	1
26	Dharuhera	Poor	298	PM <sub>2.5</sub>	1
27	Eloor	Good	41	CO	1
28	Faridabad	Severe	404	PM <sub>2.5</sub>	1
29	Fatehabad	Severe	493	PM <sub>10</sub>	1
30	GandhiNagar	Satisfactory	81	PM <sub>2.5</sub>	1
31	Gaya	Poor	294	PM <sub>2.5</sub>	1
32	Ghaziabad	Severe	453	PM <sub>2.5</sub>	4
33	Greater_Noida	Severe	438	PM <sub>2.5</sub> , PM <sub>10</sub>	2
34	Gurugram	Very Poor	364	PM <sub>2.5</sub>	2
35	Guwahati	Moderate	104	PM <sub>10</sub>	1
36	Haldia	Moderate	102	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Severe	444	PM <sub>2.5</sub>	1
38	Hisar	Severe	490	PM <sub>2.5</sub>	1
39	Howrah	Poor	241	PM <sub>2.5</sub>	3
40	Hubballi	Moderate	128	PM <sub>10</sub>	1
41	Hyderabad	Satisfactory	60	PM <sub>10</sub> , PM <sub>2.5</sub>	6
42	Indore	Moderate	103	PM <sub>10</sub>	1
43	Jabalpur	Moderate	198	PM <sub>2.5</sub>	1
44	Jaipur	Moderate	179	PM <sub>2.5</sub> , PM <sub>10</sub>	3
45	Jalandhar	Poor	283	PM <sub>2.5</sub>	1
46	Jind	Severe	459	PM <sub>2.5</sub>	1
47	Jodhpur	Moderate	181	PM <sub>2.5</sub>	1
48	Jorapokhar	Moderate	120	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Severe	408	PM <sub>10</sub>	1
50	Kalaburagi	Good	36	NO <sub>2</sub>	1
51	Kalyan	Good	47	PM <sub>10</sub>	1
52	Kanpur	Very Poor	379	PM <sub>2.5</sub>	1
53	Karnal	Very Poor	361	PM <sub>2.5</sub>	1
54	Katni	Poor	298	PM <sub>2.5</sub>	1
55	Kolkata	Moderate	180	PM <sub>2.5</sub>	5
56	Kota	Moderate	195	PM <sub>2.5</sub>	1
57	Kurukshetra	Very Poor	381	PM <sub>2.5</sub>	1
58	Lucknow	Severe	422	PM <sub>2.5</sub>	4
59	Ludhiana	Very Poor	305	PM <sub>2.5</sub>	1
60	Maihar	Good	48	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Poor	217	PM <sub>10</sub>	1
62	Mandikhera	Very Poor	324	PM <sub>2.5</sub>	1
63	Manesar	Very Poor	316	PM <sub>2.5</sub>	1
64	Meerut	Very Poor	371	PM <sub>2.5</sub>	3
65	Moradabad	Moderate	199	PM <sub>10</sub>	1
66	Mumbai	Good	43	SO <sub>2</sub> , PM <sub>10</sub> , NO <sub>2</sub>	9
67	Muzaffarpur	Very Poor	382	PM <sub>2.5</sub>	1
68	Mysuru	Satisfactory	64	PM <sub>10</sub>	1
69	Nagpur	Moderate	120	PM <sub>2.5</sub>	1
70	Narnaul	Poor	229	PM <sub>2.5</sub>	1
71	Navi Mumbai	Good	40	PM <sub>10</sub>	2
72	Noida	Severe	432	PM <sub>2.5</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Moderate	163	PM <sub>10</sub>	1
74	Palwal	Very Poor	369	PM <sub>2.5</sub>	1
75	Panchkula	Moderate	187	PM <sub>2.5</sub>	1
76	Panipat	Very Poor	389	PM <sub>2.5</sub>	1
77	Patiala	Poor	263	PM <sub>2.5</sub>	1
78	Patna	Severe	428	PM <sub>2.5</sub>	1
79	Pithampur	Satisfactory	85	PM <sub>10</sub>	1
80	Pune	Satisfactory	92	SO <sub>2</sub>	1
81	Rajamahendravaram	Satisfactory	61	OZONE	1
82	Ramanagara	Satisfactory	51	PM <sub>10</sub>	1
83	Ratlam	Moderate	118	NO <sub>2</sub>	1
84	Rohtak	Very Poor	367	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rupnagar	Poor	274	PM <sub>2.5</sub>	1
86	Satna	Moderate	189	PM <sub>10</sub>	1
87	Siliguri	Satisfactory	96	PM <sub>10</sub>	1
88	Singrauli	Very Poor	384	PM <sub>2.5</sub>	1
89	Solapur	Satisfactory	68	CO	1
90	Sonipat	Poor	216	PM <sub>10</sub>	1
91	Thane	Good	41	CO	1
92	Thiruvananthapuram	Satisfactory	52	CO	1
93	Udaipur	Moderate	125	PM <sub>10</sub>	1
94	Ujjain	Moderate	111	PM <sub>2.5</sub>	1
95	Vapi	Good	44	PM <sub>10</sub>	1
96	Varanasi	Very Poor	328	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Nov 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vatva	Moderate	114	PM <sub>10</sub>	1
98	Visakhapatnam	Moderate	125	PM <sub>2.5</sub>	1
99	Yadgir	Good	38	OZONE	1
100	Yamunanagar	Very Poor	345	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Khanna, Mandi Gobindgarh, Muzaffarnagar, Nashik, Shillong, Sirsa, Talcher, Tirupati, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.