Air Quality Index on Feb 10, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	236	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	89	NO_2	1
3	Ajmer	Moderate	112	$PM_{2.5}$	1
4	Alwar	Satisfactory	57	PM_{10}	1
5	Amaravati	Moderate	145	PM_{10}	1
6	Ambala	Moderate	126	PM_{10}	1
7	Amritsar	Moderate	166	$PM_{2.5}$	1
8	Ankleshwar	Moderate	133	PM_{10}	1
9	Asanol	Moderate	161	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	100	OZONE	1
11	Baghpat	Moderate	173	$PM_{2.5}$	1
12	Bahadurgarh	Moderate	178	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Chikkaballapur, Durgapur, Gurugram, Hubballi, Ludhiana, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 10, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	244	$PM_{2.5}$	1
14	Bathinda	Satisfactory	91	PM_{10}	1
15	Bengaluru	Moderate	107	$PM_{2.5}$	6
16	Bhiwani	Satisfactory	100	PM_{10}	1
17	Brajrajnagar	Moderate	113	CO	1
18	Bulandshahr	Poor	264	$PM_{2.5}$	1
19	Chandrapur	Moderate	115	PM_{10}	1
20	Chennai	Good	48	CO	2
21	Damoh	Satisfactory	79	$PM_{2.5}$	1
22	Delhi	Poor	276	PM_{10}, $PM_{2.5}$	29
23	Dewas	Satisfactory	98	PM_{10}	1
24	Dharuhera	Poor	206	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Chikkaballapur, Durgapur, Gurugram, Hubballi, Ludhiana, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 10, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Moderate	125	NO_2	1
26	Fatehabad	Moderate	144	PM_{10}	1
27	GandhiNagar	Satisfactory	87	CO	1
28	Gaya	Poor	216	$PM_{2.5}$	1
29	Ghaziabad	Poor	251	$PM_{2.5}$	1
30	Greater_Noida	Poor	240	$PM_{2.5}$	1
31	Haldia	Satisfactory	95	PM_{10}	1
32	Hapur	Moderate	193	$PM_{2.5}$	1
33	Hisar	Moderate	132	PM_{10}	1
34	Howrah	Moderate	134	$PM_{2.5}$, PM_{10}	2
35	Hyderabad	Moderate	130	PM_{10}, $PM_{2.5}$	4
36	Jaipur	Moderate	122	$PM_{2.5}$, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Chikkaballapur, Durgapur, Gurugram, Hubballi, Ludhiana, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 10, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jalandhar	Moderate	142	PM_{10}	1
38	Jind	Moderate	121	PM_{10}	1
39	Jodhpur	Moderate	113	PM_{10}	1
40	Jorapokhar	Moderate	119	PM_{10}	1
41	Kalaburgi	Moderate	149	PM_{10}	1
42	Kanpur	Moderate	162	$PM_{2.5}$	1
43	Karnal	Moderate	103	PM_{10}	1
44	Khanna	Satisfactory	85	PM_{10}	1
45	Kolkata	Moderate	151	$PM_{2.5}$	2
46	Kota	Moderate	109	$PM_{2.5}$	1
47	Kurushketra	Moderate	119	PM_{10}	1
48	Lucknow	Moderate	156	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Chikkaballapur, Durgapur, Gurugram, Hubballi, Ludhiana, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 10, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Mandi Gobindgarh	Poor	234	$PM_{2.5}$	1
50	Mandideep	Satisfactory	97	OZONE	1
51	Mandikhera	Satisfactory	90	$PM_{2.5}$	1
52	Manesar	Poor	208	$PM_{2.5}$	1
53	Mumbai	Moderate	187	PM_{10}	1
54	Muzaffarnagar	Moderate	200	$PM_{2.5}$	1
55	Muzaffarpur	Moderate	172	$PM_{2.5}$	1
56	Nagpur	Poor	276	OZONE	1
57	Nashik	Moderate	153	OZONE	1
58	Navi Mumbai	Moderate	134	PM_{10}	1
59	Noida	Poor	265	$PM_{2.5}$	1
60	Pali	Moderate	150	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Chikkaballapur, Durgapur, Gurugram, Hubballi, Ludhiana, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 10, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Palwal	Moderate	113	$PM_{2.5}$	1
62	Panchkula	Satisfactory	96	$PM_{2.5}$	1
63	Panipat	Satisfactory	89	PM_{10}	1
64	Patiala	Moderate	121	PM_{10}	1
65	Patna	Moderate	184	$PM_{2.5}$	1
66	Pithampur	Moderate	118	PM_{10}	1
67	Pune	Poor	232	$PM_{2.5}$	1
68	Rajamahendravaram	Moderate	135	$PM_{2.5}$	1
69	Rohtak	Moderate	117	$PM_{2.5}$	1
70	Satna	Moderate	102	CO	1
71	Siliguri	Satisfactory	56	$PM_{2.5}$	1
72	Singrauli	Moderate	157	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Chikkaballapur, Durgapur, Gurugram, Hubballi, Ludhiana, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 10, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Sirsa	Moderate	112	PM_{10}	1
74	Solapur	Moderate	171	PM_{10}	1
75	Sonipat	Moderate	155	$PM_{2.5}$	1
76	Talcher	Poor	218	PM_{10}	1
77	Thane	Poor	213	$PM_{2.5}$	1
78	Thiruvananthapuram	Satisfactory	58	$PM_{2.5}$	1
79	Tirupati	Satisfactory	82	$PM_{2.5}$	1
80	Udaipur	Moderate	135	$PM_{2.5}$	1
81	Ujjain	Moderate	151	OZONE	1
82	Varanasi	Poor	237	OZONE	1
83	Vatva	Moderate	132	$PM_{2.5}$	1
84	Vijayawada	Satisfactory	84	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Chikkaballapur, Durgapur, Gurugram, Hubballi, Ludhiana, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 10, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Visakhapatnam	Moderate	147	$PM_{2.5}$	1
86	Yamunanagar	Moderate	120	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Chikkaballapur, Durgapur, Gurugram, Hubballi, Ludhiana, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.