

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	168	PM _{2.5}	1
2	Ahmedabad	Satisfactory	62	NO ₂	1
3	Ajmer	Satisfactory	62	OZONE	1
4	Alwar	Satisfactory	63	PM ₁₀	1
5	Amaravati	Satisfactory	97	PM ₁₀	1
6	Ambala	Satisfactory	97	PM ₁₀	1
7	Amritsar	Moderate	109	PM _{2.5}	1
8	Ankleshwar	Moderate	160	PM _{2.5}	1
9	Asanol	Poor	275	PM _{2.5}	1
10	Baghpat	Moderate	181	PM _{2.5}	1
11	Bahadurgarh	Satisfactory	92	PM ₁₀	1
12	Ballabgarh	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	87	PM ₁₀	1
14	Bengaluru	Satisfactory	92	PM ₁₀ , PM _{2.5}	7
15	Bhiwadi	Poor	236	PM _{2.5}	1
16	Bhiwani	Satisfactory	75	PM _{2.5}	1
17	Brajrajnagar	Poor	270	PM _{2.5}	1
18	Bulandshahr	Poor	244	PM _{2.5}	1
19	Chandrapur	Satisfactory	92	PM ₁₀	1
20	Chennai	Satisfactory	85	PM _{2.5} , CO, OZONE	3
21	Chikkaballapur	Satisfactory	100	PM ₁₀	1
22	Damoh	Satisfactory	86	PM _{2.5}	1
23	Delhi	Moderate	186	PM ₁₀ , PM _{2.5}	36
24	Dewas	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	143	PM _{2.5}	1
26	Faridabad	Moderate	172	PM _{2.5}	1
27	Fatehabad	Satisfactory	93	PM ₁₀	1
28	GandhiNagar	Satisfactory	80	PM ₁₀	1
29	Gaya	Very Poor	371	PM _{2.5}	1
30	Ghaziabad	Poor	209	PM _{2.5}	1
31	Greater_Noida	Poor	217	PM _{2.5}	1
32	Gurugram	Moderate	123	PM ₁₀ , PM _{2.5}	2
33	Guwahati	Poor	278	PM _{2.5}	1
34	Haldia	Satisfactory	73	PM ₁₀	1
35	Hapur	Poor	220	PM _{2.5}	1
36	Hisar	Satisfactory	77	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Moderate	169	PM _{2.5}	2
38	Hubballi	Moderate	108	PM ₁₀	1
39	Hyderabad	Satisfactory	94	PM ₁₀ , PM _{2.5}	6
40	Jaipur	Satisfactory	93	PM _{2.5} , PM ₁₀	3
41	Jalandhar	Moderate	126	PM ₁₀	1
42	Jind	Moderate	106	PM ₁₀	1
43	Jodhpur	Satisfactory	80	OZONE	1
44	Jorapokhar	Poor	256	PM _{2.5}	1
45	Kaithal	Moderate	118	PM ₁₀	1
46	Kalaburgi	Moderate	114	PM ₁₀	1
47	Kanpur	Moderate	136	PM _{2.5}	1
48	Karnal	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Khanna	Satisfactory	57	PM ₁₀	1
50	Kolkata	Poor	212	PM _{2.5}	2
51	Kota	Satisfactory	90	PM _{2.5}	1
52	Kurushketra	Moderate	103	PM ₁₀	1
53	Lucknow	Poor	259	PM _{2.5}	4
54	Ludhiana	Good	44	PM ₁₀	1
55	Maihar	Satisfactory	92	со	1
56	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
57	Mandideep	Moderate	137	PM ₁₀	1
58	Mandikhera	Moderate	102	PM ₁₀	1
59	Manesar	Moderate	116	PM ₁₀	1
60	Moradabad	Moderate	200	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mumbai	Satisfactory	83	со	1
62	Muzaffarnagar	Moderate	170	PM _{2.5}	1
63	Muzaffarpur	Poor	300	PM _{2.5}	1
64	Nagpur	Moderate	133	OZONE	1
65	Narnaul	Satisfactory	83	PM ₁₀	1
66	Nashik	Satisfactory	85	OZONE	1
67	Navi Mumbai	Moderate	102	PM ₁₀	1
68	Noida	Poor	208	PM _{2.5} , PM ₁₀	2
69	Pali	Satisfactory	70	PM _{2.5}	1
70	Palwal	Moderate	138	PM _{2.5}	1
71	Panchkula	Satisfactory	80	OZONE	1
72	Panipat	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patiala	Satisfactory	71	PM ₁₀	1
74	Patna	Very Poor	315	PM _{2.5}	1
75	Pithampur	Moderate	110	PM ₁₀	1
76	Pune	Moderate	102	PM _{2.5}	1
77	Rajamahendravaram	Satisfactory	80	PM ₁₀	1
78	Ratlam	Moderate	104	PM ₁₀	1
79	Rohtak	Moderate	117	PM _{2.5}	1
80	Rupnagar	Satisfactory	66	PM ₁₀	1
81	Satna	Moderate	108	PM ₁₀	1
82	Siliguri	Moderate	145	PM ₁₀	1
83	Singrauli	Poor	235	PM ₁₀	1
84	Sirsa	Satisfactory	82	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Solapur	Moderate	110	PM ₁₀	1
86	Sonipat	Moderate	185	PM ₁₀	1
87	Thane	Moderate	106	PM ₁₀	1
88	Thiruvananthapuram	Satisfactory	71	OZONE	1
89	Tirupati	Satisfactory	58	OZONE	1
90	Udaipur	Satisfactory	98	PM _{2.5}	1
91	Ujjain	Moderate	106	PM ₁₀	1
92	Vapi	Moderate	159	PM _{2.5}	1
93	Varanasi	Poor	263	PM _{2.5}	1
94	Vatva	Moderate	108	PM ₁₀	1
95	Visakhapatnam	Satisfactory	92	PM ₁₀	1
96	Yamunanagar	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Durgapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.