

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	83	PM ₁₀	1
2	Agra	Moderate	109	PM ₁₀	5
3	Ahmedabad	Satisfactory	64	PM ₁₀ , PM _{2.5}	6
4	Aizawl	Good	50	PM ₁₀	1
5	Ajmer	Satisfactory	59	PM ₁₀	1
6	Alwar	Satisfactory	80	PM ₁₀	1
7	Amaravati	Satisfactory	93	PM ₁₀	1
8	Ambala	Poor	201	PM ₁₀	1
9	Amritsar	Satisfactory	95	PM ₁₀	1
10	Ankleshwar	Moderate	194	PM _{2.5}	1
11	Asansol	Moderate	165	PM _{2.5}	1
12	Aurangabad	Satisfactory	88	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	59	PM _{2.5}	1
14	Baghpat	Moderate	177	PM _{2.5}	1
15	Bahadurgarh	Poor	216	PM _{2.5}	1
16	Bathinda	Moderate	111	PM ₁₀	1
17	Bengaluru	Satisfactory	73	PM _{2.5} , PM ₁₀	6
18	Bhiwadi	Moderate	153	PM ₁₀	1
19	Bhiwani	Moderate	116	PM ₁₀	1
20	Bhopal	Moderate	122	03	1
21	Bilaspur	Moderate	102	PM ₁₀	1
22	Brajrajnagar	Satisfactory	76	03	1
23	Bulandshahr	Moderate	166	PM _{2.5}	1
24	Chamarajanagar	Good	44	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	180	PM _{2.5} , PM ₁₀	2
26	Chandrapur	Moderate	143	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Poor	263	PM _{2.5}	1
28	Chennai	Good	46	PM ₁₀ , CO	7
29	Chikkaballapur	Good	30	PM _{2.5}	1
30	Chikkamagaluru	Satisfactory	51	PM _{2.5}	1
31	Damoh	Good	45	PM _{2.5}	1
32	Davanagere	Satisfactory	61	PM ₁₀	1
33	Delhi	Moderate	173	PM ₁₀	37
34	Dewas	Moderate	151	PM _{2.5}	1
35	Ernakulam	Good	43	PM ₁₀	1
36	Faridabad	Moderate	158	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	103	PM ₁₀	1
38	Firozabad	Moderate	102	PM _{2.5}	1
39	Gandhinagar	Satisfactory	76	PM _{2.5} , PM ₁₀ , CO	3
40	Gaya	Satisfactory	91	PM _{2.5}	2
41	Ghaziabad	Poor	249	PM ₁₀ , PM _{2.5}	4
42	Gorakhpur	Moderate	193	PM _{2.5}	1
43	Greater Noida	Poor	217	PM ₁₀	2
44	Gummidipoondi	Moderate	102	PM ₁₀	1
45	Gurugram	Moderate	150	PM ₁₀ , PM _{2.5} , CO	4
46	Guwahati	Moderate	149	PM _{2.5}	2
47	Gwalior	Moderate	107	PM ₁₀	1
48	Hajipur	Moderate	172	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Moderate	119	PM ₁₀	1
50	Hapur	Moderate	173	PM _{2.5}	1
51	Hassan	Satisfactory	56	PM ₁₀	1
52	Howrah	Moderate	170	PM _{2.5}	3
53	Hubballi	Satisfactory	90	PM ₁₀	1
54	Hyderabad	Moderate	116	PM ₁₀ , PM _{2.5}	6
55	Indore	Moderate	146	PM ₁₀	1
56	Jabalpur	Moderate	123	PM ₁₀	1
57	Jaipur	Satisfactory	92	PM ₁₀	2
58	Jalandhar	Moderate	159	PM _{2.5}	1
59	Jind	Moderate	112	PM ₁₀	1
60	Jodhpur	Satisfactory	77	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	182	PM ₁₀	1
62	Kalaburgi	Moderate	103	O ₃	1
63	Kalyan	Moderate	142	PM ₁₀	1
64	Kannur	Good	48	PM _{2.5}	1
65	Kanpur	Satisfactory	96	PM ₁₀ , PM _{2.5}	4
66	Karnal	Moderate	181	PM _{2.5}	1
67	Katni	Poor	262	PM ₁₀	1
68	Khanna	Moderate	159	PM _{2.5}	1
69	Kochi	Good	45	NO ₂	1
70	Kolkata	Moderate	189	PM _{2.5} , PM ₁₀	7
71	Kollam	Moderate	118	со	1
72	Kota	Satisfactory	74	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	59	PM ₁₀	1
74	Kurukshetra	Poor	255	PM _{2.5}	1
75	Lucknow	Moderate	132	PM ₁₀ , PM _{2.5}	6
76	Ludhiana	Moderate	165	PM _{2.5}	1
77	Mandi Gobindgarh	Satisfactory	93	PM ₁₀	1
78	Mandideep	Moderate	130	PM ₁₀	1
79	Mandikhera	Satisfactory	84	PM _{2.5}	1
80	Manesar	Moderate	188	PM _{2.5}	1
81	Manglore	Satisfactory	68	PM ₁₀	1
82	Meerut	Moderate	189	PM _{2.5} , PM ₁₀	3
83	Moradabad	Poor	202	PM _{2.5}	1
84	Mumbai	Moderate	111	PM _{2.5} , PM ₁₀	16

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	225	PM ₁₀	1
86	Muzaffarpur	Moderate	175	PM _{2.5} , PM ₁₀	2
87	Mysuru	Good	47	PM ₁₀	1
88	Nandesari	Satisfactory	76	PM _{2.5}	1
89	Narnaul	Satisfactory	78	PM _{2.5}	1
90	Nashik	Satisfactory	62	PM ₁₀	1
91	Navi Mumbai	Moderate	132	PM ₁₀ , PM _{2.5}	3
92	Noida	Moderate	190	PM ₁₀ , PM _{2.5}	4
93	Pali	Satisfactory	57	PM ₁₀	1
94	Palwal	Satisfactory	91	PM ₁₀	1
95	Panchkula	Moderate	190	PM _{2.5}	1
96	Panipat	Moderate	168	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	166	PM _{2.5}	1
98	Patna	Moderate	145	PM ₁₀ , PM _{2.5}	5
99	Pithampur	Satisfactory	75	PM _{2.5}	1
100	Prayagraj	Moderate	115	PM _{2.5} , PM ₁₀	3
101	Puducherry	Good	31	03	1
102	Pune	Satisfactory	90	CO, PM _{2.5}	3
103	Raichur	Moderate	127	PM ₁₀	1
104	Rajamahendravaram	Satisfactory	75	PM ₁₀	1
105	Ramanagara	Good	42	03	1
106	Ratlam	Satisfactory	97	PM ₁₀	1
107	Rohtak	Moderate	187	PM _{2.5}	1
108	Rupnagar	Moderate	122	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	64	PM ₁₀	1
110	Shivamogga	Good	41	PM ₁₀	1
111	Siliguri	Satisfactory	100	PM _{2.5}	1
112	Singrauli	Poor	237	PM ₁₀	1
113	Sirsa	Moderate	113	PM ₁₀	1
114	Sonipat	Poor	221	PM ₁₀	1
115	Srinagar	Satisfactory	82	со	1
116	Talcher	Moderate	113	PM ₁₀	1
117	Thane	Poor	216	PM ₁₀	1
118	Thiruvananthapuram	Good	45	PM ₁₀ , CO	2
119	Thoothukudi	Satisfactory	53	со	1
120	Thrissur	Good	44	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	42	со	1
122	Udaipur	Satisfactory	81	PM ₁₀	1
123	Udupi	Moderate	111	СО	1
124	Ujjain	Moderate	126	PM ₁₀	1
125	Vapi	Moderate	141	PM _{2.5}	1
126	Varanasi	Satisfactory	80	PM ₁₀	4
127	Vatva	Satisfactory	98	NO ₂	1
128	Vijayapura	Satisfactory	53	O ₃	1
129	Visakhapatnam	Satisfactory	93	PM ₁₀	1
130	Vrindavan	Moderate	132	PM ₁₀	1
131	Yamunanagar	Poor	298	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Hisar, Jorapokhar, Kohima, Kolar, Koppal, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Sagar, Shillong, Solapur, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.