

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	24	SO ₂	1
2	Agra	Good	39	PM ₁₀ , O ₃ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	70	PM ₁₀ , CO	9
4	Alwar	Satisfactory	61	PM ₁₀	1
5	Amaravati	Good	42	03	1
6	Ambala	Satisfactory	100	PM ₁₀	1
7	Amritsar	Satisfactory	69	PM ₁₀	1
8	Ankleshwar	Satisfactory	66	PM ₁₀	1
9	Asansol	Satisfactory	62	PM ₁₀	1
10	Aurangabad	Satisfactory	65	со	1
11	Bagalkot	Good	44	PM ₁₀	1
12	Baghpat	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	80	PM ₁₀	1
14	Ballabgarh	Satisfactory	88	PM ₁₀	1
15	Bathinda	Good	46	со	1
16	Bengaluru	Satisfactory	83	CO, O ₃ , PM ₁₀	9
17	Bhiwadi	Satisfactory	76	PM ₁₀	1
18	Bhopal	Good	45	03	1
19	Bulandshahr	Satisfactory	51	PM ₁₀	1
20	Chamarajanagar	Good	38	PM ₁₀	1
21	Chandigarh	Satisfactory	65	O ₃ , PM ₁₀	2
22	Chandrapur	Good	46	PM ₁₀	2
23	Charkhi Dadri	Satisfactory	60	PM ₁₀	1
24	Chennai	Satisfactory	59	PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	35	03	1
26	Damoh	Good	22	PM _{2.5}	1
27	Davanagere	Good	28	PM ₁₀	1
28	Delhi	Satisfactory	82	PM ₁₀ , CO	36
29	Dharuhera	Satisfactory	68	PM ₁₀	1
30	Durgapur	Moderate	165	PM _{2.5}	1
31	Eloor	Satisfactory	70	со	1
32	Ernakulam	Satisfactory	60	PM ₁₀	1
33	Faridabad	Satisfactory	84	PM ₁₀	3
34	Fatehabad	Satisfactory	51	03	1
35	Gadag	Good	28	PM ₁₀	1
36	Gandhinagar	Good	39	CO, PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	80	PM _{2.5}	1
38	Ghaziabad	Satisfactory	83	PM ₁₀	4
39	Gorakhpur	Good	44	PM _{2.5}	1
40	Greater Noida	Satisfactory	86	PM ₁₀	2
41	Gurugram	Satisfactory	78	PM _{2.5} , PM ₁₀	4
42	Guwahati	Satisfactory	58	SO ₂	2
43	Gwalior	Good	40	PM ₁₀	2
44	Hajipur	Satisfactory	57	O ₃	1
45	Haldia	Good	47	PM ₁₀	1
46	Hapur	Satisfactory	60	со	1
47	Hisar	Satisfactory	68	PM _{2.5}	1
48	Howrah	Satisfactory	61	PM ₁₀ , CO	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	72	PM ₁₀ , PM _{2.5}	4
50	Indore	Good	48	PM ₁₀	1
51	Jabalpur	Satisfactory	72	PM ₁₀	1
52	Jaipur	Good	47	PM ₁₀ , CO	3
53	Jalandhar	Satisfactory	84	PM ₁₀	1
54	Jind	Good	47	PM _{2.5}	1
55	Jodhpur	Satisfactory	68	PM ₁₀	1
56	Kaithal	Satisfactory	64	PM ₁₀	1
57	Kalaburgi	Satisfactory	56	PM ₁₀	1
58	Kalyan	Satisfactory	53	PM ₁₀	1
59	Kannur	Satisfactory	56	PM _{2.5}	1
60	Kanpur	Satisfactory	74	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations,
- to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	61	PM ₁₀	1
62	Katni	Satisfactory	85	PM ₁₀	1
63	Khanna	Satisfactory	94	PM _{2.5}	1
64	Kochi	Good	39	со	1
65	Kohima	Good	35	SO ₂	1
66	Kolar	Satisfactory	67	PM ₁₀	1
67	Kolkata	Satisfactory	73	PM ₁₀	5
68	Kollam	Satisfactory	90	СО	1
69	Koppal	Good	36	O ₃	1
70	Kota	Good	42	PM ₁₀	1
71	Kozhikode	Good	41	СО	1
72	Kurukshetra	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Satisfactory	68	PM ₁₀ , NO ₂ , CO	5
74	Ludhiana	Satisfactory	89	PM ₁₀	1
75	Maihar	Good	28	PM _{2.5}	1
76	Mandi Gobindgarh	Moderate	122	PM _{2.5}	1
77	Mandideep	Good	28	PM ₁₀	1
78	Mandikhera	Good	41	со	1
79	Manesar	Satisfactory	63	PM ₁₀	1
80	Medikeri	Good	31	PM ₁₀	1
81	Meerut	Satisfactory	58	PM ₁₀ , NO ₂	3
82	Moradabad	Moderate	109	PM _{2.5}	1
83	Mumbai	Good	46	O ₃ , CO, PM _{2.5}	15
84	Muzaffarnagar	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Satisfactory	76	PM ₁₀ , PM _{2.5}	2
86	Mysuru	Good	48	PM ₁₀	1
87	Nandesari	Moderate	133	PM _{2.5}	1
88	Nashik	Good	32	PM ₁₀	1
89	Navi Mumbai	Good	48	CO, PM ₁₀	3
90	Noida	Satisfactory	67	PM ₁₀ , SO ₂	3
91	Pali	Satisfactory	74	PM _{2.5}	1
92	Palwal	Satisfactory	74	PM ₁₀	1
93	Panchkula	Satisfactory	85	со	1
94	Panipat	Satisfactory	69	PM ₁₀	1
95	Patiala	Satisfactory	55	PM ₁₀	1
96	Patna	Moderate	115	O ₃ , PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Satisfactory	68	PM ₁₀	1
98	Prayagraj	Satisfactory	70	PM _{2.5} , PM ₁₀	3
99	Puducherry	Satisfactory	73	O ₃	1
100	Pune	Satisfactory	71	NO ₂ , PM _{2.5} , CO	6
101	Raichur	Satisfactory	72	PM ₁₀	1
102	Rajamahendravaram	Good	47	PM ₁₀	1
103	Ramanagara	Satisfactory	53	PM ₁₀	1
104	Rohtak	Moderate	156	СО	1
105	Rupnagar	Moderate	181	PM ₁₀	1
106	Sagar	Good	22	NO ₂	1
107	Satna	Satisfactory	59	PM ₁₀	1
108	Shivamogga	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Good	28	PM ₁₀	1
110	Singrauli	Satisfactory	94	PM ₁₀	1
111	Sirsa	Satisfactory	53	PM ₁₀	1
112	Sonipat	Satisfactory	96	PM ₁₀	1
113	Srinagar	Poor	281	PM ₁₀	1
114	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
115	Thoothukudi	Satisfactory	58	PM ₁₀	1
116	Udaipur	Satisfactory	59	PM _{2.5}	1
117	Ujjain	Satisfactory	55	PM ₁₀	1
118	Vapi	Good	37	PM ₁₀	1
119	Varanasi	Satisfactory	82	PM ₁₀	4
120	Vatva	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake
- and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	61	PM ₁₀	1
122	Visakhapatnam	Moderate	106	PM ₁₀	1
123	Vrindavan	Good	39	PM ₁₀	1
124	Yadgir	Good	43	PM ₁₀	1
125	Yamunanagar	Moderate	175	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bettiah,
 Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Darbhanga, Dewas, Firozabad, Gummidipoondi, Hassan, Hubballi, Jorapokhar,
 Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Shillong, Solapur,
 Talcher, Thane, Thrissur, Tirupati, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.