

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	72	PM _{2.5} , PM ₁₀	2
2	Agra	Good	46	O ₃ , PM ₁₀	6
3	Ahmedabad	Moderate	119	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	35	PM ₁₀	1
5	Ajmer	Satisfactory	67	PM ₁₀	1
6	Alwar	Satisfactory	64	NO ₂	1
7	Amaravati	Good	24	PM ₁₀	1
8	Amritsar	Satisfactory	79	PM _{2.5}	1
9	Anantapur	Good	47	PM ₁₀	1
10	Ankleshwar	Satisfactory	74	PM ₁₀	1
11	Araria	Satisfactory	73	PM _{2.5}	1
12	Ariyalur	Satisfactory	62	NO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittergarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	135	PM _{2.5}	1
14	Aurangabad (Bihar)	Satisfactory	72	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	75	PM ₁₀	1
16	Baddi	Satisfactory	94	O ₃	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Poor	243	PM _{2.5}	1
19	Bahadurgarh	Satisfactory	85	PM ₁₀	1
20	Ballabgarh	Satisfactory	81	СО	1
21	Bareilly	Satisfactory	66	PM ₁₀	2
22	Baripada	Good	46	O ₃	1
23	Barmer	Satisfactory	77	O ₃	1
24	Bathinda	Moderate	105	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Guddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	55	PM ₁₀	1
26	Bengaluru	Satisfactory	52	PM ₁₀	11
27	Bettiah	Moderate	119	PM _{2.5}	1
28	Bharatpur	Satisfactory	64	03	1
29	Bhilai	Good	26	PM ₁₀ , CO	2
30	Bhiwadi	Satisfactory	86	со	1
31	Bhiwani	Moderate	143	PM ₁₀	1
32	Bhopal	Satisfactory	64	O ₃	3
33	Bidar	Moderate	101	СО	1
34	Bihar Sharif	Moderate	105	PM ₁₀	1
35	Bikaner	Moderate	109	PM ₁₀	1
36	Bilaspur	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	114	PM ₁₀	1
38	Bulandshahr	Satisfactory	92	PM ₁₀	1
39	Chamarajanagar	Good	49	PM ₁₀	1
40	Chandigarh	Satisfactory	82	PM ₁₀ , O ₃	3
41	Chandrapur	Satisfactory	65	СО	1
42	Charkhi Dadri	Moderate	195	PM _{2.5}	1
43	Chennai	Good	46	CO, O ₃	8
44	Chhapra	Moderate	165	PM ₁₀	1
45	Chikkaballapur	Good	43	PM ₁₀	1
46	Chikkamagaluru	Good	40	PM ₁₀	1
47	Chittoor	Satisfactory	56	O ₃	1
48	Churu	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Coimbatore	Satisfactory	80	СО	1
50	Dausa	Satisfactory	95	PM ₁₀	1
51	Davanagere	Good	43	PM _{2.5}	1
52	Dehradun	Satisfactory	56	03	1
53	Delhi	Moderate	154	PM ₁₀ , PM _{2.5}	34
54	Dewas	Satisfactory	98	СО	1
55	Dindigul	Moderate	158	NO ₂	1
56	Durgapur	Satisfactory	81	PM ₁₀	1
57	Faridabad	Satisfactory	100	PM _{2.5}	3
58	Firozabad	Satisfactory	66	PM _{2.5}	2
59	Gandhinagar	Satisfactory	54	PM _{2.5}	3
60	Gaya	Satisfactory	74	PM ₁₀ , PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Moderate	184	PM _{2.5} , PM ₁₀	4
62	Gorakhpur	Satisfactory	58	SO ₂	1
63	Greater Noida	Moderate	151	PM ₁₀	2
64	Gurugram	Moderate	115	PM ₁₀	4
65	Guwahati	Satisfactory	61	PM ₁₀ , PM _{2.5}	3
66	Gwalior	Satisfactory	89	PM _{2.5} , O ₃	3
67	Hajipur	Moderate	112	PM ₁₀	1
68	Haldia	Good	36	O ₃	1
69	Hanumangarh	Moderate	148	PM ₁₀	1
70	Hassan	Satisfactory	90	PM ₁₀	1
71	Haveri	Satisfactory	54	PM ₁₀	1
72	Hosur	Moderate	143	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

hittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Good	37	PM ₁₀	3
74	Hubballi	Satisfactory	75	PM ₁₀	2
75	Hyderabad	Satisfactory	87	PM ₁₀	10
76	Imphal	Moderate	150	PM _{2.5}	1
77	Indore	Satisfactory	64	PM ₁₀	2
78	Jabalpur	Satisfactory	53	PM ₁₀	1
79	Jaipur	Satisfactory	62	PM _{2.5} , PM ₁₀	5
80	Jalandhar	Satisfactory	92	PM ₁₀	1
81	Jhalawar	Satisfactory	71	O ₃	1
82	Jhansi	Satisfactory	59	SO ₂	1
83	Jhunjhunu	Moderate	164	O ₃	1
84	Jind	Satisfactory	72	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Satisfactory	84	03	2
86	Kadapa	Satisfactory	91	PM _{2.5}	1
87	Kaithal	Moderate	119	PM _{2.5}	1
88	Kalaburgi	Satisfactory	80	PM ₁₀	1
89	Kalyan	Moderate	114	PM ₁₀	1
90	Kanpur	Satisfactory	62	PM ₁₀	3
91	Karauli	Good	48	03	1
92	Karnal	Satisfactory	80	PM ₁₀	1
93	Kashipur	Satisfactory	63	PM ₁₀	1
94	Katihar	Satisfactory	86	PM _{2.5}	1
95	Katni	Good	46	PM ₁₀	1
96	Keonjhar	Satisfactory	60	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khanna	Satisfactory	91	PM ₁₀	1
98	Kishanganj	Satisfactory	51	со	1
99	Kochi	Satisfactory	81	PM ₁₀	1
100	Kohima	Satisfactory	60	PM _{2.5}	1
101	Kolar	Satisfactory	67	PM ₁₀	1
102	Kolkata	Good	37	CO, O ₃	6
103	Kollam	Satisfactory	94	PM ₁₀	1
104	Koppal	Satisfactory	81	O ₃	1
105	Korba	Satisfactory	77	NO ₂	2
106	Kota	Satisfactory	68	PM ₁₀	3
107	Kurukshetra	Satisfactory	98	PM _{2.5}	1
108	Lucknow	Satisfactory	60	PM _{2.5}	5

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ludhiana	Moderate	140	PM ₁₀	1
110	Madikeri	Good	29	SO ₂	1
111	Maihar	Good	48	со	1
112	Mandideep	Satisfactory	70	PM ₁₀	1
113	Manesar	Satisfactory	67	PM ₁₀	1
114	Mangalore	Satisfactory	88	PM ₁₀	1
115	Meerut	Poor	221	PM _{2.5}	3
116	Moradabad	Moderate	169	PM _{2.5}	6
117	Motihari	Satisfactory	82	NO ₂	1
118	Mumbai	Satisfactory	90	NO ₂ , PM ₁₀	18
119	Munger	Moderate	163	PM _{2.5}	1
120	Muzaffarpur	Satisfactory	83	PM ₁₀ , CO	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

hittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Good	46	O ₃	1
122	Nagaon	Moderate	104	PM _{2.5}	1
123	Nagpur	Satisfactory	62	PM _{2.5}	1
124	Narnaul	Satisfactory	96	PM ₁₀	1
125	Nashik	Good	47	PM _{2.5}	1
126	Navi Mumbai	Satisfactory	87	PM ₁₀	1
127	Nayagarh	Satisfactory	82	PM ₁₀	1
128	Noida	Moderate	177	PM _{2.5}	4
129	Ooty	Good	48	SO ₂	1
130	Pali	Satisfactory	88	PM _{2.5}	1
131	Palkalaiperur	Satisfactory	53	SO ₂	1
132	Palwal	Satisfactory	58	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

hittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Satisfactory	64	PM _{2.5}	1
134	Panipat	Moderate	118	PM ₁₀	1
135	Patiala	Satisfactory	71	PM ₁₀	1
136	Patna	Moderate	129	PM ₁₀ , PM _{2.5}	6
137	Pithampur	Satisfactory	70	PM ₁₀	1
138	Prayagraj	Satisfactory	81	O ₃ , PM ₁₀	3
139	Puducherry	Good	24	O ₃	1
140	Pune	Satisfactory	92	NO ₂ , CO	3
141	Raichur	Moderate	121	PM ₁₀	1
142	Raipur	Satisfactory	72	NO ₂	4
143	Rajamahendravaram	Good	33	PM ₁₀	1
144	Rajsamand	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

-Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Good	49	PM ₁₀	1
146	Ramanathapuram	Good	15	SO ₂	1
147	Ratlam	Satisfactory	73	NO ₂	1
148	Rishikesh	Good	39	PM ₁₀	1
149	Rohtak	Moderate	101	PM _{2.5}	1
150	Rourkela	Satisfactory	75	PM ₁₀	2
151	Sagar	Satisfactory	55	O ₃	1
152	Saharsa	Satisfactory	99	PM _{2.5}	1
153	Samastipur	Moderate	143	PM ₁₀	1
154	Satna	Satisfactory	59	PM ₁₀	1
155	Sawai Madhopur	Satisfactory	51	O ₃	1
156	Shillong	Good	33	SO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shivamogga	Good	37	O ₃	1
158	Sikar	Satisfactory	77	03	1
159	Silchar	Good	44	со	1
160	Siliguri	Good	39	03	1
161	Singrauli	Satisfactory	62	PM _{2.5}	1
162	Sirsa	Satisfactory	80	PM ₁₀	1
163	Sivasagar	Good	48	PM _{2.5}	1
164	Siwan	Moderate	127	PM _{2.5}	1
165	Solapur	Moderate	116	PM ₁₀	1
166	Sri Ganganagar	Moderate	149	PM ₁₀	1
167	Srinagar	Satisfactory	51	PM ₁₀	1
168	Suakati	Satisfactory	74	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Surat	Satisfactory	80	co	1
170	Talcher	Satisfactory	77	со	1
171	Tensa	Good	39	PM ₁₀	1
172	Thane	Moderate	107	PM ₁₀	1
173	Thiruvananthapuram	Good	38	PM _{2.5} , PM ₁₀	2
174	Thoothukudi	Good	37	O ₃	1
175	Thrissur	Satisfactory	100	PM ₁₀	1
176	Tirupur	Satisfactory	53	PM ₁₀	1
177	Tonk	Satisfactory	57	O ₃	1
178	Tumidih	Satisfactory	51	PM ₁₀	1
179	Udaipur	Satisfactory	71	PM ₁₀	1
180	Ujjain	Satisfactory	56	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,

Chittorgarh, Guddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Varanasi	Good	46	SO ₂	3
182	Vijayapura	Good	42	PM ₁₀	1
183	Vijayawada	Good	45	03	1
184	Visakhapatnam	Satisfactory	71	PM ₁₀	1
185	Vrindavan	Moderate	136	PM ₁₀	1
186	Yadgir	Satisfactory	56	PM ₁₀	1
187	Yamunanagar	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

-Chittorgarh, Cuddalore, Damoh, Darbhanga, Dhanbad, Dharuhera, Dharwad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ambala, Asansol, Banswara, Begusarai, Bhagalpur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal,