

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	272	PM _{2.5}	1
2	Agra	Very Poor	351	PM _{2.5}	1
3	Ahmedabad	Moderate	159	PM _{2.5}	1
4	Aizawl	Satisfactory	99	PM _{2.5}	1
5	Ajmer	Moderate	125	PM ₁₀	1
6	Alwar	Moderate	126	PM _{2.5}	1
7	Amaravati	Satisfactory	94	PM _{2.5}	1
8	Ambala	Moderate	177	PM _{2.5}	1
9	Amritsar	Moderate	101	PM ₁₀	1
10	Ankleshwar	Poor	226	PM _{2.5}	1
11	Asansol	Very Poor	313	PM _{2.5}	1
12	Aurangabad	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	343	PM _{2.5}	1
14	Bahadurgarh	Very Poor	315	PM _{2.5}	1
15	Ballabgarh	Very Poor	320	PM _{2.5}	1
16	Bathinda	Moderate	110	PM _{2.5}	1
17	Bengaluru	Satisfactory	80	O ₃ , PM ₁₀ , PM _{2.5}	8
18	Bhiwadi	Very Poor	361	PM _{2.5}	1
19	Bhiwani	Moderate	148	PM ₁₀	1
20	Bhopal	Moderate	162	PM _{2.5}	1
21	Bidar	Satisfactory	86	PM _{2.5}	1
22	Brajrajnagar	Poor	262	PM _{2.5}	1
23	Bulandshahr	Very Poor	388	PM _{2.5}	1
24	Chandigarh	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	125	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Moderate	184	PM ₁₀	1
27	Chennai	Satisfactory	85	PM _{2.5} , PM ₁₀	7
28	Chikkamagaluru	Satisfactory	64	O ₃	1
29	Damoh	Poor	208	PM _{2.5}	1
30	Delhi	Severe	404	PM ₁₀ , PM _{2.5}	37
31	Dewas	Poor	223	PM _{2.5}	1
32	Dharuhera	Poor	293	PM _{2.5}	1
33	Durgapur	Very Poor	360	PM _{2.5}	1
34	Eloor	Moderate	129	PM ₁₀	1
35	Faridabad	Severe	416	PM _{2.5} , PM ₁₀	2
36	Fatehabad	Moderate	194	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	95	PM ₁₀	1
38	Gaya	Moderate	150	PM _{2.5}	2
39	Ghaziabad	Severe	436	PM _{2.5}	4
40	Greater Noida	Severe	434	PM _{2.5}	2
41	Gurugram	Very Poor	366	PM _{2.5}	4
42	Guwahati	Poor	297	PM _{2.5}	1
43	Gwalior	Very Poor	336	PM _{2.5}	1
44	Hajipur	Moderate	143	PM ₁₀	1
45	Haldia	Poor	242	PM _{2.5}	1
46	Hisar	Poor	252	PM _{2.5}	1
47	Howrah	Very Poor	351	PM _{2.5}	2
48	Hubballi	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	122	PM _{2.5} , PM ₁₀	5
50	Indore	Poor	236	PM _{2.5}	1
51	Jabalpur	Moderate	150	PM ₁₀	1
52	Jaipur	Poor	246	PM _{2.5}	3
53	Jalandhar	Moderate	178	PM _{2.5}	1
54	Jind	Very Poor	313	PM _{2.5}	1
55	Jodhpur	Poor	285	PM _{2.5}	1
56	Kaithal	Poor	210	PM _{2.5}	1
57	Kalaburgi	Satisfactory	84	PM ₁₀	1
58	Kalyan	Moderate	195	PM _{2.5}	1
59	Kannur	Satisfactory	82	PM ₁₀	1
60	Kanpur	Severe	410	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	258	PM _{2.5}	1
62	Khanna	Satisfactory	99	PM ₁₀	1
63	Kohima	Moderate	115	PM ₁₀	1
64	Kolar	Good	49	SO ₂	1
65	Kolkata	Very Poor	341	PM _{2.5}	7
66	Kollam	Satisfactory	96	PM _{2.5}	1
67	Koppal	Satisfactory	78	PM _{2.5}	1
68	Kota	Poor	232	PM _{2.5}	1
69	Kurukshetra	Poor	262	PM _{2.5}	1
70	Lucknow	Severe	406	PM ₁₀ , PM _{2.5}	4
71	Ludhiana	Satisfactory	72	PM _{2.5}	1
72	Maihar	Satisfactory	93	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	169	PM _{2.5}	1
74	Mandideep	Poor	211	PM ₁₀	1
75	Mandikhera	Moderate	104	PM ₁₀	1
76	Manesar	Poor	264	PM _{2.5}	1
77	Manglore	Satisfactory	75	PM _{2.5}	1
78	Medikeri	Satisfactory	56	со	1
79	Meerut	Very Poor	366	PM _{2.5}	2
80	Moradabad	Very Poor	320	PM _{2.5}	1
81	Mumbai	Moderate	153	PM _{2.5} , O ₃ , PM ₁₀	19
82	Muzaffarnagar	Very Poor	305	PM _{2.5}	1
83	Muzaffarpur	Poor	242	PM _{2.5} , PM ₁₀	2
84	Mysuru	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	79	PM _{2.5}	1
86	Narnaul	Poor	295	PM _{2.5}	1
87	Nashik	Satisfactory	58	PM _{2.5}	1
88	Navi Mumbai	Poor	250	PM _{2.5}	3
89	Noida	Severe	432	PM _{2.5}	4
90	Pali	Poor	250	PM _{2.5}	1
91	Palwal	Moderate	170	PM ₁₀	1
92	Panchkula	Poor	215	O ₃	1
93	Patiala	Moderate	175	PM _{2.5}	1
94	Patna	Moderate	193	PM _{2.5} , PM ₁₀	6
95	Pithampur	Poor	251	PM _{2.5}	1
96	Puducherry	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	136	PM _{2.5} , PM ₁₀	5
98	Raichur	Satisfactory	100	PM ₁₀	1
99	Rajamahendravaram	Moderate	135	PM _{2.5}	1
100	Ramanagara	Moderate	171	O ₃	1
101	Ratlam	Poor	205	PM _{2.5}	1
102	Rohtak	Very Poor	380	PM _{2.5}	1
103	Rupnagar	Moderate	121	PM ₁₀	1
104	Sagar	Satisfactory	76	PM _{2.5}	1
105	Satna	Satisfactory	98	PM ₁₀	1
106	Shivamogga	Satisfactory	96	PM _{2.5}	1
107	Siliguri	Poor	292	PM _{2.5}	1
108	Singrauli	Poor	270	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	107	PM _{2.5}	1
110	Talcher	Poor	247	NO ₂	1
111	Thane	Moderate	199	PM ₁₀	1
112	Thiruvananthapuram	Satisfactory	70	PM ₁₀ , PM _{2.5}	2
113	Thoothukudi	Satisfactory	52	O ₃	1
114	Thrissur	Satisfactory	54	PM _{2.5}	1
115	Tirupati	Satisfactory	68	PM _{2.5}	1
116	Udaipur	Poor	214	PM _{2.5}	1
117	Ujjain	Poor	230	PM _{2.5}	1
118	Vapi	Moderate	164	PM ₁₀	1
119	Varanasi	Very Poor	337	PM _{2.5}	1
120	Vatva	Poor	230	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	55	СО	1
122	Yamunanagar	Poor	281	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Gadag, Gummidipoondi, Hapur, Jorapokhar, Karnal, Kochi, Kozhikode, Nandesari, Panipat, Shillong, Solapur, Sonipat, Visakhapatnam, Yadgir as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.