



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	50	PM <sub>10</sub>	6
2	Ahmedabad	Satisfactory	77	PM <sub>10</sub>	7
3	Aizawl	Good	22	PM <sub>10</sub>	1
4	Ajmer	Moderate	182	PM <sub>10</sub>	1
5	Akola	Good	40	PM <sub>10</sub>	1
6	Alwar	Satisfactory	63	PM <sub>10</sub>	1
7	Amaravati	Good	17	O <sub>3</sub>	1
8	Ambala	Satisfactory	86	CO	1
9	Amravati	Good	28	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	52	O <sub>3</sub>	1
11	Ariyalur	Good	31	PM <sub>10</sub>	1
12	Arrah	Moderate	112	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Good	44	CO	1
14	Aurangabad (Maharashtra)	Good	44	CO	2
15	Baddi	Satisfactory	66	PM <sub>10</sub>	1
16	Bagalkot	Good	46	PM <sub>10</sub>	1
17	Baghpat	Satisfactory	72	CO	1
18	Bahadurgarh	Satisfactory	59	PM <sub>10</sub>	1
19	Ballabgarh	Good	29	PM <sub>10</sub>	1
20	Banswara	Satisfactory	75	PM <sub>10</sub>	1
21	Baran	Poor	257	PM <sub>2.5</sub>	1
22	Bareilly	Good	36	PM <sub>2.5</sub> , SO <sub>2</sub>	2
23	Baripada	Good	36	PM <sub>10</sub>	1
24	Barmer	Moderate	126	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Good	40	PM <sub>10</sub>	1
26	Begusarai	Moderate	196	PM <sub>10</sub>	1
27	Belapur	Good	27	PM <sub>10</sub>	1
28	Belgaum	Good	47	CO	1
29	Bengaluru	Satisfactory	63	PM <sub>2.5</sub> , PM <sub>10</sub>	11
30	Bettiah	Satisfactory	87	PM <sub>10</sub>	1
31	Bhagalpur	Satisfactory	74	CO	1
32	Bharatpur	Moderate	118	PM <sub>10</sub>	1
33	Bhilai	Good	41	PM <sub>10</sub>	2
34	Bhilwara	Very Poor	315	O <sub>3</sub>	1
35	Bhiwadi	Good	40	PM <sub>2.5</sub>	1
36	Bhiwandi	Good	23	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	64	PM <sub>2.5</sub>	1
38	Bhopal	Good	45	CO	3
39	Bihar Sharif	Good	26	O <sub>3</sub>	1
40	Bikaner	Satisfactory	86	PM <sub>10</sub>	1
41	Bulandshahr	Good	39	PM <sub>10</sub>	1
42	Bundi	Moderate	181	PM <sub>10</sub>	1
43	Byrnihat	Poor	223	PM <sub>2.5</sub>	1
44	Chamarajanagar	Good	40	PM <sub>10</sub>	1
45	Chandigarh	Good	49	CO, PM <sub>10</sub>	3
46	Charkhi Dadri	Satisfactory	79	PM <sub>10</sub>	1
47	Chennai	Satisfactory	87	NO <sub>2</sub> , CO	8
48	Chhal	Good	28	CO	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Satisfactory	95	CO	1
50	Chikkaballapur	Good	38	PM <sub>10</sub>	1
51	Chikkamagaluru	Good	39	CO	1
52	Chittoor	Good	37	O <sub>3</sub>	1
53	Churu	Satisfactory	57	PM <sub>10</sub>	1
54	Coimbatore	Satisfactory	80	PM <sub>10</sub>	1
55	Cuddalore	Poor	206	NO <sub>2</sub>	2
56	Damoh	Good	25	PM <sub>10</sub>	1
57	Dausa	Satisfactory	77	PM <sub>10</sub>	1
58	Davanagere	Good	16	PM <sub>2.5</sub>	1
59	Dehradun	Good	21	PM <sub>10</sub>	1
60	Delhi	Satisfactory	77	O <sub>3</sub> , PM <sub>10</sub>	11

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Good	38	O <sub>3</sub>	1
62	Dhanbad	Moderate	185	CO	1
63	Dharwad	Good	36	CO	1
64	Dholpur	Moderate	106	PM <sub>2.5</sub>	1
65	Dhule	Good	28	PM <sub>2.5</sub>	1
66	Dindigul	Satisfactory	65	PM <sub>10</sub>	1
67	Eloor	Satisfactory	67	PM <sub>10</sub>	1
68	Faridabad	Satisfactory	87	PM <sub>2.5</sub>	2
69	Fatehabad	Moderate	112	O <sub>3</sub>	1
70	Firozabad	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	2
71	Gadag	Good	46	SO <sub>2</sub>	1
72	Gandhinagar	Satisfactory	76	PM <sub>2.5</sub> , PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gangtok	Satisfactory	53	SO <sub>2</sub>	1
74	Gaya	Satisfactory	59	NO <sub>2</sub> , O <sub>3</sub>	3
75	Ghaziabad	Satisfactory	62	PM <sub>10</sub>	4
76	Gorakhpur	Satisfactory	53	SO <sub>2</sub>	1
77	Greater Noida	Moderate	118	PM <sub>10</sub>	1
78	Gummidipoondi	Moderate	108	PM <sub>10</sub>	1
79	Gurugram	Satisfactory	75	PM <sub>2.5</sub>	4
80	Guwahati	Satisfactory	74	CO, PM <sub>10</sub>	4
81	Gwalior	Satisfactory	66	PM <sub>10</sub> , PM <sub>2.5</sub>	4
82	Hajipur	Satisfactory	68	PM <sub>10</sub>	1
83	Haldia	Good	40	O <sub>3</sub>	1
84	Hanumangarh	Very Poor	304	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Good	40	PM <sub>10</sub>	1
86	Hassan	Good	41	PM <sub>10</sub>	1
87	Haveri	Good	35	CO	1
88	Hisar	Satisfactory	91	PM <sub>2.5</sub>	1
89	Hosur	Good	44	PM <sub>10</sub>	1
90	Howrah	Good	45	NO <sub>2</sub>	3
91	Hubballi	Good	43	PM <sub>10</sub>	1
92	Hyderabad	Satisfactory	52	CO, O <sub>3</sub>	12
93	Indore	Satisfactory	88	CO	1
94	Jabalpur	Satisfactory	76	PM <sub>10</sub>	2
95	Jaipur	Moderate	106	PM <sub>10</sub>	5
96	Jaisalmer	Poor	238	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases





## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	68	PM <sub>10</sub>	1
98	Jalgaon	Satisfactory	75	PM <sub>10</sub>	1
99	Jalna	Good	45	PM <sub>10</sub>	1
100	Jhalawar	Satisfactory	51	PM <sub>10</sub>	1
101	Jhansi	Satisfactory	56	PM <sub>2.5</sub>	1
102	Jhunjhunu	Satisfactory	97	PM <sub>2.5</sub>	1
103	Jodhpur	Moderate	119	PM <sub>10</sub>	5
104	Kaithal	Satisfactory	59	PM <sub>2.5</sub>	1
105	Kannur	Satisfactory	69	PM <sub>10</sub>	1
106	Kanpur	Satisfactory	69	CO	3
107	Karnal	Good	37	PM <sub>10</sub>	1
108	Kashipur	Good	42	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Satisfactory	95	PM <sub>10</sub>	1
110	Katni	Satisfactory	63	PM <sub>10</sub>	1
111	Keonjhar	Good	32	PM <sub>10</sub>	1
112	Khanna	Good	45	PM <sub>10</sub>	1
113	Kishanganj	Satisfactory	66	PM <sub>10</sub>	1
114	Kohima	Good	50	SO <sub>2</sub>	1
115	Kolhapur	Good	34	PM <sub>10</sub> , PM <sub>2.5</sub>	2
116	Kolkata	Good	30	O <sub>3</sub> , PM <sub>10</sub>	6
117	Kollam	Satisfactory	74	PM <sub>10</sub>	1
118	Koppal	Good	25	SO <sub>2</sub>	1
119	Korba	Good	28	NO <sub>2</sub> , O <sub>3</sub>	2
120	Kota	Moderate	121	PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengelpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Satisfactory	53	O <sub>3</sub>	1
122	Latur	Good	47	CO	1
123	Lucknow	Satisfactory	62	PM <sub>10</sub>	6
124	Ludhiana	Satisfactory	54	PM <sub>10</sub>	1
125	Madikeri	Good	23	PM <sub>10</sub>	1
126	Maihar	Good	29	PM <sub>10</sub>	1
127	Mandi Gobindgarh	Good	44	PM <sub>2.5</sub>	1
128	Mandideep	Moderate	122	O <sub>3</sub>	1
129	Mandikhera	Good	39	PM <sub>10</sub>	1
130	Manesar	Satisfactory	55	PM <sub>10</sub>	1
131	Mangalore	Satisfactory	74	PM <sub>10</sub>	1
132	Manguraha	Good	35	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Satisfactory	56	CO, PM <sub>10</sub>	2
134	Moradabad	Satisfactory	75	PM <sub>10</sub>	6
135	Motihari	Good	47	PM <sub>10</sub>	1
136	Mumbai	Satisfactory	86	PM <sub>2.5</sub> , NO <sub>2</sub>	20
137	Munger	Moderate	147	PM <sub>10</sub>	1
138	Muzaffarnagar	Satisfactory	54	PM <sub>10</sub>	1
139	Muzaffarpur	Satisfactory	82	PM <sub>10</sub> , O <sub>3</sub>	3
140	Mysuru	Good	43	PM <sub>10</sub>	1
141	Nagaon	Satisfactory	56	O <sub>3</sub>	1
142	Nagpur	Good	40	CO, PM <sub>10</sub>	4
143	Nalbari	Satisfactory	92	PM <sub>10</sub>	1
144	Nanded	Satisfactory	83	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nashik	Good	30	PM <sub>10</sub> , CO	4
146	Navi Mumbai	Good	45	NO <sub>2</sub> , CO	4
147	Nayagarh	Good	31	NO <sub>2</sub>	1
148	Noida	Satisfactory	59	PM <sub>10</sub>	4
149	Ooty	Satisfactory	51	SO <sub>2</sub>	1
150	Palkalaiperur	Satisfactory	67	SO <sub>2</sub>	1
151	Palwal	Good	31	PM <sub>10</sub>	1
152	Panchkula	Good	49	O <sub>3</sub>	1
153	Panipat	Satisfactory	81	PM <sub>10</sub>	1
154	Parbhani	Good	24	O <sub>3</sub>	1
155	Patiala	Good	33	CO	1
156	Patna	Satisfactory	99	PM <sub>2.5</sub>	6

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pimpri Chinchwad	Good	39	CO, PM <sub>10</sub>	3
158	Pratapgarh	Good	50	O <sub>3</sub>	1
159	Prayagraj	Satisfactory	70	PM <sub>10</sub>	3
160	Puducherry	Satisfactory	64	PM <sub>10</sub>	1
161	Pune	Moderate	101	NO <sub>2</sub> , CO	4
162	Purnia	Satisfactory	70	PM <sub>10</sub>	1
163	Raichur	Good	46	SO <sub>2</sub>	1
164	Raipur	Satisfactory	56	PM <sub>10</sub> , NO <sub>2</sub>	4
165	Rairangpur	Good	43	PM <sub>10</sub>	1
166	Rajamahendravaram	Good	14	NO <sub>2</sub>	1
167	Rajgir	Satisfactory	70	PM <sub>10</sub>	1
168	Rajsamand	Moderate	126	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Good	46	PM <sub>10</sub>	1
170	Ramanathapuram	Satisfactory	84	CO	1
171	Ratlam	Good	46	PM <sub>2.5</sub>	1
172	Rishikesh	Good	31	PM <sub>10</sub>	1
173	Rohtak	Satisfactory	55	PM <sub>2.5</sub>	1
174	Rourkela	Satisfactory	56	PM <sub>10</sub>	1
175	Rupnagar	Satisfactory	98	PM <sub>10</sub>	1
176	Sagar	Satisfactory	51	O <sub>3</sub>	1
177	Saharsa	Satisfactory	79	PM <sub>10</sub>	1
178	Salem	Good	38	SO <sub>2</sub>	1
179	Samastipur	Satisfactory	94	PM <sub>10</sub>	1
180	Sangli	Good	25	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Satna	Satisfactory	66	PM <sub>10</sub>	1
182	Sawai Madhopur	Satisfactory	65	PM <sub>10</sub>	1
183	Shillong	Good	38	PM <sub>2.5</sub>	1
184	Shivamogga	Satisfactory	59	O <sub>3</sub>	1
185	Sikar	Satisfactory	63	PM <sub>10</sub>	1
186	Silchar	Good	39	CO	1
187	Siliguri	Good	50	PM <sub>10</sub>	1
188	Singrauli	Satisfactory	98	NO <sub>2</sub>	1
189	Sirohi	Moderate	101	PM <sub>10</sub>	1
190	Siwan	Satisfactory	92	PM <sub>10</sub>	1
191	Solapur	Good	45	PM <sub>10</sub>	3
192	Sri Ganganagar	Poor	298	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengelpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases





## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Srinagar	Good	33	PM <sub>2.5</sub>	1
194	Surat	Good	21	PM <sub>2.5</sub>	1
195	Talcher	Good	49	CO	1
196	Tensa	Good	40	NO <sub>2</sub>	1
197	Thane	Good	33	PM <sub>10</sub>	2
198	Thiruvananthapuram	Good	34	CO	1
199	Thoothukudi	Satisfactory	63	PM <sub>10</sub>	1
200	Thrissur	Satisfactory	54	PM <sub>10</sub>	1
201	Tirupati	Good	47	PM <sub>10</sub>	1
202	Tirupur	Good	42	CO	1
203	Tonk	Good	47	PM <sub>10</sub>	1
204	Tumakuru	Moderate	140	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonapat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 19, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumidih	Good	25	PM <sub>10</sub>	1
206	Udaipur	Satisfactory	76	PM <sub>10</sub>	1
207	Vapi	Satisfactory	86	CO	1
208	Varanasi	Good	34	SO <sub>2</sub> , PM <sub>10</sub>	4
209	Vatva	Satisfactory	78	PM <sub>2.5</sub>	1
210	Vijayapura	Good	46	PM <sub>10</sub>	1
211	Visakhapatnam	Satisfactory	60	PM <sub>10</sub>	1
212	Vrindavan	Good	30	PM <sub>10</sub>	1
213	Yamunanagar	Good	45	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Anantapur, Ankleshwar, Araria, Asansol, Badlapur, Bidar, Bilaspur, Bileipada, Boisar, Brajrajnagar, Buxar, Chandrapur, Chengalpattu,

Chittorgarh, Darbhanga, Dharuhera, Durgapur, Ernakulam, Imphal, Jind, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Kanchipuram, Karauli, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Naharlagun, Nandesari, Narnaul, Pali, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases