

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	26	PM ₁₀	1
2	Agra	Satisfactory	91	PM _{2.5}	1
3	Ahmedabad	Moderate	107	PM ₁₀	1
4	Aizawl	Good	13	PM ₁₀	1
5	Ajmer	Satisfactory	91	PM ₁₀	1
6	Alwar	Good	46	PM ₁₀	1
7	Amaravati	Good	44	03	1
8	Ambala	Satisfactory	67	PM ₁₀	1
9	Amritsar	Satisfactory	95	PM ₁₀	1
10	Ankleshwar	Moderate	148	03	1
11	Asansol	Satisfactory	56	PM ₁₀	1
12	Aurangabad	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	42	PM _{2.5}	1
14	Baghpat	Satisfactory	53	PM ₁₀	1
15	Bahadurgarh	Satisfactory	74	O ₃	1
16	Ballabgarh	Satisfactory	74	со	1
17	Bathinda	Satisfactory	72	PM ₁₀	1
18	Bengaluru	Good	33	NO ₂ , CO, O ₃	8
19	Bhiwadi	Moderate	194	PM _{2.5}	1
20	Bhiwani	Satisfactory	75	PM ₁₀	1
21	Bidar	Moderate	118	PM ₁₀	1
22	Bulandshahr	Satisfactory	64	O ₃	1
23	Chamarajanagar	Good	36	PM ₁₀	1
24	Chandigarh	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	80	PM ₁₀ , PM _{2.5}	2
26	Charkhi Dadri	Satisfactory	84	PM _{2.5}	1
27	Chennai	Satisfactory	59	PM ₁₀ , O ₃ , CO	7
28	Chikkaballapur	Good	32	со	1
29	Chikkamagaluru	Good	32	03	1
30	Damoh	Good	25	PM _{2.5}	1
31	Delhi	Satisfactory	85	O ₃ , NO ₂ , PM _{2.5}	24
32	Dewas	Satisfactory	88	PM ₁₀	1
33	Dharuhera	Satisfactory	78	PM _{2.5}	1
34	Durgapur	Satisfactory	84	PM ₁₀	1
35	Eloor	Satisfactory	60	со	1
36	Ernakulam	Good	41	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	108	PM _{2.5} , PM ₁₀	3
38	Fatehabad	Moderate	145	PM ₁₀	1
39	Gandhinagar	Satisfactory	77	PM ₁₀	1
40	Gaya	Good	40	O ₃	1
41	Ghaziabad	Satisfactory	64	O ₃ , PM ₁₀	3
42	Greater Noida	Satisfactory	64	PM ₁₀ , PM _{2.5}	2
43	Gummidipoondi	Good	44	PM ₁₀	1
44	Gurugram	Moderate	106	PM _{2.5} , O ₃ , PM ₁₀	3
45	Guwahati	Good	32	SO ₂	1
46	Gwalior	Satisfactory	79	O ₃	1
47	Hajipur	Moderate	101	PM ₁₀	1
48	Haldia	Good	22	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Good	46	O ₃	1
50	Hassan	Satisfactory	56	PM ₁₀	1
51	Hisar	Moderate	106	PM ₁₀	1
52	Howrah	Good	32	PM ₁₀ , CO, O ₃	3
53	Hubballi	Satisfactory	52	PM ₁₀	1
54	Hyderabad	Satisfactory	71	PM ₁₀ , PM _{2.5}	6
55	Indore	Moderate	112	PM ₁₀	1
56	Jabalpur	Satisfactory	91	O ₃	1
57	Jaipur	Satisfactory	85	PM ₁₀	3
58	Jalandhar	Satisfactory	74	PM ₁₀	1
59	Jind	Satisfactory	88	O ₃	1
60	Jodhpur	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jorapokhar	Moderate	101	PM ₁₀	1
62	Kaithal	Satisfactory	85	PM ₁₀	1
63	Kalaburgi	Moderate	102	PM ₁₀	1
64	Kalyan	Moderate	141	PM ₁₀	1
65	Kanpur	Satisfactory	54	PM _{2.5}	1
66	Katni	Satisfactory	87	03	1
67	Khanna	Satisfactory	69	PM ₁₀	1
68	Kochi	Good	49	со	1
69	Kohima	Good	40	PM ₁₀	1
70	Kolkata	Good	41	O ₃ , PM ₁₀ , PM _{2.5}	6
71	Koppal	Satisfactory	78	03	1
72	Kota	Moderate	109	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Good	42	со	1
74	Kurukshetra	Satisfactory	62	PM ₁₀	1
75	Lucknow	Satisfactory	52	PM _{2.5} , O ₃ , CO	4
76	Ludhiana	Satisfactory	93	PM ₁₀	1
77	Mandi Gobindgarh	Good	50	PM ₁₀	1
78	Mandideep	Satisfactory	58	PM ₁₀	1
79	Manglore	Good	34	SO ₂	1
80	Medikeri	Good	39	03	1
81	Meerut	Good	32	O ₃ , PM ₁₀	2
82	Moradabad	Good	39	со	1
83	Mumbai	Moderate	120	PM _{2.5} , PM ₁₀	14
84	Muzaffarnagar	Satisfactory	76	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Satisfactory	84	СО	1
86	Mysuru	Good	30	PM ₁₀	1
87	Nandesari	Satisfactory	70	PM _{2.5}	1
88	Narnaul	Moderate	107	PM ₁₀	1
89	Nashik	Satisfactory	85	PM ₁₀	1
90	Navi Mumbai	Moderate	136	PM ₁₀	2
91	Noida	Satisfactory	82	PM ₁₀ , PM _{2.5}	2
92	Pali	Moderate	114	PM ₁₀	1
93	Palwal	Satisfactory	67	PM ₁₀	1
94	Panchkula	Satisfactory	60	PM _{2.5}	1
95	Panipat	Satisfactory	83	PM ₁₀	1
96	Patiala	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	55	SO ₂ , PM _{2.5} , O ₃	5
98	Puducherry	Good	39	03	1
99	Pune	Satisfactory	69	PM _{2.5} , PM ₁₀ , CO	5
100	Raichur	Satisfactory	69	PM ₁₀	1
101	Rajamahendravaram	Good	45	PM ₁₀	1
102	Ratlam	Satisfactory	90	PM ₁₀	1
103	Rohtak	Satisfactory	68	NO ₂	1
104	Rupnagar	Satisfactory	58	PM ₁₀	1
105	Sagar	Good	27	PM _{2.5}	1
106	Satna	Satisfactory	65	PM ₁₀	1
107	Shivamogga	Good	50	PM ₁₀	1
108	Siliguri	Good	44	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Good	49	NO ₂	1
110	Sirsa	Satisfactory	61	PM ₁₀	1
111	Sonipat	Moderate	117	PM ₁₀	1
112	Srinagar	Good	47	PM ₁₀	1
113	Talcher	Satisfactory	90	со	1
114	Thane	Moderate	187	PM ₁₀	1
115	Thiruvananthapuram	Good	29	со	1
116	Thoothukudi	Satisfactory	77	PM ₁₀	1
117	Thrissur	Satisfactory	59	со	1
118	Tirupati	Good	35	со	1
119	Udaipur	Moderate	109	PM ₁₀	1
120	Ujjain	Moderate	112	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	110	PM ₁₀	1
122	Varanasi	Good	44	O ₃	1
123	Vatva	Moderate	137	PM ₁₀	1
124	Visakhapatnam	Good	50	PM ₁₀	1
125	Yadgir	Satisfactory	82	PM ₁₀	1
126	Yamunanagar	Moderate	142	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhopal, Brajrajnagar, Coimbatore, Davanagere, Gadag, Kannur, Karnal, Kolar, Kollam, Maihar, Mandikhera, Manesar, Nagpur, Naharlagun, Pithampur, Ramanagara, Shillong, Solapur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.