

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	210	PM _{2.5}	1
2	Agra	Very Poor	323	PM _{2.5}	1
3	Ahmedabad	Poor	209	PM ₁₀	1
4	Aizawl	Satisfactory	92	PM ₁₀	1
5	Ajmer	Moderate	108	PM ₁₀	1
6	Alwar	Moderate	101	PM ₁₀	1
7	Amaravati	Satisfactory	52	PM ₁₀	1
8	Ambala	Moderate	110	PM _{2.5}	1
9	Amritsar	Moderate	107	PM _{2.5}	1
10	Ankleshwar	Poor	225	PM _{2.5}	1
11	Asansol	Poor	205	PM _{2.5}	1
12	Aurangabad	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	45	PM ₁₀	1
14	Baghpat	Poor	235	PM _{2.5}	1
15	Bahadurgarh	Poor	244	PM _{2.5}	1
16	Ballabgarh	Poor	277	PM _{2.5}	1
17	Bathinda	Moderate	136	PM ₁₀	1
18	Bengaluru	Satisfactory	86	PM ₁₀ , O ₃ , PM _{2.5}	9
19	Bhiwadi	Very Poor	330	PM _{2.5}	1
20	Bhiwani	Moderate	143	PM ₁₀	1
21	Bhopal	Moderate	120	PM ₁₀	1
22	Brajrajnagar	Moderate	167	PM ₁₀	1
23	Bulandshahr	Poor	294	PM _{2.5}	1
24	Chamarajanagar	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	144	PM _{2.5}	1
26	Chandrapur	Moderate	109	PM ₁₀	1
27	Charkhi Dadri	Moderate	103	PM _{2.5}	1
28	Chennai	Satisfactory	80	PM ₁₀ , PM _{2.5}	7
29	Chikkaballapur	Satisfactory	58	PM ₁₀	1
30	Damoh	Satisfactory	78	PM _{2.5}	1
31	Delhi	Very Poor	334	PM _{2.5}	37
32	Dewas	Satisfactory	96	O ₃	1
33	Dharuhera	Very Poor	324	PM ₁₀	1
34	Durgapur	Poor	278	PM _{2.5}	1
35	Eloor	Satisfactory	81	PM ₁₀	1
36	Ernakulam	Moderate	120	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Very Poor	362	PM ₁₀ , PM _{2.5}	3
38	Fatehabad	Moderate	129	PM _{2.5}	1
39	Gandhinagar	Moderate	112	PM ₁₀	1
40	Gaya	Poor	201	PM _{2.5} , O ₃	2
41	Ghaziabad	Severe	401	PM _{2.5}	2
42	Greater Noida	Very Poor	363	PM _{2.5}	1
43	Gummidipoondi	Moderate	107	PM ₁₀	1
44	Gurugram	Very Poor	310	PM _{2.5}	4
45	Guwahati	Poor	270	PM _{2.5}	2
46	Gwalior	Poor	278	PM _{2.5}	2
47	Hajipur	Very Poor	322	PM ₁₀	1
48	Haldia	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	109	PM _{2.5}	1
50	Hisar	Poor	294	PM _{2.5}	1
51	Howrah	Poor	279	PM _{2.5}	3
52	Hubballi	Moderate	106	PM ₁₀	1
53	Hyderabad	Moderate	114	PM _{2.5} , PM ₁₀	5
54	Indore	Moderate	114	PM ₁₀	1
55	Jabalpur	Poor	211	PM ₁₀	1
56	Jaipur	Moderate	127	PM _{2.5} , PM ₁₀	3
57	Jalandhar	Moderate	116	PM ₁₀	1
58	Jind	Moderate	198	PM _{2.5}	1
59	Jodhpur	Moderate	188	PM ₁₀	1
60	Kaithal	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	92	PM ₁₀	1
62	Kalyan	Poor	282	PM _{2.5}	1
63	Kannur	Satisfactory	97	PM _{2.5}	1
64	Kanpur	Poor	288	PM _{2.5}	2
65	Karnal	Moderate	121	PM _{2.5}	1
66	Katni	Moderate	199	PM _{2.5}	1
67	Khanna	Moderate	105	PM _{2.5}	1
68	Kochi	Moderate	170	PM _{2.5}	1
69	Kohima	Moderate	114	PM ₁₀	1
70	Kolkata	Poor	220	PM _{2.5}	7
71	Kollam	Moderate	152	PM _{2.5}	1
72	Koppal	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	179	PM _{2.5}	1
74	Kozhikode	Satisfactory	90	PM ₁₀	1
75	Kurukshetra	Moderate	198	PM _{2.5}	1
76	Lucknow	Very Poor	302	PM _{2.5} , PM ₁₀	4
77	Ludhiana	Moderate	116	PM ₁₀	1
78	Maihar	Satisfactory	79	PM ₁₀	1
79	Mandi Gobindgarh	Moderate	147	PM _{2.5}	1
80	Mandideep	Moderate	157	PM ₁₀	1
81	Mandikhera	Moderate	134	PM _{2.5}	1
82	Manesar	Poor	300	PM _{2.5}	1
83	Manglore	Satisfactory	94	PM _{2.5}	1
84	Medikeri	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Poor	270	PM _{2.5}	2
86	Moradabad	Very Poor	385	PM _{2.5}	1
87	Mumbai	Moderate	182	PM _{2.5} , PM ₁₀	17
88	Muzaffarpur	Very Poor	316	PM _{2.5}	2
89	Mysuru	Satisfactory	77	NO ₂	1
90	Nandesari	Moderate	102	со	1
91	Narnaul	Poor	239	PM ₁₀	1
92	Nashik	Moderate	108	PM ₁₀	1
93	Navi Mumbai	Poor	236	PM ₁₀ , PM _{2.5}	3
94	Noida	Very Poor	386	PM _{2.5}	2
95	Pali	Moderate	169	PM _{2.5}	1
96	Palwal	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Poor	220	PM _{2.5}	1
98	Panipat	Poor	203	PM ₁₀	1
99	Patiala	Moderate	117	PM _{2.5}	1
100	Patna	Very Poor	309	PM _{2.5}	4
101	Pithampur	Moderate	106	03	1
102	Puducherry	Good	47	PM ₁₀	1
103	Pune	Moderate	170	PM _{2.5} , PM ₁₀	8
104	Raichur	Moderate	131	PM ₁₀	1
105	Ramanagara	Satisfactory	86	03	1
106	Ratlam	Moderate	117	PM ₁₀	1
107	Rohtak	Poor	244	PM _{2.5}	1
108	Sagar	Satisfactory	81	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	94	PM ₁₀	1
110	Shivamogga	Satisfactory	98	PM _{2.5}	1
111	Siliguri	Very Poor	325	PM _{2.5}	1
112	Singrauli	Poor	247	PM _{2.5}	1
113	Sirsa	Moderate	134	PM _{2.5}	1
114	Solapur	Moderate	144	PM ₁₀	1
115	Sonipat	Moderate	178	PM ₁₀	1
116	Talcher	Moderate	136	PM ₁₀	1
117	Thane	Poor	263	PM ₁₀	1
118	Thiruvananthapuram	Satisfactory	85	PM ₁₀	1
119	Thoothukudi	Satisfactory	63	PM ₁₀	1
120	Thrissur	Moderate	157	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Satisfactory	56	NO ₂	1
122	Udaipur	Moderate	176	PM _{2.5}	1
123	Udupi	Poor	222	03	1
124	Ujjain	Moderate	155	PM ₁₀	1
125	Vapi	Moderate	155	PM ₁₀	1
126	Varanasi	Poor	286	PM _{2.5}	1
127	Vatva	Poor	279	PM ₁₀	1
128	Vijayapura	Good	45	PM ₁₀	1
129	Yadgir	Satisfactory	83	PM ₁₀	1
130	Yamunanagar	Moderate	189	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Kolar, Muzaffarnagar, Nagpur, Rajamahendravaram, Rupnagar, Shillong, Srinagar, Visakhapatnam as data was
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.