



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	221	PM _{2.5}	1
2	Ahmedabad	Poor	237	PM _{2.5}	1
3	Ajmer	Moderate	107	PM ₁₀	1
4	Alwar	Satisfactory	97	PM _{2.5}	1
5	Amaravati	Satisfactory	65	PM ₁₀	1
6	Ambala	Moderate	182	PM _{2.5}	1
7	Amritsar	Moderate	125	PM ₁₀	1
8	Ankleshwar	Moderate	175	PM _{2.5}	1
9	Asanol	Poor	229	PM _{2.5}	1
10	Aurangabad	Satisfactory	84	PM _{2.5}	1
11	Bagalkot	Moderate	122	PM ₁₀	1
12	Bahadurgarh	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	156	PM _{2.5}	1
14	Bengaluru	Satisfactory	89	PM ₁₀ , O ₃ , PM _{2.5}	8
15	Bhiwadi	Poor	277	PM _{2.5}	1
16	Bhopal	Moderate	117	PM ₁₀	1
17	Brajrajnagar	Moderate	143	PM _{2.5}	1
18	Bulandshahr	Poor	265	PM _{2.5}	1
19	Chandigarh	Moderate	127	PM ₁₀	1
20	Chandrapur	Satisfactory	92	PM ₁₀	1
21	Chennai	Satisfactory	84	PM _{2.5} , PM ₁₀	4
22	Coimbatore	Satisfactory	87	PM _{2.5}	1
23	Damoh	Moderate	112	PM ₁₀	1
24	Delhi	Poor	272	PM ₁₀ , PM _{2.5}	34

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	101	CO	1
26	Dharuhera	Moderate	174	PM ₁₀	1
27	Eloor	Moderate	112	PM ₁₀	1
28	Ernakulam	Moderate	143	PM _{2.5}	1
29	Faridabad	Poor	272	PM _{2.5}	1
30	Fatehabad	Moderate	156	PM _{2.5}	1
31	GandhiNagar	Moderate	124	PM ₁₀	1
32	Gaya	Moderate	130	PM _{2.5}	1
33	Ghaziabad	Very Poor	323	PM ₁₀ , PM _{2.5}	4
34	Greater_Noida	Poor	296	PM ₁₀ , PM _{2.5}	2
35	Gurugram	Moderate	186	PM _{2.5} , PM ₁₀	2
36	Guwahati	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Moderate	184	O ₃ , PM _{2.5}	2
38	Hapur	Moderate	158	PM _{2.5}	1
39	Hisar	Poor	211	PM _{2.5}	1
40	Howrah	Poor	211	PM _{2.5} , O ₃	3
41	Hubballi	Moderate	102	PM ₁₀	1
42	Hyderabad	Moderate	119	PM _{2.5} , PM ₁₀	6
43	Indore	Moderate	174	PM ₁₀	1
44	Jabalpur	Moderate	160	PM ₁₀	1
45	Jaipur	Moderate	160	PM ₁₀ , PM _{2.5}	3
46	Jalandhar	Moderate	150	PM _{2.5}	1
47	Jind	Poor	211	PM _{2.5}	1
48	Jodhpur	Poor	250	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Poor	217	PM ₁₀	1
50	Kaithal	Moderate	123	PM ₁₀	1
51	Kalaburgi	Moderate	115	PM ₁₀	1
52	Kalyan	Poor	251	PM _{2.5}	1
53	Kannur	Moderate	128	PM _{2.5}	1
54	Kanpur	Poor	245	PM _{2.5}	1
55	Karnal	Poor	218	PM _{2.5}	1
56	Katni	Moderate	187	PM ₁₀	1
57	Khanna	Moderate	106	PM ₁₀	1
58	Kochi	Poor	235	PM _{2.5}	1
59	Kolkata	Moderate	187	PM _{2.5} , O ₃ , PM ₁₀	7
60	Kota	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Satisfactory	90	PM ₁₀	1
62	Kurukshetra	Moderate	182	PM _{2.5}	1
63	Lucknow	Poor	224	PM _{2.5}	4
64	Ludhiana	Moderate	200	PM _{2.5}	1
65	Maihar	Good	47	PM ₁₀	1
66	Mandideep	Moderate	142	PM ₁₀	1
67	Mandikhera	Moderate	143	PM ₁₀	1
68	Meerut	Poor	286	PM ₁₀ , PM _{2.5}	2
69	Mumbai	Poor	220	PM ₁₀ , PM _{2.5}	9
70	Muzaffarnagar	Poor	282	PM _{2.5}	1
71	Muzaffarpur	Poor	282	PM _{2.5}	1
72	Nagpur	Satisfactory	82	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Moderate	126	PM ₁₀	1
74	Nashik	Moderate	165	O ₃	1
75	Navi Mumbai	Poor	213	PM _{2.5} , CO	3
76	Noida	Poor	277	PM _{2.5} , PM ₁₀	4
77	Pali	Moderate	138	PM ₁₀	1
78	Palwal	Poor	235	PM _{2.5}	1
79	Panchkula	Satisfactory	67	PM _{2.5}	1
80	Panipat	Very Poor	315	PM ₁₀	1
81	Patiala	Moderate	112	PM ₁₀	1
82	Patna	Moderate	186	PM _{2.5} , PM ₁₀	4
83	Pithampur	Satisfactory	82	PM ₁₀	1
84	Pune	Moderate	132	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Satisfactory	74	PM ₁₀	1
86	Ramanagara	Satisfactory	82	PM ₁₀	1
87	Ratlam	Moderate	130	PM ₁₀	1
88	Rohtak	Poor	231	PM _{2.5}	1
89	Rupnagar	Moderate	122	PM ₁₀	1
90	Sagar	Moderate	101	PM ₁₀	1
91	Shillong	Moderate	198	PM _{2.5}	1
92	Siliguri	Very Poor	342	PM _{2.5}	1
93	Singrauli	Poor	240	PM ₁₀	1
94	Sirsa	Moderate	117	PM ₁₀	1
95	Solapur	Moderate	111	PM ₁₀	1
96	Sonipat	Poor	246	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Talcher	Poor	242	PM _{2.5}	1
98	Thane	Moderate	167	PM ₁₀	1
99	Thiruvananthapuram	Satisfactory	84	O ₃	2
100	Tirupati	Satisfactory	78	PM ₁₀	1
101	Udaipur	Satisfactory	90	PM ₁₀	1
102	Ujjain	Moderate	155	O ₃	1
103	Vapi	Poor	263	PM _{2.5}	1
104	Varanasi	Poor	272	O ₃	1
105	Vatva	Poor	241	PM _{2.5}	1
106	Vijayapura	Moderate	133	PM _{2.5}	1
107	Visakhapatnam	Satisfactory	88	PM ₁₀	1
108	Yadgir	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yamunanagar	Poor	214	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Chikkaballapur, Chikkamagaluru, Haldia, Mandi Gobindgarh, Manesar, Moradabad, Mysuru, Satna as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.