

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	310	PM _{2.5}	1
2	Agra	Moderate	151	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Poor	222	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	60	PM ₁₀	1
5	Alwar	Satisfactory	88	PM ₁₀	1
6	Amaravati	Moderate	109	PM _{2.5}	1
7	Ambala	Satisfactory	54	NO ₂	1
8	Ankleshwar	Poor	276	PM _{2.5}	1
9	Arrah	Poor	271	PM _{2.5}	1
10	Asansol	Poor	253	PM _{2.5}	1
11	Aurangabad	Moderate	142	PM ₁₀	1
12	Bagalkot	Good	50	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	192	PM _{2.5}	1
14	Bahadurgarh	Moderate	102	PM _{2.5}	1
15	Ballabgarh	Satisfactory	66	PM ₁₀	1
16	Bathinda	Satisfactory	61	PM ₁₀	1
17	Bengaluru	Satisfactory	100	PM _{2.5} , PM ₁₀ , CO	10
18	Bettiah	Very Poor	350	PM _{2.5}	1
19	Bhagalpur	Very Poor	373	PM ₁₀ , PM _{2.5}	2
20	Bhiwadi	Moderate	162	PM _{2.5}	1
21	Bhiwani	Moderate	118	PM _{2.5}	1
22	Bhopal	Moderate	122	PM ₁₀	1
23	Bidar	Satisfactory	77	PM ₁₀	1
24	Bihar Sharif	Poor	207	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	64	со	1
26	Bulandshahr	Moderate	147	PM _{2.5}	1
27	Buxar	Very Poor	325	PM _{2.5}	1
28	Chamarajanagar	Good	29	PM ₁₀	1
29	Chandigarh	Good	28	PM _{2.5}	1
30	Chandrapur	Satisfactory	91	PM ₁₀	2
31	Charkhi Dadri	Moderate	134	СО	1
32	Chennai	Satisfactory	69	PM _{2.5} , PM ₁₀	7
33	Chhapra	Very Poor	366	PM _{2.5}	1
34	Chikkaballapur	Satisfactory	86	PM ₁₀	1
35	Chikkamagaluru	Good	30	PM ₁₀	1
36	Coimbatore	Satisfactory	87	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	33	PM _{2.5}	1
38	Darbhanga	Very Poor	323	PM _{2.5}	1
39	Delhi	Poor	202	PM _{2.5}	29
40	Dewas	Poor	219	PM ₁₀	1
41	Dharuhera	Moderate	186	PM _{2.5}	1
42	Durgapur	Poor	280	PM ₁₀	1
43	Eloor	Satisfactory	70	PM ₁₀	1
44	Faridabad	Moderate	113	PM ₁₀	1
45	Fatehabad	Satisfactory	78	PM ₁₀	1
46	Firozabad	Moderate	182	PM _{2.5}	1
47	Gadag	Good	34	PM ₁₀	1
48	Gandhinagar	Poor	255	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	102	PM _{2.5}	2
50	Ghaziabad	Moderate	165	PM _{2.5}	3
51	Gorakhpur	Moderate	155	PM _{2.5}	1
52	Greater Noida	Moderate	134	PM _{2.5}	2
53	Gurugram	Poor	205	PM _{2.5}	3
54	Guwahati	Moderate	178	PM _{2.5}	2
55	Gwalior	Poor	289	PM _{2.5}	1
56	Hajipur	Moderate	117	PM _{2.5}	1
57	Haldia	Moderate	125	PM ₁₀	1
58	Hapur	Moderate	163	PM _{2.5}	1
59	Hisar	Moderate	181	PM _{2.5}	1
60	Howrah	Poor	209	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	72	PM ₁₀	1
62	Hyderabad	Satisfactory	93	PM ₁₀ , PM _{2.5}	5
63	Indore	Moderate	192	PM ₁₀	1
64	Jabalpur	Satisfactory	89	PM ₁₀	1
65	Jaipur	Moderate	148	PM _{2.5} , PM ₁₀	3
66	Jalandhar	Good	28	PM ₁₀	1
67	Jind	Satisfactory	67	PM ₁₀	1
68	Jodhpur	Moderate	171	PM _{2.5}	1
69	Kalaburgi	Satisfactory	90	PM ₁₀	1
70	Kalyan	Poor	276	PM ₁₀	1
71	Kannur	Good	39	PM _{2.5}	1
72	Kanpur	Moderate	124	NO ₂ , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Karnal	Satisfactory	67	PM _{2.5}	1
74	Katihar	Very Poor	326	PM _{2.5}	1
75	Katni	Satisfactory	94	PM _{2.5}	1
76	Kishanganj	Very Poor	333	PM _{2.5}	1
77	Kochi	Satisfactory	98	PM _{2.5}	1
78	Kohima	Satisfactory	93	PM _{2.5}	1
79	Kolkata	Moderate	192	PM _{2.5}	6
80	Koppal	Good	50	O ₃	1
81	Kota	Moderate	162	PM _{2.5}	1
82	Kozhikode	Good	35	PM ₁₀	1
83	Kurukshetra	Satisfactory	70	PM _{2.5}	1
84	Lucknow	Moderate	150	PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Good	47	PM ₁₀	1
86	Madikeri	Good	30	PM ₁₀	1
87	Maihar	Good	50	со	1
88	Mandi Gobindgarh	Good	31	O ₃	1
89	Mandideep	Satisfactory	61	PM ₁₀	1
90	Mandikhera	Satisfactory	91	PM ₁₀	1
91	Manesar	Moderate	175	PM _{2.5}	1
92	Manglore	Good	50	NO ₂	1
93	Meerut	Moderate	145	PM _{2.5}	1
94	Moradabad	Satisfactory	61	PM _{2.5} , CO	3
95	Motihari	Very Poor	312	PM _{2.5}	1
96	Mumbai	Poor	247	PM ₁₀ , PM _{2.5}	17

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Severe	425	PM _{2.5}	1
98	Muzaffarnagar	Moderate	132	PM _{2.5}	1
99	Muzaffarpur	Very Poor	356	PM _{2.5}	2
100	Mysuru	Satisfactory	76	O ₃	1
101	Nagpur	Satisfactory	74	СО	1
102	Naharlagun	Satisfactory	65	PM ₁₀	1
103	Narnaul	Moderate	114	PM _{2.5}	1
104	Nashik	Poor	243	PM ₁₀	1
105	Navi Mumbai	Poor	270	PM ₁₀	2
106	Noida	Moderate	151	PM _{2.5}	4
107	Pali	Poor	207	PM _{2.5}	1
108	Palwal	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Good	47	PM _{2.5}	1
110	Panipat	Satisfactory	97	PM ₁₀	1
111	Patiala	Good	44	PM ₁₀	1
112	Patna	Poor	291	PM _{2.5} , PM ₁₀	6
113	Prayagraj	Moderate	154	PM _{2.5}	2
114	Puducherry	Satisfactory	99	PM _{2.5}	1
115	Pune	Moderate	132	PM _{2.5}	3
116	Purnia	Very Poor	366	PM _{2.5}	1
117	Raichur	Satisfactory	96	PM ₁₀	1
118	Rajamahendravaram	Satisfactory	92	PM _{2.5}	1
119	Ramanagara	Satisfactory	66	PM ₁₀	1
120	Ratlam	Moderate	157	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Moderate	195	PM _{2.5}	1
122	Rupnagar	Good	33	СО	1
123	Sagar	Good	39	PM _{2.5}	1
124	Saharsa	Very Poor	393	PM ₁₀	1
125	Sasaram	Very Poor	305	PM _{2.5}	1
126	Satna	Satisfactory	51	PM ₁₀	1
127	Shillong	Good	28	PM _{2.5}	1
128	Shivamogga	Satisfactory	51	PM ₁₀	1
129	Siliguri	Satisfactory	91	PM ₁₀	1
130	Singrauli	Poor	245	PM _{2.5}	1
131	Sirsa	Satisfactory	79	PM ₁₀	1
132	Solapur	Moderate	110	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sonipat	Moderate	167	PM ₁₀	1
134	Srinagar	Very Poor	305	PM ₁₀	1
135	Talcher	Moderate	131	NO ₂	1
136	Thane	Poor	235	PM ₁₀	1
137	Thiruvananthapuram	Satisfactory	62	PM ₁₀ , PM _{2.5}	2
138	Thoothukudi	Satisfactory	82	PM ₁₀	1
139	Thrissur	Satisfactory	86	PM ₁₀	1
140	Tirupati	Moderate	101	PM ₁₀	1
141	Udaipur	Poor	254	PM ₁₀	1
142	Udupi	Good	26	O ₃	1
143	Ujjain	Poor	232	PM ₁₀	1
144	Vapi	Very Poor	334	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Satisfactory	94	PM _{2.5} , PM ₁₀	3
146	Vatva	Poor	215	PM _{2.5}	1
147	Vijayapura	Satisfactory	51	PM ₁₀	1
148	Visakhapatnam	Moderate	162	PM _{2.5}	1
149	Yadgir	Satisfactory	78	PM ₁₀	1
150	Yamunanagar	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Bhilai, Brajrajnagar, Davanagere, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kaithal, Khanna, Kolar, Kollam, Manguraha, Nandesari, Pithampur, Rajgir, Siwan, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.